

2019

# Comprehensive Formulary

**CARE N' CARE CLASSIC (HMO)**

**CARE N' CARE CHOICE PREMIUM (PPO)**

**CARE N' CARE CHOICE PLUS (PPO)**

**CARE N' CARE CHOICE (PPO)**

Care N' Care Insurance is an HMO and PPO plan with a Medicare contract. Enrollment in Care N' Care depends on contract renewal.

Formulary ID 00019516, Version 17

This formulary was updated on 10/22/2019 For more recent information or other questions, please contact us, Care N' Care Health Plan Healthcare Concierge, at 1-877-374-7993 or, for TTY users, 711, October 1 – March 31, seven (7) days a week/8 a.m. – 8 p.m. (CST) or April 1 – September 30, Monday through Friday, 8 a.m. – 8 p.m. (CST), or visit [www.cnchealthplan.com](http://www.cnchealthplan.com).

Y0107\_19\_169\_C



Insurance Company, Inc.

# **Care N' Care Health Plan (PPO) and Care N' Care Health Plan (HMO)**

## **2019 Formulary**

### **(List of Covered Drugs)**

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN**

Formulary ID 00019516, Version 17

This formulary was updated on 10/22/2019. For more recent information or other questions, please contact us, Care N' Care Health Plan Healthcare Concierge, at 1-877-374-7993 or, for TTY users, 711, October 1 – March 31, seven (7) days a week/8 a.m. – 8 p.m. (CST), or April 1 – September 30, Monday through Friday, 8 a.m. – 8 p.m. (CST), or visit [www.cnchealthplan.com](http://www.cnchealthplan.com).

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Care N’ Care Insurance Company, Inc.

When it refers to “plan” or “our plan,” it means Care N’ Care Health Plan (PPO) and Care N’ Care Health Plan (HMO).

This document includes list of the drugs (formulary) for our plan which is current as of 10/22/2019. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2020 and from time to time during the year.

## What is the Care N’ Care Health Plan Formulary?

A formulary is a list of covered drugs selected by Care N’ Care Health Plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Care N’ Care Health Plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Care N’ Care Health Plan network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

## Can the Formulary (drug list) change?

Generally, if you are taking a drug on our 2019 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2019 coverage year except when a new, less expensive generic drug becomes available, when new information about the safety or effectiveness of a drug is released, or the drug is removed from the market. (See bullets below for more information on changes that affect members currently taking the drug). Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. Below are changes to the drug list that will also affect members currently taking a drug:

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

The enclosed formulary is current as of 10/22/2019. To get updated information about the drugs covered by Care

N' Care Health Plan, please contact us. Our contact information appears on the front and back cover pages. If the plan makes any negative non-maintenance formulary change, members affected will receive written notice which explains the change and the formulary posted on our website will be updated.

## How do I use the Formulary?

There are two ways to find your drug within the formulary:

### Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page number 1. Then look under the category name for your drug.

### Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 97. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

## What are generic drugs?

Care N' Care Health Plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

## Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** The Plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from Care N' Care Health Plan before you fill your prescriptions. If you don't get approval, we may not cover the drug.
- **Quantity Limits:** For certain drugs, the Plan limits the amount of the drug that we will cover. For example, Care N' Care Health Plan provides 30 tablets per prescription for Januvia 100mg tablets. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, Care N' Care Health Plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, the Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, we will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on

page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask Care N' Care Health Plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Care N' Care Health Plan's formulary?" on page IV for information about how to request an exception.

## **What if my drug is not on the Formulary?**

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that Care N' Care Health Plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by the Plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by Care N' Care Health Plan.
- You can ask us to make an exception and cover your drug. See below for information about how to request an exception.

## **How do I request an exception to the Care N' Care Health Plan's Formulary?**

You can ask Care N' Care Health Plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, the Plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, Care N' Care Health Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tier, or utilization restriction exception. **When you request a formulary, tier, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision.

If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

## **What do I do before I can talk to my doctor about changing my drugs or requesting an exception?**

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30 day supply. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility, and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug (unless you have a prescription for fewer days) while you pursue a formulary exception.

- **Emergency transitions and level of care changes:** You may have a change in your treatment setting due to the level of care you require. Such transitions include:
  - If you are discharged from a hospital or skilled nursing facility to a home setting
  - If you are admitted to a hospital or skilled nursing facility from a home setting
  - If you transfer from one skilled nursing facility to another and that new facility is serviced by a different pharmacy
  - If you end your skilled nursing facility Medicare Part A stay – where payments include all pharmacy charges – and you now need to use your Part D plan benefit
  - If you give up Hospice status and revert back to standard Medicare Part A and B coverage

If you are outside your transition period, and experience a level of care change, Care N' Care Health Plan will allow you access to a 30/31 day refill (30 days in the retail setting and 31 days in the long-term care (LTC) setting) for formulary medications and an emergency 30/31 day (30 days in the retail setting and 31 days in the LTC setting) transition fill for non-formulary medications (including Part D drugs that are on the Plan's formulary but require prior authorization, step therapy exception, or quantity limit exception). This will occur on a case-by-case basis when an exception request or appeal has been filed but has not been completed by the end of the transition period. All transition fills for new members, either in the retail setting or LTC setting, will process automatically. If you require a transition fill outside of your first 90 days with Care N' Care Health Plan, you or your pharmacist should contact us at 1-855-791-5302, 7 days a week, 24 hours a day (TTY/TDD users should call 711), so we can implement our transition policy for you. If you enroll in our plan while living at home and then become a resident of an LTC facility, please contact us at 1-855-791-5302, 7 days a week, 24 hours a day (TTY/TDD users should call 711) to let us know that you're now a resident of an LTC facility. We can then implement an LTC transition policy for you. This policy does not apply for short-term leaves of absences (i.e. holidays or vacations) from LTC or hospital facilities.

We'll send you written notice via U.S. first-class mail within three business days of receiving your transition fill

transaction from the pharmacy. This will contain an explanation of the temporary nature of that prescription fill, instructions on how to identify an appropriate therapeutic alternative that is on our formulary, an explanation of your right to request a formulary exception, and the procedure for requesting a formulary exception.

## **For more information**

For more detailed information about your Care N' Care Health Plan prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about Care N' Care Health Plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

## Care N' Care Health Plan's Formulary

The formulary below provides coverage information about the drugs covered by Care N' Care Health Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 97.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., JANUVIA) and generic drugs are listed in lower-case italics (e.g., *atorvastatin*).

The information in the Requirements/Limits column tells you if Care N' Care Health Plan has any special requirements for coverage of your drug.

Every drug on the plan's Drug List is in one of five cost-sharing tiers. The second column of the chart lists the tier for each drug.

Every drug on the plan's Drug List is in one of five cost-sharing tiers. The second column of the chart lists the tier for each drug.

- **Tier 1 - Preferred Generics:** (This is the lowest cost tier): Includes generic drugs that are available at the lowest cost share for this plan.
- **Tier 2 - Generics:** Includes generic drugs that are available at a higher cost to you than drugs in Tier 1. Also includes some very low cost brand drugs.
- **Tier 3 - Preferred Brands:** Includes preferred brand name drugs that are available at a lower cost to you than drugs in Tiers 4 and 5. Also includes some high cost generic medications which are available at a higher cost to you than drugs in Tiers 1 and 2.
- **Tier 4 - Non-Preferred Drugs:** Includes brand and generic drugs that are available at a higher cost to you than drugs in Tier 3.
- **Tier 5 - Specialty Drugs:** (This is the highest-cost tier): Includes some injectables and other high-cost drugs.

During the Initial Coverage Stage, the plan pays its share of the cost of your covered prescription drugs, and you pay your share (your copayment or coinsurance amount). Your share of the cost will vary depending on the drug and where you fill your prescription. Below is a summary of your copay amount based on drug tier.

|  | <b>Standard In-Network<br/>Retail or Mail-Order<br/>(up to a 30-day supply)</b> | <b>Standard In-Network<br/>Retail or Mail-Order<br/>(up to a 90-day<br/>supply)</b> |
|--|---|---|
| <b>Care N' Care Choice Premium (PPO)</b> |   |   |
| • Tier 1 – Preferred Generics            | \$0 copay   | \$0 copay   |
| • Tier 2 – Generics                      | \$10 copay  | \$20 copay  |
| • Tier 3 – Preferred Brands              | \$40 copay  | \$80 copay  |
| • Tier 4 – Non-Preferred Drugs           | \$85 copay  | \$170 copay   |
| • Tier 5 – Specialty Drugs               | 33% coinsurance   | 33% coinsurance   |
| <b>Care N' Care Choice Plus (PPO)</b>    |   |   |
| • Tier 1 – Preferred Generics            | \$2 copay   | \$4 copay   |
| • Tier 2 – Generics                      | \$12 copay  | \$24 copay  |
| • Tier 3 – Preferred Brands              | \$45 copay  | \$90 copay  |
| • Tier 4 – Non-Preferred Drugs           | \$90 copay  | \$180 copay   |
| • Tier 5 – Specialty Drugs               | 33% coinsurance   | 33% coinsurance   |
| <b>Care N' Care Choice (PPO)</b>         |   |   |
| • Tier 1 – Preferred Generics            | \$5 copay   | \$10 copay  |
| • Tier 2 – Generics                      | \$15 copay  | \$30 copay  |
| • Tier 3 – Preferred Brands              | \$47 copay  | \$94 copay  |
| • Tier 4 – Non-Preferred Drugs           | \$100 copay   | \$200 copay   |
| • Tier 5 – Specialty Drugs               | 33% coinsurance   | 33% coinsurance   |
| <b>Care N' Care Classic (HMO)</b>        |   |   |
| • Tier 1 – Preferred Generics            | \$0 copay   | \$0 copay   |
| • Tier 2 – Generics                      | \$10 copay  | \$20 copay  |
| • Tier 3 – Preferred Brands              | \$40 copay  | \$80 copay  |
| • Tier 4 – Non-Preferred Drugs           | \$95 copay  | \$190 copay   |
| • Tier 5 – Specialty Drugs               | 33% coinsurance   | 33% coinsurance   |

For additional prescription drug benefit details, please refer to your Evidence of Coverage.

## **LEGEND**

**1:** Tier 1 - Preferred Generics

**2:** Tier 2 - Generics

**3:** Tier 3 - Preferred Brands

**4:** Tier 4 - Non-Preferred Drugs

**5:** Tier 5 - Specialty

**BD:** Part B vs Part D determination. This prescription drug may be covered under Medicare Part B or D depending upon the circumstances.

**GC:** Gap Coverage. We provide additional coverage of this prescription drug in the coverage gap. Please refer to our Evidence of Coverage for more information about this coverage.

**HR:** High Risk Medication. These drugs require prior authorization if you are 65 years of age or older. According to medical experts, these drugs may cause more side effects if you are 65 years of age or older. If you are taking one of these drugs, ask your doctor if there are safer options available. If your doctor feels this high risk drug is right for you, you (or your physician) are required to get prior authorization before you fill your prescription for this drug.

**LA:** Limited Access. This prescription drug is limited to certain pharmacies.

**NMO:** Not available through Mail Order.

**PA:** Prior Authorization. You (or your physician) are required to get prior authorization before you fill your prescription for this drug. Without prior approval, we may not cover this drug. If the abbreviation "HR" is also listed, this prior authorization requirement may not apply to you. See the "HR" abbreviation definition located on this page for further details.

**QL:** Quantity Limit. There is a limit on the amount of this drug that is covered per prescription, or within a specific time frame.

**ST:** Step Therapy. In some cases, you may be required to first try certain drugs to treat your medical condition before we will cover another drug for that condition.

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

## Care N' Care Health Plan (List of Covered Drugs)

| Drug Name   | Drug Tier | Requirements/Limits                  |
|---|-----------|--------------------------------------|
| <b>ANALGESICS</b>   |           |                                      |
| <b>OPIOID ANALGESICS, LONG-ACTING</b>   |           |                                      |
| fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr                         | 3         | NMO; QL (10 EA per 30 days)          |
| fentanyl transdermal patch 72 hour 37.5 mcg/hr, 62.5 mcg/hr, 87.5 mcg/hr  | 4         | NMO; QL (10 EA per 30 days)          |
| hydromorphone hcl er oral tablet er 24 hour abuse-deterrant 12 mg, 8 mg   | 4         | NMO; QL (60 EA per 30 days)          |
| hydromorphone hcl er oral tablet er 24 hour abuse-deterrant 16 mg, 32 mg  | 5         | NMO; QL (60 EA per 30 days)          |
| methadone hcl oral solution 10 mg/5ml   | 2         | NMO; QL (1800 ML per 30 days)        |
| methadone hcl oral solution 5 mg/5ml  | 2         | NMO; QL (3600 ML per 30 days)        |
| methadone hcl oral tablet 10 mg, 5 mg   | 2         | NMO; QL (240 EA per 30 days)         |
| morphine sulfate er oral capsule extended release 24 hour 10 mg, 100 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 80 mg | 3         | NMO; QL (60 EA per 30 days)          |
| morphine sulfate er oral tablet extended release 100 mg, 200 mg   | 3         | NMO; QL (90 EA per 30 days)          |
| morphine sulfate er oral tablet extended release 15 mg, 30 mg, 60 mg  | 2         | NMO; QL (90 EA per 30 days)          |
| oxycodone hcl er oral tablet er 12 hour abuse-deterrant 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg           | 4         | NMO; QL (60 EA per 30 days)          |
| tramadol hcl er oral tablet extended release 24 hour 100 mg, 200 mg   | 2         | NMO; QL (30 EA per 30 days)          |
| <b>OPIOID ANALGESICS, SHORT-ACTING</b>  |           |                                      |
| acetaminophen-codeine #3 oral tablet 300-30 mg  | 2         | NMO; QL (180 EA per 30 days)         |
| acetaminophen-codeine oral solution 120-12 mg/5ml   | 2         | NMO; QL (5000 ML per 30 days)        |
| acetaminophen-codeine oral tablet 300-15 mg, 300-60 mg  | 2         | NMO; QL (180 EA per 30 days)         |
| ASCOMP-CODEINE ORAL CAPSULE 50-325-40-30 MG   | 4         | PA; NMO; HR; QL (180 EA per 30 days) |
| butalbital-apap-caff-cod oral capsule 50-325-40-30 mg   | 4         | PA; NMO; HR; QL (180 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|---|------------------|--------------------------------------|
| <i>butalbital-apap-caffeine oral tablet 50-325-40 mg</i>  | 4                | PA; NMO; HR; QL (180 EA per 30 days) |
| <i>butalbital-asa-caff-codeine oral capsule 50-325-40-30 mg</i>   | 4                | PA; NMO; HR; QL (180 EA per 30 days) |
| <i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>  | 4                | PA; NMO; HR; QL (180 EA per 30 days) |
| <i>butorphanol tartrate nasal solution 10 mg/ml</i>   | 2                | NMO                                  |
| <i>codeine sulfate oral tablet 30 mg, 60 mg</i>   | 2                | NMO; QL (180 EA per 30 days)         |
| <i>duramorph injection solution 0.5 mg/ml</i>   | 4                | BD; NMO; QL (7200 ML per 30 days)    |
| <i>duramorph injection solution 1 mg/ml</i>   | 4                | BD; NMO; QL (3600 ML per 30 days)    |
| <i>fentanyl citrate buccal lozenge on a handle 1200 mcg, 1600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i> | 5                | PA; NMO; QL (120 EA per 30 days)     |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15ml</i>  | 2                | NMO; QL (5500 ML per 30 days)        |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 5-325 mg, 7.5-325 mg</i>                              | 2                | NMO; QL (360 EA per 30 days)         |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg, 7.5-200 mg</i>                                  | 2                | NMO; QL (150 EA per 30 days)         |
| <i>hydromorphone hcl oral liquid 1 mg/ml</i>  | 4                | NMO; QL (1920 ML per 30 days)        |
| <i>hydromorphone hcl oral tablet 2 mg, 4 mg</i>   | 2                | NMO; QL (360 EA per 30 days)         |
| <i>hydromorphone hcl oral tablet 8 mg</i>   | 2                | NMO; QL (240 EA per 30 days)         |
| <i>morphine sulfate (concentrate) oral solution 100 mg/5ml</i>  | 3                | NMO; QL (600 ML per 30 days)         |
| <i>morphine sulfate oral solution 10 mg/5ml</i>   | 2                | NMO; QL (3600 ML per 30 days)        |
| <i>morphine sulfate oral solution 20 mg/5ml</i>   | 2                | NMO; QL (2700 ML per 30 days)        |
| <i>morphine sulfate oral tablet 15 mg, 30 mg</i>  | 2                | NMO; QL (180 EA per 30 days)         |
| <i>oxycodone hcl oral concentrate 100 mg/5ml</i>  | 4                | NMO; QL (360 ML per 30 days)         |
| <i>oxycodone hcl oral solution 5 mg/5ml</i>   | 4                | NMO; QL (1080 ML per 30 days)        |
| <i>oxycodone hcl oral tablet 10 mg, 15 mg, 5 mg</i>   | 2                | NMO; QL (180 EA per 30 days)         |
| <i>oxycodone hcl oral tablet 20 mg, 30 mg</i>   | 3                | NMO; QL (180 EA per 30 days)         |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg</i>  | 3                | NMO; QL (180 EA per 30 days)         |
| <i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i>   | 3                | NMO; QL (360 EA per 30 days)         |
| <i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i>   | 3                | NMO; QL (240 EA per 30 days)         |
| <i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>  | 3                | NMO; QL (360 EA per 30 days)         |
| <i>oxycodone-ibuprofen oral tablet 5-400 mg</i>   | 3                | NMO; QL (240 EA per 30 days)         |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---|------------------|----------------------------------|
| <i>oxymorphone hcl oral tablet 10 mg, 5 mg</i>  | 3                | NMO; QL (180 EA per 30 days)     |
| <i>tramadol hcl oral tablet 50 mg</i>   | 1                | NMO; GC; QL (240 EA per 30 days) |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>   | 1                | NMO; GC; QL (360 EA per 30 days) |
| <b>ANESTHETICS</b>  |                  |                                  |
| <b>LOCAL ANESTHETICS</b>  |                  |                                  |
| <i>lidocaine external patch 5 %</i>   | 4                | PA; NMO; QL (90 EA per 30 days)  |
| <i>lidocaine-prilocaine external cream 2.5-2.5 %</i>  | 2                | NMO                              |
| <i>ZTLIDO EXTERNAL PATCH 1.8 %</i>  | 4                | PA; NMO; QL (90 EA per 30 days)  |
| <b>ANTI-ADDICTION/SUBSTANCE ABUSE TREATMENT AGENTS</b>  |                  |                                  |
| <b>ALCOHOL DETERRENTS/ANTI-CRAVING</b>  |                  |                                  |
| <i>acamprosate calcium oral tablet delayed release 333 mg</i>                                       | 2                |                                  |
| <i>disulfiram oral tablet 250 mg, 500 mg</i>  | 2                |                                  |
| <i>naltrexone hcl oral tablet 50 mg</i>   | 1                | NMO; GC                          |
| <i>VIVITROL INTRAMUSCULAR SUSPENSION RECONSTITUTED 380 MG</i>                                       | 5                | NMO                              |
| <b>OPIOID ANTAGONISTS</b>   |                  |                                  |
| <i>buprenorphine hcl sublingual tablet sublingual 2 mg</i>  | 3                | NMO; QL (90 EA per 30 days)      |
| <i>buprenorphine hcl sublingual tablet sublingual 8 mg</i>  | 3                | NMO; QL (60 EA per 30 days)      |
| <i>buprenorphine hcl-naloxone hcl sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i>             | 4                | NMO                              |
| <i>buprenorphine hcl-naloxone hcl sublingual tablet sublingual 2-0.5 mg</i>                         | 3                | NMO; QL (360 EA per 30 days)     |
| <i>buprenorphine hcl-naloxone hcl sublingual tablet sublingual 8-2 mg</i>                           | 3                | NMO; QL (90 EA per 30 days)      |
| <i>buprenorphine transdermal patch weekly 10 mcg/hr, 15 mcg/hr, 20 mcg/hr, 5 mcg/hr, 7.5 mcg/hr</i> | 3                | NMO; QL (8 EA per 28 days)       |
| <i>BUTRANS TRANSDERMAL PATCH WEEKLY 7.5 MCG/HR</i>  | 3                | NMO; QL (8 EA per 28 days)       |
| <i>naloxone hcl injection solution 0.4 mg/ml</i>  | 1                | NMO; GC                          |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>naloxone hcl injection solution cartridge 0.4 mg/ml</i>  | 1                | NMO; GC                    |
| <i>naloxone hcl injection solution prefilled syringe 2 mg/2ml</i>   | 1                | NMO; GC                    |
| NARCAN NASAL LIQUID 4 MG/0.1ML  | 3                | NMO                        |
| <b>SMOKING CESSATION AGENTS</b>   |                  |                            |
| <i>bupropion hcl er (smoking det) oral tablet extended release 12 hour 150 mg</i>                                 | 1                | NMO; GC                    |
| <i>bupropion hcl er (xl) oral tablet extended release 24 hour 150 mg</i>  | 1                | GC                         |
| CHANTIX CONTINUING MONTH PAK ORAL TABLET 1 MG   | 3                | NMO                        |
| CHANTIX ORAL TABLET 0.5 MG, 1 MG  | 3                | NMO                        |
| CHANTIX STARTING MONTH PAK ORAL TABLET 0.5 MG X 11 & 1 MG X 42  | 3                | NMO                        |
| NICOTROL INHALATION INHALER 10 MG   | 4                | NMO                        |
| <b>ANTIBACTERIALS</b>   |                  |                            |
| <b>AMINOGLYCOSIDES</b>  |                  |                            |
| <i>amikacin sulfate injection solution 500 mg/2ml</i>   | 4                | NMO                        |
| ARIKAYCE INHALATION SUSPENSION 590 MG/8.4ML   | 4                | PA; NMO                    |
| <i>gentamicin in saline intravenous solution 0.8-0.9 mg/ml-%, 1-0.9 mg/ml-%, 1.2-0.9 mg/ml-%, 1.6-0.9 mg/ml-%</i> | 2                | NMO                        |
| <i>gentamicin sulfate injection solution 40 mg/ml</i>   | 2                | NMO                        |
| <i>neomycin sulfate oral tablet 500 mg</i>  | 1                | NMO; GC                    |
| <i>paromomycin sulfate oral capsule 250 mg</i>  | 4                | NMO                        |
| <i>streptomycin sulfate intramuscular solution reconstituted 1 gm</i>   | 3                | NMO                        |
| TOBI PODHALER INHALATION CAPSULE 28 MG  | 5                | NMO                        |
| <i>tobramycin inhalation nebulization solution 300 mg/5ml</i>   | 5                | BD; NMO                    |
| <i>tobramycin sulfate injection solution 10 mg/ml, 80 mg/2ml</i>  | 2                | NMO                        |
| <b>ANTIBACTERIALS, OTHER</b>  |                  |                            |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i>   | 1                | NMO; GC                    |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>clindamycin palmitate hcl oral solution reconstituted 75 mg/5ml</i>                                | 2                | NMO                        |
| <i>clindamycin phosphate in d5w intravenous solution 300 mg/50ml, 600 mg/50ml, 900 mg/50ml</i>        | 4                | NMO                        |
| <i>clindamycin phosphate injection solution 300 mg/2ml, 600 mg/4ml, 900 mg/6ml</i>                    | 4                | NMO                        |
| <i>colistimethate sodium (cba) injection solution reconstituted 150 mg</i>                            | 4                | BD; NMO                    |
| <i>daptomycin intravenous solution reconstituted 350 mg</i>   | 4                | NMO                        |
| <i>daptomycin intravenous solution reconstituted 500 mg</i>   | 5                | NMO                        |
| <b>FIRVANQ ORAL SOLUTION RECONSTITUTED 25 MG/ML, 50 MG/ML</b>   | 4                | NMO                        |
| <i>linezolid intravenous solution 600 mg/300ml</i>  | 5                | NMO                        |
| <i>linezolid oral suspension reconstituted 100 mg/5ml</i>   | 5                | NMO                        |
| <i>linezolid oral tablet 600 mg</i>   | 5                | NMO                        |
| <i>methenamine hippurate oral tablet 1 gm</i>   | 2                | NMO                        |
| <i>metronidazole in nacl intravenous solution 500-0.79 mg/100ml-%</i>                                 | 2                | NMO                        |
| <i>metronidazole oral capsule 375 mg</i>  | 2                | NMO                        |
| <i>metronidazole oral tablet 250 mg, 500 mg</i>   | 2                | NMO                        |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>                                  | 2                | NMO                        |
| <i>nitrofurantoin monohyd macro oral capsule 100 mg</i>   | 2                | NMO                        |
| <i>nitrofurantoin oral suspension 25 mg/5ml</i>   | 4                | NMO                        |
| <i>polymyxin b sulfate injection solution reconstituted 500000 unit</i>                               | 2                | NMO                        |
| <i>tigecycline intravenous solution reconstituted 50 mg</i>   | 5                | BD; NMO                    |
| <i>tinidazole oral tablet 250 mg, 500 mg</i>  | 4                | NMO                        |
| <i>trimethoprim oral tablet 100 mg</i>  | 1                | NMO; GC                    |
| <i>vancomycin hcl intravenous solution reconstituted 1 gm, 10 gm, 1000 mg, 250 mg, 500 mg, 750 mg</i> | 4                | NMO                        |
| <i>vancomycin hcl oral capsule 125 mg</i>   | 4                | NMO                        |
| <i>vancomycin hcl oral capsule 250 mg</i>   | 5                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| XIFAXAN ORAL TABLET 200 MG, 550 MG  | 5                | NMO                        |
| <b>BETA-LACTAM, CEPHALOSPORINS</b>  |                  |                            |
| <i>cefaclor er oral tablet extended release 12 hour 500 mg</i>                        | 3                | NMO                        |
| <i>cefaclor oral capsule 250 mg, 500 mg</i>   | 2                | NMO                        |
| <i>cefadroxil oral capsule 500 mg</i>   | 1                | NMO; GC                    |
| <i>cefadroxil oral suspension reconstituted 250 mg/5ml, 500 mg/5ml</i>                | 2                | NMO                        |
| <i>cefadroxil oral tablet 1 gm</i>  | 2                | NMO                        |
| <i>cefazolin sodium injection solution reconstituted 1 gm, 10 gm, 500 mg</i>          | 4                | NMO                        |
| <i>cefdinir oral capsule 300 mg</i>   | 2                | NMO                        |
| <i>cefdinir oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                  | 2                | NMO                        |
| <i>cefepime hcl injection solution reconstituted 1 gm, 2 gm</i>                       | 4                | NMO                        |
| <i>cefixime oral capsule 400 mg</i>   | 4                | NMO                        |
| <i>cefixime oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i>                  | 4                | NMO                        |
| <i>cefotaxime sodium injection solution reconstituted 1 gm, 500 mg</i>                | 4                | NMO                        |
| <i>cefotetan disodium injection solution reconstituted 1 gm, 2 gm</i>                 | 4                | NMO                        |
| <i>cefoxitin sodium injection solution reconstituted 10 gm</i>                        | 4                | NMO                        |
| <i>cefoxitin sodium intravenous solution reconstituted 1 gm, 2 gm</i>                 | 4                | NMO                        |
| <i>cefpodoxime proxetil oral suspension reconstituted 100 mg/5ml, 50 mg/5ml</i>       | 4                | NMO                        |
| <i>cefpodoxime proxetil oral tablet 100 mg, 200 mg</i>                                | 4                | NMO                        |
| <i>cefprozil oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                 | 2                | NMO                        |
| <i>cefprozil oral tablet 250 mg, 500 mg</i>   | 2                | NMO                        |
| <i>ceftazidime injection solution reconstituted 1 gm, 2 gm, 6 gm</i>                  | 4                | NMO                        |
| <i>ceftriaxone sodium injection solution reconstituted 1 gm, 2 gm, 250 mg, 500 mg</i> | 4                | NMO                        |
| <i>ceftriaxone sodium intravenous solution reconstituted 10 gm</i>                    | 4                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>   | 2                | NMO                        |
| <i>cefuroxime sodium injection solution reconstituted 7.5 gm, 750 mg</i>                        | 4                | NMO                        |
| <i>cefuroxime sodium intravenous solution reconstituted 1.5 gm</i>                              | 4                | NMO                        |
| <i>cephalexin oral capsule 250 mg, 500 mg</i>   | 1                | NMO; GC                    |
| <i>cephalexin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>                          | 2                | NMO                        |
| <i>cephalexin oral tablet 250 mg, 500 mg</i>  | 1                | NMO; GC                    |
| SUPRAX ORAL CAPSULE 400 MG  | 3                | NMO                        |
| SUPRAX ORAL SUSPENSION RECONSTITUTED 500 MG/5ML   | 3                | NMO                        |
| SUPRAX ORAL TABLET CHEWABLE 100 MG, 200 MG  | 4                | NMO                        |
| TAZICEF INJECTION SOLUTION RECONSTITUTED 1 GM, 2 GM, 6 GM                                       | 4                | NMO                        |
| TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED 400 MG, 600 MG                                       | 4                | NMO                        |
| ZERBAXA INTRAVENOUS SOLUTION RECONSTITUTED 1.5 (1-0.5) GM                                       | 5                | NMO                        |
| <b>BETA-LACTAM, OTHER</b>   |                  |                            |
| AZACTAM INJECTION SOLUTION RECONSTITUTED 2 GM   | 4                | NMO                        |
| <i>aztreonam injection solution reconstituted 1 gm</i>  | 4                | NMO                        |
| CAYSTON INHALATION SOLUTION RECONSTITUTED 75 MG   | 5                | PA; NMO                    |
| <i>ertapenem sodium injection solution reconstituted 1 gm</i>                                   | 4                | NMO                        |
| <i>imipenem-cilastatin intravenous solution reconstituted 250 mg, 500 mg</i>                    | 4                | NMO                        |
| <i>meropenem intravenous solution reconstituted 1 gm, 500 mg</i>                                | 4                | NMO                        |
| <b>BETA-LACTAM, PENICILLINS</b>   |                  |                            |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i>  | 1                | NMO; GC                    |
| <i>amoxicillin oral suspension reconstituted 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml</i> | 1                | NMO; GC                    |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i>   | 1                | NMO; GC                    |
| <i>amoxicillin oral tablet chewable 125 mg, 250 mg</i>  | 1                | NMO; GC                    |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>amoxicillin-pot clavulanate er oral tablet extended release 12 hour 1000-62.5 mg</i>   | 3                | NMO                        |
| <i>amoxicillin-pot clavulanate oral suspension reconstituted 200-28.5 mg/5ml, 250-62.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml</i> | 2                | NMO                        |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 500-125 mg, 875-125 mg</i>   | 2                | NMO                        |
| <i>amoxicillin-pot clavulanate oral tablet chewable 200-28.5 mg, 400-57 mg</i>  | 2                | NMO                        |
| <i>ampicillin oral capsule 500 mg</i>   | 1                | NMO; GC                    |
| <i>ampicillin sodium injection solution reconstituted 1 gm, 125 mg</i>  | 2                | NMO                        |
| <i>ampicillin sodium intravenous solution reconstituted 10 gm</i>   | 2                | NMO                        |
| <i>ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5) gm, 15 (10-5) gm, 3 (2-1) gm</i>                      | 4                | NMO                        |
| <b>BACTOCILL IN DEXTROSE INTRAVENOUS SOLUTION 1 GM/50ML, 2 GM/50ML</b>  | 4                | NMO                        |
| <b>BICILLIN C-R 900/300 INTRAMUSCULAR SUSPENSION 900000-300000 UNIT/2ML</b>   | 4                | NMO                        |
| <b>BICILLIN C-R INTRAMUSCULAR SUSPENSION 1200000 UNIT/2ML</b>   | 4                | NMO                        |
| <b>BICILLIN L-A INTRAMUSCULAR SUSPENSION 1200000 UNIT/2ML, 2400000 UNIT/4ML, 600000 UNIT/ML</b>                                   | 3                | NMO                        |
| <i>dicloxacillin sodium oral capsule 250 mg, 500 mg</i>   | 2                | NMO                        |
| <i>nafcillin sodium injection solution reconstituted 1 gm, 2 gm</i>   | 4                | NMO                        |
| <i>nafcillin sodium intravenous solution reconstituted 10 gm</i>  | 4                | NMO                        |
| <i>oxacillin sodium injection solution reconstituted 1 gm, 10 gm, 2 gm</i>  | 4                | NMO                        |
| <i>penicillin g pot in dextrose intravenous solution 40000 unit/ml, 60000 unit/ml</i>   | 4                | NMO                        |
| <i>penicillin g potassium injection solution reconstituted 20000000 unit</i>  | 4                | NMO                        |
| <i>penicillin g procaine intramuscular suspension 600000 unit/ml</i>  | 4                | NMO                        |
| <i>penicillin g sodium injection solution reconstituted 5000000 unit</i>  | 4                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>penicillin v potassium oral solution reconstituted 125 mg/5ml, 250 mg/5ml</i>  | 2                | NMO                        |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i>  | 1                | NMO; GC                    |
| <i>piperacillin sod-tazobactam so intravenous solution reconstituted 2.25 (2-0.25) gm, 3.375 (3-0.375) gm, 4.5 (4-0.5) gm</i> | 4                | NMO                        |
| <b>ZOSYN INTRAVENOUS SOLUTION 2-0.25 GM/50ML, 3-0.375 GM/50ML</b>   | 4                | NMO                        |
| <b>MACROLIDES</b>   |                  |                            |
| <i>azithromycin intravenous solution reconstituted 500 mg</i>   | 2                | NMO                        |
| <i>azithromycin oral packet 1 gm</i>  | 2                | NMO                        |
| <i>azithromycin oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i>  | 2                | NMO                        |
| <i>azithromycin oral tablet 250 mg, 250 mg (6 pack), 500 mg, 500 mg (3 pack)</i>  | 1                | NMO; GC                    |
| <i>azithromycin oral tablet 600 mg</i>  | 2                | NMO                        |
| <i>clarithromycin er oral tablet extended release 24 hour 500 mg</i>  | 2                | NMO                        |
| <i>clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i>  | 2                | NMO                        |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>  | 2                | NMO                        |
| <b>DIFICID ORAL TABLET 200 MG</b>   | 5                | NMO                        |
| <b>ERY-TAB ORAL TABLET DELAYED RELEASE 250 MG, 333 MG, 500 MG</b>   | 3                | NMO                        |
| <b>ERYTHROCIN LACTOBIONATE INTRAVENOUS SOLUTION RECONSTITUTED 500 MG</b>  | 4                | NMO                        |
| <b>ERYTHROCIN STEARATE ORAL TABLET 250 MG</b>   | 2                | NMO                        |
| <i>erythromycin base oral capsule delayed release particles 250 mg</i>  | 4                | NMO                        |
| <i>erythromycin base oral tablet 250 mg, 500 mg</i>   | 2                | NMO                        |
| <i>erythromycin base oral tablet delayed release 250 mg, 333 mg, 500 mg</i>   | 3                | NMO                        |
| <i>erythromycin ethylsuccinate oral suspension reconstituted 200 mg/5ml, 400 mg/5ml</i>                                       | 2                | NMO                        |
| <i>erythromycin ethylsuccinate oral tablet 400 mg</i>   | 2                | NMO                        |
| <b>QUINOLONES</b>   |                  |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>ciprofloxacin hcl oral tablet 100 mg, 250 mg, 500 mg, 750 mg</i>   | 1                | NMO; GC                    |
| <i>ciprofloxacin in d5w intravenous solution 200 mg/100ml</i>   | 4                | NMO                        |
| <i>ciprofloxacin oral suspension reconstituted 500 mg/5ml (10%)</i>   | 4                | NMO                        |
| <i>levofloxacin in d5w intravenous solution 500 mg/100ml, 750 mg/150ml</i>  | 4                | NMO                        |
| <i>levofloxacin intravenous solution 25 mg/ml</i>   | 4                | NMO                        |
| <i>levofloxacin oral solution 25 mg/ml</i>  | 4                | NMO                        |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>  | 1                | NMO; GC                    |
| <i>moxifloxacin hcl in nacl intravenous solution 400 mg/250ml</i>   | 4                | NMO                        |
| <i>moxifloxacin hcl oral tablet 400 mg</i>  | 3                | NMO                        |
| <b>SULFONAMIDES</b>   |                  |                            |
| <i>sulfadiazine oral tablet 500 mg</i>  | 2                | NMO                        |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i>  | 2                | NMO                        |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i>  | 1                | NMO; GC                    |
| <b>TETRACYCLINES</b>  |                  |                            |
| <i>demeclocycline hcl oral tablet 150 mg, 300 mg</i>  | 4                | NMO                        |
| <b>DOXY 100 INTRAVENOUS SOLUTION RECONSTITUTED 100 MG</b>   | 4                | NMO                        |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>   | 2                | NMO                        |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>  | 2                | NMO                        |
| <i>doxycycline hyclate oral tablet delayed release 100 mg, 150 mg, 200 mg, 50 mg, 75 mg</i>                       | 4                | NMO                        |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i>   | 1                | NMO; GC                    |
| <i>doxycycline monohydrate oral suspension reconstituted 25 mg/5ml</i>  | 2                | NMO                        |
| <i>doxycycline monohydrate oral tablet 100 mg</i>   | 2                | NMO                        |
| <i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>   | 3                | NMO                        |
| <i>minocycline hcl er oral tablet extended release 24 hour 105 mg, 115 mg, 135 mg, 45 mg, 65 mg, 80 mg, 90 mg</i> | 4                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>minocycline hcl oral capsule 100 mg, 50 mg, 75 mg</i>                    | 1                | NMO; GC                    |
| <i>minocycline hcl oral tablet 100 mg, 50 mg, 75 mg</i>                     | 2                | NMO                        |
| SOLOXIDE ORAL TABLET DELAYED RELEASE 150 MG                                 | 4                | NMO                        |
| VIBRAMYCIN ORAL SYRUP 50 MG/5ML   | 4                | NMO                        |
| <b>ANTICONVULSANTS</b>  |                  |                            |
| <b>ANTICONVULSANTS, OTHER</b>   |                  |                            |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML   | 4                | PA                         |
| <i>levetiracetam er oral tablet extended release 24 hour 500 mg, 750 mg</i> | 3                |                            |
| <i>levetiracetam oral solution 100 mg/ml</i>                                | 2                |                            |
| <i>levetiracetam oral tablet 1000 mg, 250 mg, 500 mg, 750 mg</i>            | 1                | GC                         |
| <i>oxcarbazepine oral tablet 150 mg</i>                                     | 1                | GC                         |
| ROWEEPRA ORAL TABLET 1000 MG, 500 MG, 750 MG                                | 1                | GC                         |
| ROWEEPRA XR ORAL TABLET EXTENDED RELEASE 24 HOUR 500 MG, 750 MG             | 3                |                            |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 1000 MG, 250 MG, 500 MG, 750 MG  | 4                |                            |
| <b>BARBITURATES</b>   |                  |                            |
| <i>phenobarbital oral elixir 20 mg/5ml</i>                                  | 1                | PA; GC; HR                 |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 30 mg, 60 mg</i>                | 1                | PA; GC; HR                 |
| <i>phenobarbital oral tablet 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg</i>         | 2                | PA; HR                     |
| <i>primidone oral tablet 250 mg, 50 mg</i>                                  | 1                | GC                         |
| <b>BENZODIAZEPINES</b>  |                  |                            |
| <i>clobazam oral suspension 2.5 mg/ml</i>                                   | 4                | QL (480 ML per 30 days)    |
| <i>clobazam oral tablet 10 mg, 20 mg</i>                                    | 4                | QL (60 EA per 30 days)     |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i>                                  | 2                | QL (180 EA per 30 days)    |
| <i>clonazepam oral tablet 2 mg</i>  | 2                | QL (300 EA per 30 days)    |
| <i>clonazepam oral tablet dispersible 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>   | 2                | QL (180 EA per 30 days)    |
| <i>clonazepam oral tablet dispersible 2 mg</i>                              | 2                | QL (300 EA per 30 days)    |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|--|------------------|-----------------------------|
| DIASTAT ACUDIAL RECTAL GEL 10 MG, 20 MG  | 4                | NMO                         |
| DIASTAT PEDIATRIC RECTAL GEL 2.5 MG  | 4                | NMO                         |
| <i>diazepam rectal gel 10 mg, 2.5 mg</i>   | 4                | NMO                         |
| SYMPAZAN ORAL FILM 10 MG, 20 MG  | 5                | NMO; QL (60 EA per 30 days) |
| SYMPAZAN ORAL FILM 5 MG  | 4                | QL (60 EA per 30 days)      |
| <b>CALCIUM CHANNEL MODIFYING AGENTS</b>  |                  |                             |
| CELONTIN ORAL CAPSULE 300 MG   | 3                |                             |
| <i>ethosuximide oral capsule 250 mg</i>  | 1                | GC                          |
| <i>ethosuximide oral solution 250 mg/5ml</i>                                       | 1                | GC                          |
| LYRICA ORAL CAPSULE 150 MG, 200 MG, 225 MG, 25 MG, 50 MG, 75 MG                    | 3                | QL (120 EA per 30 days)     |
| LYRICA ORAL CAPSULE 300 MG   | 3                | QL (60 EA per 30 days)      |
| LYRICA ORAL SOLUTION 20 MG/ML  | 3                | QL (900 ML per 30 days)     |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 50 mg, 75 mg</i> | 3                | QL (120 EA per 30 days)     |
| <i>pregabalin oral capsule 300 mg</i>  | 3                | QL (60 EA per 30 days)      |
| <i>pregabalin oral solution 20 mg/ml</i>   | 3                | QL (900 ML per 30 days)     |
| <i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i>                                | 2                |                             |
| <b>GAMMA-AMINOBUTYRIC ACID (GABA) AUGMENTING AGENTS</b>                            |                  |                             |
| <i>divalproex sodium er oral tablet extended release 24 hour 250 mg, 500 mg</i>    | 2                |                             |
| <i>divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg</i>        | 1                | GC                          |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML  | 4                |                             |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG                           | 4                |                             |
| <i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i>                              | 1                | GC                          |
| <i>gabapentin oral solution 250 mg/5ml</i>   | 2                |                             |
| <i>gabapentin oral tablet 600 mg, 800 mg</i>                                       | 2                |                             |
| <i>tiagabine hcl oral tablet 12 mg, 16 mg</i>                                      | 4                |                             |
| <i>tiagabine hcl oral tablet 2 mg, 4 mg</i>  | 2                |                             |
| <i>valproate sodium oral solution 250 mg/5ml</i>                                   | 2                |                             |
| <i>valproic acid oral capsule 250 mg</i>   | 2                |                             |
| <i>valproic acid oral solution 250 mg/5ml</i>                                      | 2                |                             |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|--|------------------|-----------------------------|
| vigabatrin oral packet 500 mg  | 5                | LA; NMO                     |
| vigabatrin oral tablet 500 mg  | 5                | NMO                         |
| VIGADRONE ORAL PACKET 500 MG   | 5                | NMO                         |
| <b>GLUTAMATE REDUCING AGENTS</b>   |                  |                             |
| felbamate oral suspension 600 mg/5ml   | 4                |                             |
| felbamate oral tablet 400 mg, 600 mg   | 4                |                             |
| LAMICTAL XR ORAL KIT 21 X 25 MG & 7 X 50 MG, 25 & 50 & 100 MG, 50 & 100 & 200 MG                 | 4                | NMO                         |
| lamotrigine er oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg | 3                |                             |
| lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg  | 1                | GC                          |
| lamotrigine oral tablet chewable 25 mg, 5 mg   | 1                | GC                          |
| lamotrigine oral tablet dispersible 100 mg, 200 mg, 25 mg, 50 mg                                 | 3                |                             |
| lamotrigine starter kit-blue oral kit 35 x 25 mg   | 4                | NMO                         |
| lamotrigine starter kit-green oral kit 84 x 25 mg & 14x100 mg                                    | 4                | NMO                         |
| lamotrigine starter kit-orange oral kit 42 x 25 mg & 7 x 100 mg                                  | 4                | NMO                         |
| topiramate er oral capsule er 24 hour sprinkle 100 mg, 150 mg, 200 mg, 25 mg, 50 mg              | 3                |                             |
| topiramate oral capsule sprinkle 15 mg, 25 mg  | 2                |                             |
| topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg  | 1                | GC                          |
| TROKENDI XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR 100 MG, 25 MG, 50 MG                           | 4                |                             |
| TROKENDI XR ORAL CAPSULE EXTENDED RELEASE 24 HOUR 200 MG   | 5                | NMO                         |
| <b>SODIUM CHANNEL AGENTS</b>   |                  |                             |
| APTIOM ORAL TABLET 200 MG  | 4                | QL (30 EA per 30 days)      |
| APTIOM ORAL TABLET 400 MG  | 5                | NMO; QL (30 EA per 30 days) |
| APTIOM ORAL TABLET 600 MG  | 5                | NMO; QL (60 EA per 30 days) |
| APTIOM ORAL TABLET 800 MG  | 5                | NMO; QL (45 EA per 30 days) |
| BANZEL ORAL SUSPENSION 40 MG/ML  | 5                | NMO                         |
| BANZEL ORAL TABLET 200 MG, 400 MG  | 5                | NMO                         |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---|------------------|------------------------------|
| BRIVIACT ORAL SOLUTION 10 MG/ML   | 5                | NMO; QL (600 ML per 30 days) |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG                                     | 5                | NMO; QL (60 EA per 30 days)  |
| <i>carbamazepine er oral capsule extended release 12 hour 100 mg, 200 mg, 300 mg</i>        | 2                |                              |
| <i>carbamazepine er oral tablet extended release 12 hour 100 mg, 200 mg, 400 mg</i>         | 2                |                              |
| <i>carbamazepine oral suspension 100 mg/5ml</i>   | 2                |                              |
| <i>carbamazepine oral tablet 200 mg</i>   | 2                |                              |
| DILANTIN ORAL CAPSULE 30 MG   | 2                |                              |
| EPITOL ORAL TABLET 200 MG   | 2                |                              |
| <i>oxcarbazepine oral suspension 300 mg/5ml</i>   | 1                | GC                           |
| <i>oxcarbazepine oral tablet 300 mg, 600 mg</i>   | 1                | GC                           |
| OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HOUR 150 MG, 300 MG, 600 MG                     | 4                |                              |
| PEGANONE ORAL TABLET 250 MG   | 3                |                              |
| <i>phenytoin oral suspension 125 mg/5ml</i>   | 1                | GC                           |
| <i>phenytoin oral tablet chewable 50 mg</i>   | 1                | GC                           |
| <i>phenytoin sodium extended oral capsule 100 mg, 200 mg, 300 mg</i>                        | 1                | GC                           |
| VIMPAT ORAL SOLUTION 10 MG/ML   | 4                | QL (1200 ML per 30 days)     |
| VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG  | 4                | QL (60 EA per 30 days)       |
| <b>ANTIDEMENTIA AGENTS</b>  |                  |                              |
| <b>ANTIDEMENTIA AGENTS, OTHER</b>   |                  |                              |
| <i>ergoloid mesylates oral tablet 1 mg</i>  | 2                | PA; HR                       |
| <b>CHOLINESTERASE INHIBITORS</b>  |                  |                              |
| <i>donepezil hcl oral tablet 10 mg, 5 mg</i>  | 1                | GC                           |
| <i>donepezil hcl oral tablet 23 mg</i>  | 3                |                              |
| <i>donepezil hcl oral tablet dispersible 10 mg, 5 mg</i>                                    | 2                |                              |
| <i>galantamine hydrobromide er oral capsule extended release 24 hour 16 mg, 24 mg, 8 mg</i> | 2                |                              |
| <i>galantamine hydrobromide oral solution 4 mg/ml</i>                                       | 3                |                              |
| <i>galantamine hydrobromide oral tablet 12 mg, 4 mg, 8 mg</i>                               | 2                |                              |
| <i>memantine hcl oral tablet 10 mg, 5 mg</i>  | 2                |                              |
| <i>memantine hcl oral tablet 28 x 5 mg &amp; 21 x 10 mg</i>                                 | 2                | NMO                          |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg                        | 2                |                            |
| rivastigmine transdermal patch 24 hour 13.3 mg/24hr, 4.6 mg/24hr, 9.5 mg/24hr        | 2                | QL (30 EA per 30 days)     |
| <b>N-METHYL-D-ASPARTATE (NMDA) RECEPTOR ANTAGONIST</b>                               |                  |                            |
| memantine hcl er oral capsule extended release 24 hour 14 mg, 21 mg, 28 mg, 7 mg     | 3                |                            |
| memantine hcl oral solution 2 mg/ml  | 2                |                            |
| NAMENDA XR TITRATION PACK ORAL CAPSULE EXTENDED RELEASE 24 HOUR 7 & 14 & 21 &28 MG   | 3                | NMO                        |
| NAMZARIC ORAL CAPSULE ER 24 HOUR THERAPY PACK 7 & 14 & 21 &28 -10 MG                 | 3                | NMO                        |
| NAMZARIC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG | 3                |                            |
| <b>ANTIDEPRESSANTS</b>   |                  |                            |
| <b>ANTIDEPRESSANTS, OTHER</b>  |                  |                            |
| bupropion hcl er (sr) oral tablet extended release 12 hour 100 mg, 150 mg, 200 mg    | 1                | GC                         |
| bupropion hcl er (xl) oral tablet extended release 24 hour 300 mg                    | 1                | GC                         |
| bupropion hcl er (xl) oral tablet extended release 24 hour 450 mg                    | 3                | QL (30 EA per 30 days)     |
| bupropion hcl oral tablet 100 mg, 75 mg  | 1                | GC                         |
| maprotiline hcl oral tablet 25 mg, 50 mg, 75 mg                                      | 2                |                            |
| mirtazapine oral tablet 15 mg, 30 mg, 45 mg, 7.5 mg                                  | 1                | GC                         |
| mirtazapine oral tablet dispersible 15 mg, 30 mg, 45 mg                              | 2                |                            |
| nefazodone hcl oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg                     | 2                |                            |
| trazodone hcl oral tablet 100 mg   | 1                | NMO; GC                    |
| trazodone hcl oral tablet 150 mg, 50 mg  | 1                | GC                         |
| trazodone hcl oral tablet 300 mg   | 2                |                            |
| VIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG   | 3                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name  | Drug Tier | Requirements/Limits         |
|--|-----------|-----------------------------|
| VIIBRYD STARTER PACK ORAL KIT 10 & 20 MG   | 3         | NMO                         |
| <b>MONOAMINE OXIDASE INHIBITORS</b>  |           |                             |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24HR, 6 MG/24HR, 9 MG/24HR                             | 5         | NMO; QL (30 EA per 30 days) |
| MARPLAN ORAL TABLET 10 MG  | 4         |                             |
| <i>phenelzine sulfate oral tablet 15 mg</i>  | 2         |                             |
| <i>tranylcypromine sulfate oral tablet 10 mg</i>   | 2         |                             |
| <b>SEROTONIN/NOREPINEPHRINE REUPTAKE INHIBITORS</b>  |           |                             |
| <i>citalopram hydrobromide oral solution 10 mg/5ml</i>                                       | 2         |                             |
| <i>citalopram hydrobromide oral tablet 10 mg, 20 mg, 40 mg</i>                               | 1         | GC                          |
| <i>desvenlafaxine er oral tablet extended release 24 hour 100 mg, 50 mg</i>                  | 3         |                             |
| <i>desvenlafaxine succinate er oral tablet extended release 24 hour 100 mg, 25 mg, 50 mg</i> | 3         |                             |
| <i>duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 40 mg, 60 mg</i>      | 2         |                             |
| <i>escitalopram oxalate oral solution 5 mg/5ml</i>   | 2         |                             |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i>                                   | 1         | GC                          |
| FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 20 MG, 40 MG, 80 MG                    | 3         |                             |
| FETZIMA TITRATION ORAL CAPSULE ER 24 HOUR THERAPY PACK 20 & 40 MG                            | 3         | NMO                         |
| <i>fluoxetine hcl oral capsule 10 mg, 20 mg, 40 mg</i>                                       | 1         | GC                          |
| <i>fluoxetine hcl oral capsule delayed release 90 mg</i>                                     | 3         |                             |
| <i>fluoxetine hcl oral solution 20 mg/5ml</i>  | 2         |                             |
| <i>fluoxetine hcl oral tablet 10 mg, 20 mg</i>   | 2         |                             |
| <i>fluoxetine hcl oral tablet 60 mg</i>  | 3         |                             |
| <i>fluvoxamine maleate er oral capsule extended release 24 hour 100 mg, 150 mg</i>           | 3         |                             |
| <i>fluvoxamine maleate oral tablet 100 mg, 25 mg, 50 mg</i>                                  | 1         | GC                          |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| paroxetine hcl er oral tablet extended release 24 hour 12.5 mg, 25 mg, 37.5 mg         | 2                |                            |
| paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg                                  | 1                | GC                         |
| paroxetine mesylate oral capsule 7.5 mg  | 4                |                            |
| PAXIL ORAL SUSPENSION 10 MG/5ML  | 4                |                            |
| sertraline hcl oral concentrate 20 mg/ml   | 1                | GC                         |
| sertraline hcl oral tablet 100 mg, 25 mg, 50 mg  | 1                | GC                         |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG  | 4                | ST                         |
| venlafaxine hcl er oral capsule extended release 24 hour 150 mg, 37.5 mg, 75 mg        | 1                | GC                         |
| venlafaxine hcl er oral tablet extended release 24 hour 150 mg, 225 mg, 37.5 mg, 75 mg | 3                |                            |
| venlafaxine hcl oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg                       | 1                | GC                         |
| <b>TRICYCLICS</b>  |                  |                            |
| amitriptyline hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg               | 2                | PA; HR                     |
| amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg                                     | 2                |                            |
| clomipramine hcl oral capsule 25 mg, 50 mg, 75 mg                                      | 4                | PA; HR                     |
| desipramine hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg                 | 2                |                            |
| doxepin hcl oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg                    | 2                | PA; HR                     |
| doxepin hcl oral concentrate 10 mg/ml  | 2                | PA; HR                     |
| imipramine hcl oral tablet 10 mg, 25 mg, 50 mg   | 2                | PA; HR                     |
| imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg                          | 4                | PA; HR                     |
| nortriptyline hcl oral capsule 10 mg, 25 mg, 50 mg, 75 mg                              | 1                | GC                         |
| nortriptyline hcl oral solution 10 mg/5ml  | 2                |                            |
| protriptyline hcl oral tablet 10 mg, 5 mg  | 2                |                            |
| trimipramine maleate oral capsule 100 mg, 25 mg, 50 mg                                 | 2                | PA; HR                     |
| <b>ANTIEMETICS</b>   |                  |                            |
| <b>ANTIEMETICS, OTHER</b>  |                  |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|---|------------------|---------------------------------|
| <i>meclizine hcl oral tablet 12.5 mg, 25 mg</i>   | 1                | NMO; GC                         |
| <i>scopolamine transdermal patch 72 hour 1 mg/3days</i>   | 3                | NMO                             |
| <b>TRANSDERM-SCOP (1.5 MG)<br/>TRANSDERMAL PATCH 72 HOUR 1 MG/3DAYS</b>                           | 3                | NMO                             |
| <i>trimethobenzamide hcl oral capsule 300 mg</i>  | 2                | PA; NMO; HR                     |
| <b>EMETOGENIC THERAPY<br/>ADJUNCTS</b>  |                  |                                 |
| <i>aprepitant oral capsule 125 mg, 40 mg, 80 &amp; 125 mg, 80 mg</i>                              | 4                | BD; NMO                         |
| <i>dronabinol oral capsule 10 mg</i>  | 5                | PA; NMO; QL (60 EA per 30 days) |
| <i>dronabinol oral capsule 2.5 mg, 5 mg</i>   | 4                | PA; NMO; QL (60 EA per 30 days) |
| <i>granisetron hcl oral tablet 1 mg</i>   | 2                | BD; NMO; QL (60 EA per 30 days) |
| <i>ondansetron hcl oral solution 4 mg/5ml</i>   | 2                | BD; NMO                         |
| <i>ondansetron hcl oral tablet 24 mg, 4 mg, 8 mg</i>  | 1                | BD; NMO; GC                     |
| <i>ondansetron oral tablet dispersible 4 mg, 8 mg</i>   | 2                | BD; NMO                         |
| <b>SANCUSO TRANSDERMAL PATCH 3.1 MG/24HR</b>  | 5                | NMO                             |
| <b>ANTIFUNGALS</b>  |                  |                                 |
| <b>ANTIFUNGALS</b>  |                  |                                 |
| <i>ABELCET INTRAVENOUS SUSPENSION 5 MG/ML</i>   | 5                | BD; NMO                         |
| <i>AMBISOME INTRAVENOUS SUSPENSION RECONSTITUTED 50 MG</i>  | 4                | BD; NMO                         |
| <i>amphotericin b injection solution reconstituted 50 mg</i>                                      | 4                | BD; NMO                         |
| <i>amphotericin b intravenous solution reconstituted 50 mg</i>                                    | 4                | BD; NMO                         |
| <i>caspofungin acetate intravenous solution reconstituted 50 mg, 70 mg</i>                        | 5                | BD; NMO                         |
| <b>ERAXIS INTRAVENOUS SOLUTION RECONSTITUTED 100 MG, 50 MG</b>                                    | 4                | NMO                             |
| <i>fluconazole in sodium chloride intravenous solution 200-0.9 mg/100ml-%, 400-0.9 mg/200ml-%</i> | 2                | NMO                             |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---|------------------|------------------------------|
| <i>fluconazole oral suspension reconstituted 10 mg/ml, 40 mg/ml</i> | 2                | NMO                          |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>        | 2                | NMO                          |
| <i>flucytosine oral capsule 250 mg, 500 mg</i>                      | 5                | NMO                          |
| <i>griseofulvin microsize oral suspension 125 mg/5ml</i>            | 2                | NMO                          |
| <i>griseofulvin microsize oral tablet 500 mg</i>                    | 2                | NMO                          |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>       | 2                | NMO                          |
| <i>itraconazole oral capsule 100 mg</i>                             | 4                | PA; NMO                      |
| <i>itraconazole oral solution 10 mg/ml</i>                          | 4                | PA; NMO                      |
| <i>ketoconazole oral tablet 200 mg</i>                              | 1                | NMO; GC                      |
| <b>MYCAMINE INTRAVENOUS SOLUTION RECONSTITUTED 100 MG, 50 MG</b>    | 5                | NMO                          |
| <b>NOXAFL ORAL SUSPENSION 40 MG/ML</b>                              | 5                | NMO                          |
| <b>NOXAFL ORAL TABLET DELAYED RELEASE 100 MG</b>                    | 5                | NMO                          |
| <i>nystatin oral tablet 500000 unit</i>                             | 2                | NMO                          |
| <b>ORAVIG BUCCAL TABLET 50 MG</b>                                   | 3                | NMO                          |
| <i>terbinafine hcl oral tablet 250 mg</i>                           | 1                | NMO; GC                      |
| <i>voriconazole intravenous solution reconstituted 200 mg</i>       | 4                | NMO                          |
| <i>voriconazole oral suspension reconstituted 40 mg/ml</i>          | 5                | NMO; QL (300 ML per 30 days) |
| <i>voriconazole oral tablet 200 mg, 50 mg</i>                       | 5                | NMO                          |
| <b>ANTIGOUT AGENTS</b>  |                  |                              |
| <b>ANTIGOUT AGENTS</b>  |                  |                              |
| <i>allopurinol oral tablet 100 mg</i>                               | 1                | GC                           |
| <i>colchicine oral capsule 0.6 mg</i>                               | 2                | NMO                          |
| <i>colchicine oral tablet 0.6 mg</i>                                | 2                | NMO                          |
| <i>colchicine-probenecid oral tablet 0.5-500 mg</i>                 | 2                |                              |
| <i>febuxostat oral tablet 40 mg, 80 mg</i>                          | 3                | ST                           |
| <i>probenecid oral tablet 500 mg</i>                                | 2                |                              |
| <b>ULORIC ORAL TABLET 40 MG, 80 MG</b>                              | 3                | ST                           |
| <b>ANTI-INFLAMMATORY AGENTS</b>                                     |                  |                              |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <b>NONSTEROIDAL ANTI-INFLAMMATORY DRUGS</b>                                    |           |                     |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i>                    | 2         |                     |
| <i>diclofenac potassium oral tablet 50 mg</i>                                  | 2         |                     |
| <i>diclofenac sodium er oral tablet extended release 24 hour 100 mg</i>        | 1         | GC                  |
| <i>diclofenac sodium oral tablet delayed release 25 mg, 50 mg, 75 mg</i>       | 1         | GC                  |
| <i>diclofenac-misoprostol oral tablet delayed release 50-0.2 mg, 75-0.2 mg</i> | 2         |                     |
| <i>diflunisal oral tablet 500 mg</i>   | 2         |                     |
| <i>etodolac er oral tablet extended release 24 hour 400 mg, 500 mg, 600 mg</i> | 2         |                     |
| <i>etodolac oral capsule 200 mg, 300 mg</i>                                    | 2         |                     |
| <i>etodolac oral tablet 400 mg, 500 mg</i>                                     | 2         |                     |
| <i>flurbiprofen oral tablet 100 mg, 50 mg</i>                                  | 2         |                     |
| <b>IBU ORAL TABLET 600 MG, 800 MG</b>  | 1         | GC                  |
| <i>ibuprofen oral suspension 100 mg/5ml</i>                                    | 1         | NMO; GC             |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i>                            | 1         | GC                  |
| <i>indomethacin er oral capsule extended release 75 mg</i>                     | 2         | PA; HR              |
| <i>indomethacin oral capsule 25 mg, 50 mg</i>                                  | 1         | PA; GC; HR          |
| <i>ketoprofen er oral capsule extended release 24 hour 200 mg</i>              | 4         |                     |
| <i>ketoprofen oral capsule 25 mg</i>   | 4         |                     |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i>                                     | 1         | GC                  |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>                                   | 1         | GC                  |
| <i>naproxen dr oral tablet delayed release 375 mg, 500 mg</i>                  | 1         | GC                  |
| <i>naproxen oral suspension 125 mg/5ml</i>                                     | 1         | GC                  |
| <i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i>                             | 1         | GC                  |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i>                              | 2         |                     |
| <i>oxaprozin oral tablet 600 mg</i>  | 2         |                     |
| <i>piroxicam oral capsule 10 mg, 20 mg</i>                                     | 2         |                     |
| <i>sulindac oral tablet 150 mg, 200 mg</i>                                     | 1         | GC                  |
| <i>tolmetin sodium oral capsule 400 mg</i>                                     | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <b>ANTIMIGRAINE AGENTS</b>   |           |                     |
| <b>ERGOT ALKALOIDS</b>   |           |                     |
| <i>dihydroergotamine mesylate nasal solution 4 mg/ml</i>                                   | 4         | NMO                 |
| MIGERGOT RECTAL SUPPOSITORY 2-100 MG   | 3         | NMO                 |
| <b>PROPHYLACTIC</b>  |           |                     |
| <i>divalproex sodium oral capsule delayed release sprinkle 125 mg</i>                      | 2         |                     |
| <i>timolol maleate oral tablet 10 mg</i>   | 1         | GC                  |
| <b>SEROTONIN (5-HT) 1B/1D RECEPTOR AGONISTS</b>  |           |                     |
| <i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>                                     | 4         | NMO                 |
| <i>eletriptan hydrobromide oral tablet 20 mg, 40 mg</i>                                    | 4         | NMO                 |
| <i>fravatriptan succinate oral tablet 2.5 mg</i>   | 2         | NMO                 |
| <i>naratriptan hcl oral tablet 1 mg, 2.5 mg</i>  | 2         | NMO                 |
| <i>rizatriptan benzoate oral tablet 10 mg, 5 mg</i>  | 2         | NMO                 |
| <i>rizatriptan benzoate oral tablet dispersible 10 mg, 5 mg</i>                            | 2         | NMO                 |
| <i>sumatriptan nasal solution 20 mg/act, 5 mg/act</i>                                      | 2         | NMO                 |
| <i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>                              | 1         | NMO; GC             |
| <i>sumatriptan succinate refill subcutaneous solution cartridge 4 mg/0.5ml, 6 mg/0.5ml</i> | 2         | NMO                 |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5ml</i>                              | 2         | NMO                 |
| <i>sumatriptan succinate subcutaneous solution auto-injector 4 mg/0.5ml, 6 mg/0.5ml</i>    | 2         | NMO                 |
| <i>sumatriptan succinate subcutaneous solution prefilled syringe 6 mg/0.5ml</i>            | 2         | NMO                 |
| <i>sumatriptan-naproxen sodium oral tablet 85-500 mg</i>                                   | 4         | NMO                 |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>   | 2         | NMO                 |
| <i>zolmitriptan oral tablet dispersible 2.5 mg, 5 mg</i>                                   | 2         | NMO                 |
| <b>ANTIMYASTHENIC AGENTS</b>   |           |                     |
| <b>PARASYMPATHOMIMETICS</b>  |           |                     |
| <i>guanidine hcl oral tablet 125 mg</i>  | 3         | NMO                 |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>pyridostigmine bromide er oral tablet extended release 180 mg</i>  | 2                | NMO                        |
| <i>pyridostigmine bromide oral solution 60 mg/5ml</i>                 | 2                | NMO                        |
| <i>pyridostigmine bromide oral tablet 30 mg, 60 mg</i>                | 2                | NMO                        |
| <b>ANTIMYCOBACTERIALS</b>   |                  |                            |
| <b>ANTIMYCOBACTERIALS, OTHER</b>                                      |                  |                            |
| <i>dapsone oral tablet 100 mg, 25 mg</i>                              | 2                |                            |
| <i>pyrazinamide oral tablet 500 mg</i>                                | 2                | NMO                        |
| <i>rifabutin oral capsule 150 mg</i>                                  | 3                | NMO                        |
| <b>ANTITUBERCULARS</b>  |                  |                            |
| <i>ethambutol hcl oral tablet 100 mg, 400 mg</i>                      | 2                | NMO                        |
| <i>isoniazid oral syrup 50 mg/5ml</i>                                 | 1                | GC                         |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>                           | 1                | GC                         |
| <b>PASER ORAL PACKET 4 GM</b>   | 4                | NMO                        |
| <b>PRIFTIN ORAL TABLET 150 MG</b>                                     | 4                | NMO                        |
| <b>RIFAMATE ORAL CAPSULE 150-300 MG</b>                               | 4                | NMO                        |
| <i>rifampin intravenous solution reconstituted 600 mg</i>             | 4                | NMO                        |
| <i>rifampin oral capsule 150 mg, 300 mg</i>                           | 2                | NMO                        |
| <b>RIFATER ORAL TABLET 50-120-300 MG</b>                              | 4                | NMO                        |
| <b>SIRTURO ORAL TABLET 100 MG</b>                                     | 5                | NMO                        |
| <b>TRECATOR ORAL TABLET 250 MG</b>                                    | 4                | NMO                        |
| <b>ANTINEOPLASTICS</b>  |                  |                            |
| <b>ALKYLATING AGENTS</b>  |                  |                            |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i>                     | 3                | BD; NMO                    |
| <b>GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG</b>                    | 4                | NMO                        |
| <b>LEUKERAN ORAL TABLET 2 MG</b>                                      | 3                | NMO                        |
| <b>ANTIANGIOGENIC AGENTS</b>  |                  |                            |
| <b>REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG</b> | 5                | PA; LA; NMO                |
| <b>THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG</b>            | 5                | PA; NMO                    |
| <b>ANTIMETABOLITES</b>  |                  |                            |
| <b>DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG</b>                     | 4                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--|------------------|----------------------------------|
| <i>mercaptopurine oral tablet 50 mg</i>                      | 2                | NMO                              |
| <i>methotrexate oral tablet 2.5 mg</i>                       | 2                | BD; NMO                          |
| <i>methotrexate sodium (pf) injection solution 50 mg/2ml</i> | 1                | BD; NMO; GC                      |
| <i>methotrexate sodium injection solution 250 mg/10ml</i>    | 1                | BD; NMO; GC                      |
| PURIXAN ORAL SUSPENSION 2000 MG/100ML                        | 5                | NMO                              |
| TABLOID ORAL TABLET 40 MG                                    | 3                | NMO                              |
| TREXALL ORAL TABLET 10 MG, 15 MG, 5 MG, 7.5 MG               | 4                | BD; NMO                          |
| XATMEP ORAL SOLUTION 2.5 MG/ML                               | 5                | BD; NMO                          |
| <b>ANTINEOPLASTICS</b>                                       |                  |                                  |
| <i>abiraterone acetate oral tablet 250 mg</i>                | 5                | PA; NMO; QL (120 EA per 30 days) |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 2000000 UNIT/0.5ML           | 5                | PA; LA; NMO                      |
| AFINITOR DISPERZ ORAL TABLET SOLUBLE 2 MG, 3 MG              | 5                | NMO; QL (30 EA per 30 days)      |
| AFINITOR DISPERZ ORAL TABLET SOLUBLE 5 MG                    | 5                | NMO; QL (60 EA per 30 days)      |
| AFINITOR ORAL TABLET 10 MG, 2.5 MG, 5 MG, 7.5 MG             | 5                | NMO; QL (30 EA per 30 days)      |
| ALECensa ORAL CAPSULE 150 MG                                 | 5                | PA; NMO                          |
| ALUNBRIG ORAL TABLET 180 MG                                  | 5                | PA; NMO; QL (30 EA per 30 days)  |
| ALUNBRIG ORAL TABLET 30 MG                                   | 5                | PA; NMO; QL (180 EA per 30 days) |
| ALUNBRIG ORAL TABLET 90 MG                                   | 5                | PA; NMO; QL (60 EA per 30 days)  |
| ALUNBRIG ORAL TABLET THERAPY PACK 90 & 180 MG                | 5                | PA; NMO; QL (30 EA per 30 days)  |
| BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG                        | 5                | PA; LA; NMO                      |
| <i>bexarotene oral capsule 75 mg</i>                         | 5                | NMO                              |
| <i>bicalutamide oral tablet 50 mg</i>                        | 1                | NMO; GC                          |
| BOSULIF ORAL TABLET 100 MG                                   | 5                | PA; NMO; QL (120 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|--|------------------|--------------------------------------|
| BOSULIF ORAL TABLET 400 MG, 500 MG                       | 5                | PA; NMO; QL (30 EA per 30 days)      |
| BRAFTOVI ORAL CAPSULE 75 MG                              | 5                | PA; LA; NMO; QL (180 EA per 30 days) |
| CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG                | 5                | PA; NMO                              |
| CALQUENCE ORAL CAPSULE 100 MG                            | 5                | PA; LA; NMO; QL (60 EA per 30 days)  |
| CAPRELSA ORAL TABLET 100 MG                              | 5                | NMO; QL (60 EA per 30 days)          |
| CAPRELSA ORAL TABLET 300 MG                              | 5                | NMO; QL (30 EA per 30 days)          |
| COMETRIQ (100 MG DAILY DOSE) ORAL KIT 1 X 80 & 1 X 20 MG | 5                | NMO; QL (60 EA per 30 days)          |
| COMETRIQ (140 MG DAILY DOSE) ORAL KIT 1 X 80 & 3 X 20 MG | 5                | NMO; QL (120 EA per 30 days)         |
| COMETRIQ (60 MG DAILY DOSE) ORAL KIT 20 MG               | 5                | NMO; QL (90 EA per 30 days)          |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG                       | 5                | PA; NMO; QL (60 EA per 30 days)      |
| COTELLIC ORAL TABLET 20 MG                               | 5                | PA; LA; NMO                          |
| DAURISMO ORAL TABLET 100 MG, 25 MG                       | 5                | PA; NMO                              |
| DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML          | 3                | BD; NMO                              |
| ELIGARD SUBCUTANEOUS KIT 22.5 MG, 30 MG, 45 MG, 7.5 MG   | 4                | BD; NMO                              |
| EMCYT ORAL CAPSULE 140 MG                                | 3                | NMO                                  |
| ERIVEDGE ORAL CAPSULE 150 MG                             | 5                | NMO                                  |
| ERLEADA ORAL TABLET 60 MG                                | 5                | PA; LA; NMO                          |
| <i>erlotinib hcl oral tablet 100 mg, 150 mg</i>          | 5                | NMO; QL (30 EA per 30 days)          |
| <i>erlotinib hcl oral tablet 25 mg</i>                   | 5                | NMO; QL (90 EA per 30 days)          |
| FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG                 | 5                | PA; NMO                              |
| FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED 120 MG      | 5                | BD; NMO                              |
| FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED 80 MG       | 4                | BD; NMO                              |
| <i>flutamide oral capsule 125 mg</i>                     | 1                | NMO; GC                              |
| GILOTrif ORAL TABLET 20 MG, 30 MG, 40 MG                 | 5                | PA; NMO                              |
| <i>hydroxyurea oral capsule 500 mg</i>                   | 1                | NMO; GC                              |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|---|------------------|---------------------------------|
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG  | 5                | PA; NMO                         |
| ICLUSIG ORAL TABLET 15 MG   | 5                | PA; NMO; QL (60 EA per 30 days) |
| ICLUSIG ORAL TABLET 45 MG   | 5                | PA; NMO; QL (30 EA per 30 days) |
| IDHIFA ORAL TABLET 100 MG   | 5                | PA; NMO; QL (30 EA per 30 days) |
| IDHIFA ORAL TABLET 50 MG  | 5                | PA; NMO; QL (60 EA per 30 days) |
| <i>imatinib mesylate oral tablet 100 mg</i>   | 5                | NMO; QL (180 EA per 30 days)    |
| <i>imatinib mesylate oral tablet 400 mg</i>   | 5                | NMO; QL (60 EA per 30 days)     |
| IMBRUVICA ORAL CAPSULE 140 MG, 70 MG  | 5                | PA; NMO                         |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG                                  | 5                | PA; NMO                         |
| INLYTA ORAL TABLET 1 MG   | 5                | NMO; QL (180 EA per 30 days)    |
| INLYTA ORAL TABLET 5 MG   | 5                | NMO; QL (60 EA per 30 days)     |
| INREBIC ORAL CAPSULE 100 MG   | 5                | PA; NMO                         |
| INTRON A INJECTION SOLUTION 10000000 UNIT/ML, 6000000 UNIT/ML                         | 5                | BD; NMO                         |
| INTRON A INJECTION SOLUTION RECONSTITUTED 10000000 UNIT, 18000000 UNIT, 50000000 UNIT | 5                | BD; NMO                         |
| IRESSA ORAL TABLET 250 MG   | 5                | PA; NMO                         |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG                                   | 5                | NMO; QL (60 EA per 30 days)     |
| KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK 200 MG                                 | 5                | PA; NMO                         |
| KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK 200 MG                                 | 5                | PA; NMO                         |
| KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK 200 MG                                 | 5                | PA; NMO                         |
| KISQALI 200 DOSE ORAL TABLET 200 MG   | 5                | PA; NMO                         |
| KISQALI 400 DOSE ORAL TABLET 200 MG   | 5                | PA; NMO                         |
| KISQALI 600 DOSE ORAL TABLET 200 MG   | 5                | PA; NMO                         |
| KISQALI FEMARA (400 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG                    | 5                | PA; NMO                         |
| KISQALI FEMARA (600 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG                    | 5                | PA; NMO                         |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---|------------------|----------------------------------|
| KISQALI FEMARA(200 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG     | 5                | PA; NMO                          |
| LENVIMA (10 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG            | 5                | PA; NMO                          |
| LENVIMA (12 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 3 X 4 MG         | 5                | PA; NMO                          |
| LENVIMA (14 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 & 4 MG        | 5                | PA; NMO                          |
| LENVIMA (18 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG & 2 X 4 MG | 5                | PA; NMO                          |
| LENVIMA (20 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG        | 5                | PA; NMO                          |
| LENVIMA (24 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG & 4 MG | 5                | PA; NMO                          |
| LENVIMA (4 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 4 MG              | 5                | PA; NMO                          |
| LENVIMA (8 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 4 MG          | 5                | PA; NMO                          |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>       | 1                | NMO; GC                          |
| <i>leuprolide acetate injection kit 1 mg/0.2ml</i>                    | 1                | PA; NMO; GC                      |
| LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG                            | 5                | NMO                              |
| LORBRENA ORAL TABLET 100 MG   | 5                | PA; NMO; QL (30 EA per 30 days)  |
| LORBRENA ORAL TABLET 25 MG  | 5                | PA; NMO; QL (120 EA per 30 days) |
| LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT 3.75 MG, 7.5 MG              | 5                | PA; NMO                          |
| LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT 22.5 MG                      | 5                | PA; NMO                          |
| LUPRON DEPOT (4-MONTH) INTRAMUSCULAR KIT 30 MG                        | 5                | PA; NMO                          |
| LUPRON DEPOT (6-MONTH) INTRAMUSCULAR KIT 45 MG                        | 5                | PA; NMO                          |
| LYNPARZA ORAL TABLET 100 MG, 150 MG                                   | 5                | PA; LA; NMO                      |
| LYSODREN ORAL TABLET 500 MG   | 3                | NMO                              |
| MATULANE ORAL CAPSULE 50 MG   | 5                | NMO                              |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|---|------------------|--------------------------------------|
| megestrol acetate oral suspension 40 mg/ml                      | 1                | PA; NMO; GC; HR                      |
| megestrol acetate oral tablet 20 mg, 40 mg                      | 1                | PA; NMO; GC; HR                      |
| MEKINIST ORAL TABLET 0.5 MG, 2 MG                               | 5                | PA; NMO                              |
| MEKTOVI ORAL TABLET 15 MG                                       | 5                | PA; LA; NMO; QL (180 EA per 30 days) |
| NERLYNX ORAL TABLET 40 MG                                       | 5                | PA; LA; NMO; QL (180 EA per 30 days) |
| NEXAVAR ORAL TABLET 200 MG                                      | 5                | LA; NMO; QL (120 EA per 30 days)     |
| nilutamide oral tablet 150 mg                                   | 3                | NMO; QL (60 EA per 30 days)          |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG                         | 5                | PA; NMO                              |
| NUBEQA ORAL TABLET 300 MG                                       | 5                | PA; LA; NMO                          |
| ODOMZO ORAL CAPSULE 200 MG                                      | 5                | LA; NMO                              |
| PIQRAY (200 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 MG      | 5                | PA; NMO                              |
| PIQRAY (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 & 50 MG | 5                | PA; NMO                              |
| PIQRAY (300 MG DAILY DOSE) ORAL TABLET THERAPY PACK 2 X 150 MG  | 5                | PA; NMO                              |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG                    | 5                | PA; LA; NMO                          |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG                      | 5                | PA; NMO                              |
| RYDAPT ORAL CAPSULE 25 MG                                       | 5                | PA; NMO; QL (240 EA per 30 days)     |
| SOLTAMOX ORAL SOLUTION 10 MG/5ML                                | 4                |                                      |
| SPRYCEL ORAL TABLET 100 MG, 50 MG, 70 MG, 80 MG                 | 5                | PA; NMO; QL (60 EA per 30 days)      |
| SPRYCEL ORAL TABLET 140 MG                                      | 5                | PA; NMO; QL (30 EA per 30 days)      |
| SPRYCEL ORAL TABLET 20 MG                                       | 5                | PA; NMO; QL (90 EA per 30 days)      |
| STIVARGA ORAL TABLET 40 MG                                      | 5                | PA; NMO                              |
| SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG              | 5                | PA; NMO                              |
| SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG             | 5                | PA; NMO                              |
| SYNRIBO SUBCUTANEOUS SOLUTION RECONSTITUTED 3.5 MG              | 5                | NMO                                  |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>          |
|--|------------------|-------------------------------------|
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG   | 5                | PA; NMO                             |
| TAGRISSO ORAL TABLET 40 MG, 80 MG  | 5                | PA; LA; NMO                         |
| TALZENNA ORAL CAPSULE 0.25 MG  | 5                | PA; NMO; QL (120 EA per 30 days)    |
| TALZENNA ORAL CAPSULE 1 MG   | 5                | PA; NMO; QL (30 EA per 30 days)     |
| <i>tamoxifen citrate oral tablet 10 mg, 20 mg</i>                                  | 1                | GC                                  |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG   | 5                | PA; NMO; QL (120 EA per 30 days)    |
| TIBSOVO ORAL TABLET 250 MG   | 5                | PA; LA; NMO; QL (60 EA per 30 days) |
| <i>toremifene citrate oral tablet 60 mg</i>  | 5                | NMO; QL (30 EA per 30 days)         |
| TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED 11.25 MG, 22.5 MG, 3.75 MG | 5                | BD; NMO                             |
| <i>tretinoin oral capsule 10 mg</i>  | 5                | NMO                                 |
| TURALIO ORAL CAPSULE 200 MG  | 5                | PA; NMO; QL (120 EA per 30 days)    |
| TYKERB ORAL TABLET 250 MG  | 5                | NMO; QL (150 EA per 30 days)        |
| VENCLEXTA ORAL TABLET 10 MG, 50 MG   | 4                | PA; LA; NMO                         |
| VENCLEXTA ORAL TABLET 100 MG   | 5                | PA; LA; NMO                         |
| VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK 10 & 50 & 100 MG                  | 5                | PA; LA; NMO                         |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                                 | 5                | PA; LA; NMO                         |
| VITRAKVI ORAL CAPSULE 100 MG, 25 MG  | 5                | PA; NMO                             |
| VITRAKVI ORAL SOLUTION 20 MG/ML  | 5                | PA; NMO                             |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG   | 5                | PA; NMO; QL (30 EA per 30 days)     |
| VOTRIENT ORAL TABLET 200 MG  | 5                | NMO; QL (120 EA per 30 days)        |
| XALKORI ORAL CAPSULE 200 MG, 250 MG  | 5                | PA; NMO; QL (60 EA per 30 days)     |
| XOSPATA ORAL TABLET 40 MG  | 5                | PA; LA; NMO                         |
| XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 20 MG                         | 5                | PA; NMO                             |
| XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 20 MG                          | 5                | PA; NMO                             |
| XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 20 MG                          | 5                | PA; NMO                             |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--|------------------|----------------------------------|
| XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG | 5                | PA; NMO                          |
| XTANDI ORAL CAPSULE 40 MG                                  | 5                | PA; NMO; QL (120 EA per 30 days) |
| YONSA ORAL TABLET 125 MG                                   | 5                | PA; NMO; QL (120 EA per 30 days) |
| ZEJULA ORAL CAPSULE 100 MG                                 | 5                | PA; NMO; QL (90 EA per 30 days)  |
| ZELBORAF ORAL TABLET 240 MG                                | 5                | NMO; QL (240 EA per 30 days)     |
| ZOLINZA ORAL CAPSULE 100 MG                                | 5                | NMO; QL (120 EA per 30 days)     |
| ZYDELIG ORAL TABLET 100 MG                                 | 5                | NMO; QL (90 EA per 30 days)      |
| ZYDELIG ORAL TABLET 150 MG                                 | 5                | NMO; QL (60 EA per 30 days)      |
| ZYKADIA ORAL CAPSULE 150 MG                                | 5                | PA; NMO                          |
| ZYKADIA ORAL TABLET 150 MG                                 | 5                | PA; NMO                          |
| ZYTIGA ORAL TABLET 500 MG                                  | 5                | PA; NMO; QL (120 EA per 30 days) |
| <b>AROMATASE INHIBITORS, 3RD GENERATION</b>                |                  |                                  |
| <i>anastrozole oral tablet 1 mg</i>                        | 1                | GC                               |
| <i>exemestane oral tablet 25 mg</i>                        | 2                |                                  |
| <i>letrozole oral tablet 2.5 mg</i>                        | 1                | GC                               |
| <b>TREATMENT ADJUNCTS</b>                                  |                  |                                  |
| <i>allopurinol oral tablet 300 mg</i>                      | 1                | GC                               |
| MESNEX ORAL TABLET 400 MG                                  | 5                | NMO                              |
| <b>ANTIPARASITICS</b>                                      |                  |                                  |
| <b>ANTHELMINTICS</b>                                       |                  |                                  |
| <i>albendazole oral tablet 200 mg</i>                      | 4                | NMO                              |
| <i>benznidazole oral tablet 100 mg, 12.5 mg</i>            | 4                | NMO                              |
| EMVERM ORAL TABLET CHEWABLE 100 MG                         | 3                | NMO                              |
| <i>ivermectin oral tablet 3 mg</i>                         | 2                | NMO                              |
| <i>praziquantel oral tablet 600 mg</i>                     | 4                | NMO                              |
| <b>ANTIPROTOZOALS</b>                                      |                  |                                  |
| ALINIA ORAL SUSPENSION RECONSTITUTED 100 MG/5ML            | 4                | NMO; QL (180 ML per 30 days)     |
| ALINIA ORAL TABLET 500 MG                                  | 4                | NMO                              |
| <i>atovaquone oral suspension 750 mg/5ml</i>               | 5                | NMO                              |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|--|------------------|---------------------------------|
| <i>atovaquone-proguanil hcl oral tablet 250-100 mg, 62.5-25 mg</i>                                       | 2                | NMO                             |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>  | 2                |                                 |
| <b>COARTEM ORAL TABLET 20-120 MG</b>   | 4                | NMO                             |
| <b>DARAPRIM ORAL TABLET 25 MG</b>  | 5                | NMO                             |
| <i>hydroxychloroquine sulfate oral tablet 200 mg</i>   | 2                |                                 |
| <i>mefloquine hcl oral tablet 250 mg</i>   | 2                |                                 |
| <b>NEBUPENT INHALATION SOLUTION RECONSTITUTED 300 MG</b>   | 4                | BD; NMO                         |
| <b>PENTAM INJECTION SOLUTION RECONSTITUTED 300 MG</b>  | 4                | NMO                             |
| <i>primaquine phosphate oral tablet 26.3 mg</i>  | 4                | NMO                             |
| <i>quinine sulfate oral capsule 324 mg</i>   | 4                | NMO                             |
| <b>ANTIPARKINSON AGENTS</b>  |                  |                                 |
| <b>ANTICHOLINERGICS</b>  |                  |                                 |
| <i>benztropine mesylate oral tablet 0.5 mg, 1 mg, 2 mg</i>   | 1                | PA; GC; HR                      |
| <i>trihexyphenidyl hcl oral elixir 0.4 mg/ml</i>   | 1                | PA; GC; HR                      |
| <i>trihexyphenidyl hcl oral solution 0.4 mg/ml</i>   | 1                | PA; GC; HR                      |
| <i>trihexyphenidyl hcl oral tablet 2 mg, 5 mg</i>  | 1                | PA; GC; HR                      |
| <b>ANTIPARKINSON AGENTS, OTHER</b>   |                  |                                 |
| <i>amantadine hcl oral capsule 100 mg</i>  | 2                |                                 |
| <i>amantadine hcl oral syrup 50 mg/5ml</i>   | 2                |                                 |
| <i>amantadine hcl oral tablet 100 mg</i>   | 2                |                                 |
| <i>entacapone oral tablet 200 mg</i>   | 2                |                                 |
| <b>GOCOVRI ORAL CAPSULE EXTENDED RELEASE 24 HOUR 137 MG</b>  | 5                | PA; NMO; QL (60 EA per 30 days) |
| <b>GOCOVRI ORAL CAPSULE EXTENDED RELEASE 24 HOUR 68.5 MG</b>   | 5                | PA; NMO; QL (30 EA per 30 days) |
| <b>DOPAMINE AGONISTS</b>   |                  |                                 |
| <b>APOKYN SUBCUTANEOUS SOLUTION CARTRIDGE 30 MG/3ML</b>  | 5                | LA; NMO; QL (60 ML per 30 days) |
| <i>bromocriptine mesylate oral capsule 5 mg</i>  | 2                |                                 |
| <i>bromocriptine mesylate oral tablet 2.5 mg</i>   | 2                |                                 |
| <b>NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24HR, 2 MG/24HR, 3 MG/24HR, 4 MG/24HR, 6 MG/24HR, 8 MG/24HR</b> | 4                |                                 |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>pramipexole dihydrochloride er oral tablet extended release 24 hour 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg</i>              | 3         |                     |
| <i>pramipexole dihydrochloride oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>   | 1         | GC                  |
| <i>ropinirole hcl er oral tablet extended release 24 hour 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>   | 2         |                     |
| <i>ropinirole hcl oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>   | 1         | GC                  |
| <b>DOPAMINE PRECURSORS/ L-AMINO ACID DECARBOXYLASE INHIBITORS</b>   |           |                     |
| <i>carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg</i>  | 2         |                     |
| <i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>   | 1         | GC                  |
| <i>carbidopa-levodopa oral tablet dispersible 10-100 mg, 25-100 mg, 25-250 mg</i>   | 2         |                     |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | 2         |                     |
| INBRIJA INHALATION CAPSULE 42 MG  | 5         | PA; NMO             |
| <b>MONOAMINE OXIDASE B (MAO-B) INHIBITORS</b>   |           |                     |
| <i>rasagiline mesylate oral tablet 0.5 mg, 1 mg</i>   | 3         |                     |
| <i>selegiline hcl oral capsule 5 mg</i>   | 2         |                     |
| <i>selegiline hcl oral tablet 5 mg</i>  | 2         |                     |
| <b>ANTIPSYCHOTICS</b>   |           |                     |
| <b>1ST GENERATION/TYPICAL</b>   |           |                     |
| <i>chlorpromazine hcl oral tablet 10 mg, 25 mg</i>  | 2         | BD                  |
| <i>chlorpromazine hcl oral tablet 100 mg, 200 mg, 50 mg</i>   | 2         |                     |
| COMPRO RECTAL SUPPOSITORY 25 MG   | 2         | NMO                 |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i>   | 4         | NMO                 |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i>  | 2         | NMO                 |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i>  | 2         |                     |
| <i>fluphenazine hcl oral elixir 2.5 mg/5ml</i>  | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>                             | 1                | GC                         |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml 1 ml, 50 mg/ml</i>   | 2                | NMO                        |
| <i>haloperidol lactate injection solution 5 mg/ml, 5 mg/ml(1 ml prefilled syringe)</i>    | 2                | NMO                        |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i>                                       | 1                | GC                         |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>                     | 1                | GC                         |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>                          | 2                |                            |
| <i>molindone hcl oral tablet 10 mg, 25 mg, 5 mg</i>                                       | 2                |                            |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>                                   | 2                |                            |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i> | 4                | PA; HR                     |
| <i>pimozide oral tablet 1 mg, 2 mg</i>  | 2                |                            |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>                                   | 1                | GC                         |
| <i>prochlorperazine rectal suppository 25 mg</i>  | 2                | NMO                        |
| <i>thioridazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                           | 2                | PA; HR                     |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                   | 1                | GC                         |
| <i>trifluoperazine hcl oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>                            | 1                | GC                         |

## **2ND GENERATION/ATYPICAL**

|  |   |                             |
|--|---|-----------------------------|
| <i>ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE 300 MG, 400 MG</i>           | 5 | NMO                         |
| <i>ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 300 MG, 400 MG</i> | 5 | NMO                         |
| <i>ABILIFY MYCITE ORAL TABLET 10 MG, 15 MG, 20 MG, 30 MG</i>                     | 5 | NMO; QL (30 EA per 30 days) |
| <i>ABILIFY MYCITE ORAL TABLET 2 MG, 5 MG</i>                                     | 5 | NMO; QL (60 EA per 30 days) |
| <i>aripiprazole oral solution 1 mg/ml</i>  | 4 | QL (750 ML per 30 days)     |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg</i>                       | 2 | QL (30 EA per 30 days)      |
| <i>aripiprazole oral tablet 2 mg, 5 mg</i>                                       | 2 | QL (60 EA per 30 days)      |
| <i>aripiprazole oral tablet dispersible 10 mg, 15 mg</i>                         | 5 | NMO; QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name  | Drug Tier | Requirements/Limits             |
|--|-----------|---------------------------------|
| EQUETRO ORAL CAPSULE EXTENDED RELEASE 12 HOUR 100 MG, 200 MG, 300 MG   | 4         |                                 |
| FANAPT ORAL TABLET 1 MG, 2 MG, 4 MG  | 4         | ST; NMO; QL (60 EA per 30 days) |
| FANAPT ORAL TABLET 10 MG, 12 MG, 6 MG, 8 MG  | 5         | ST; NMO; QL (60 EA per 30 days) |
| FANAPT TITRATION PACK ORAL TABLET 1 & 2 & 4 & 6 MG   | 4         | ST; NMO; QL (60 EA per 30 days) |
| GEODON INTRAMUSCULAR SOLUTION RECONSTITUTED 20 MG  | 4         | NMO; QL (60 EA per 30 days)     |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION 117 MG/0.75ML, 156 MG/ML, 234 MG/1.5ML, 78 MG/0.5ML                           | 5         | NMO                             |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION 39 MG/0.25ML  | 4         | NMO                             |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117 MG/0.75ML, 156 MG/ML, 234 MG/1.5ML, 78 MG/0.5ML         | 5         | NMO                             |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 39 MG/0.25ML  | 4         | NMO                             |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION 273 MG/0.875ML, 410 MG/1.315ML, 546 MG/1.75ML, 819 MG/2.625ML                   | 5         | NMO                             |
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 273 MG/0.875ML, 410 MG/1.315ML, 546 MG/1.75ML, 819 MG/2.625ML | 5         | NMO                             |
| LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG, 80 MG  | 3         |                                 |
| NUPLAZID ORAL CAPSULE 34 MG  | 5         | PA; LA; NMO                     |
| NUPLAZID ORAL TABLET 10 MG   | 5         | PA; LA; NMO                     |
| <i>olanzapine intramuscular solution reconstituted 10 mg</i>   | 4         | NMO                             |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i>  | 1         | GC                              |
| <i>olanzapine oral tablet dispersible 10 mg, 15 mg, 20 mg, 5 mg</i>  | 3         | QL (30 EA per 30 days)          |
| <i>olanzapine-fluoxetine hcl oral capsule 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg</i>                            | 4         |                                 |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--|------------------|----------------------------------|
| <i>paliperidone er oral tablet extended release 24 hour 1.5 mg, 3 mg, 6 mg</i>                           | 4                | QL (60 EA per 30 days)           |
| <i>paliperidone er oral tablet extended release 24 hour 9 mg</i>   | 5                | NMO; QL (30 EA per 30 days)      |
| PERSERIS SUBCUTANEOUS PREFILLED SYRINGE 120 MG, 90 MG  | 5                | NMO                              |
| <i>quetiapine fumarate er oral tablet extended release 24 hour 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> | 3                |                                  |
| <i>quetiapine fumarate oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i>                      | 1                | GC                               |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG  | 5                | NMO                              |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED 12.5 MG, 25 MG                                   | 4                | NMO                              |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION RECONSTITUTED 37.5 MG, 50 MG                                   | 5                | NMO                              |
| <i>risperidone oral solution 1 mg/ml</i>   | 2                |                                  |
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>                                   | 1                | GC                               |
| <i>risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>                       | 2                |                                  |
| SAPHRIS SUBLINGUAL TABLET SUBLINGUAL 10 MG, 2.5 MG, 5 MG   | 4                | QL (60 EA per 30 days)           |
| VRAYLAR ORAL CAPSULE 1.5 MG  | 5                | ST; NMO; QL (120 EA per 30 days) |
| VRAYLAR ORAL CAPSULE 3 MG  | 5                | ST; NMO; QL (60 EA per 30 days)  |
| VRAYLAR ORAL CAPSULE 4.5 MG, 6 MG  | 5                | ST; NMO; QL (30 EA per 30 days)  |
| VRAYLAR ORAL CAPSULE THERAPY PACK 1.5 & 3 MG   | 4                | ST; NMO                          |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i>   | 2                |                                  |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION RECONSTITUTED 210 MG   | 4                | NMO                              |
| <b>TREATMENT-RESISTANT</b>   |                  |                                  |
| <i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i>  | 2                | NMO                              |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---|------------------|------------------------------|
| <i>clozapine oral tablet dispersible 100 mg, 12.5 mg, 150 mg, 25 mg</i> | 4                | NMO                          |
| <i>clozapine oral tablet dispersible 200 mg</i>                         | 5                | NMO                          |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML                                      | 4                | NMO                          |
| <b>ANTIVIRALS</b>   |                  |                              |
| <b>ANTI-CYTOMEGALOVIRUS (CMV) AGENTS</b>                                |                  |                              |
| <i>valganciclovir hcl oral solution reconstituted 50 mg/ml</i>          | 4                |                              |
| <i>valganciclovir hcl oral tablet 450 mg</i>                            | 5                | NMO                          |
| ZIRGAN OPHTHALMIC GEL 0.15 %  | 4                | NMO                          |
| <b>ANTIHEPATITIS AGENTS</b>   |                  |                              |
| BARACLUDÉ ORAL SOLUTION 0.05 MG/ML                                      | 5                | NMO; QL (600 ML per 30 days) |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i>                               | 5                | NMO; QL (30 EA per 30 days)  |
| PEGASYS PROCLICK SUBCUTANEOUS SOLUTION 180 MCG/0.5ML                    | 5                | PA; NMO                      |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/0.5ML, 180 MCG/ML                 | 5                | PA; NMO                      |
| REBETOL ORAL SOLUTION 40 MG/ML  | 5                | NMO                          |
| RIBASPHERE ORAL TABLET 600 MG   | 5                | NMO                          |
| VEMLIDY ORAL TABLET 25 MG   | 5                | NMO                          |
| <b>ANTI-HEPATITIS C (HCV) AGENTS, DIRECT ACTING</b>                     |                  |                              |
| MAVYRET ORAL TABLET 100-40 MG   | 5                | PA; NMO                      |
| <i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i>                    | 5                | PA; NMO                      |
| VOSEVI ORAL TABLET 400-100-100 MG                                       | 5                | PA; NMO                      |
| <b>ANTI-HEPATITIS C (HCV) AGENTS, OTHER</b>                             |                  |                              |
| <i>adefovir dipivoxil oral tablet 10 mg</i>                             | 5                | NMO; QL (30 EA per 30 days)  |
| RIBASPHERE ORAL CAPSULE 200 MG  | 4                | NMO                          |
| <i>ribavirin oral capsule 200 mg</i>                                    | 4                | NMO                          |
| <i>ribavirin oral tablet 200 mg</i>                                     | 4                | NMO                          |
| <b>ANTIHERPETIC AGENTS</b>  |                  |                              |
| <i>acyclovir oral capsule 200 mg</i>                                    | 1                | NMO; GC                      |
| <i>acyclovir oral suspension 200 mg/5ml</i>                             | 2                | NMO                          |
| <i>acyclovir oral tablet 400 mg, 800 mg</i>                             | 1                | NMO; GC                      |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|--|------------------|------------------------------|
| <i>acyclovir sodium intravenous solution 50 mg/ml</i>                              | 2                | BD; NMO                      |
| <i>valacyclovir hcl oral tablet 1 gm, 500 mg</i>                                   | 2                | NMO                          |
| <b>ANTI-HIV AGENTS, NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS</b>            |                  |                              |
| EDURANT ORAL TABLET 25 MG  | 5                | NMO; QL (30 EA per 30 days)  |
| <i>efavirenz oral capsule 200 mg</i>   | 4                | QL (120 EA per 30 days)      |
| <i>efavirenz oral capsule 50 mg</i>  | 4                | QL (480 EA per 30 days)      |
| <i>efavirenz oral tablet 600 mg</i>  | 5                | NMO; QL (30 EA per 30 days)  |
| INTELENCE ORAL TABLET 100 MG   | 5                | NMO; QL (120 EA per 30 days) |
| INTELENCE ORAL TABLET 200 MG   | 5                | NMO; QL (60 EA per 30 days)  |
| INTELENCE ORAL TABLET 25 MG  | 4                | QL (120 EA per 30 days)      |
| <i>nevirapine er oral tablet extended release 24 hour 100 mg</i>                   | 3                | QL (90 EA per 30 days)       |
| <i>nevirapine er oral tablet extended release 24 hour 400 mg</i>                   | 3                | QL (30 EA per 30 days)       |
| <i>nevirapine oral suspension 50 mg/5ml</i>  | 3                | QL (1200 ML per 30 days)     |
| <i>nevirapine oral tablet 200 mg</i>   | 2                | QL (60 EA per 30 days)       |
| PIFELTRO ORAL TABLET 100 MG  | 5                | NMO; QL (30 EA per 30 days)  |
| RESCRIPTOR ORAL TABLET 200 MG  | 4                | QL (180 EA per 30 days)      |
| TYBOST ORAL TABLET 150 MG  | 4                | QL (30 EA per 30 days)       |
| <b>ANTI-HIV AGENTS, NUCLEOSIDE AND NUCLEOTIDE REVERSE TRANSCRIPTASE INHIBITORS</b> |                  |                              |
| <i>abacavir sulfate oral solution 20 mg/ml</i>                                     | 4                | QL (960 ML per 30 days)      |
| <i>abacavir sulfate oral tablet 300 mg</i>   | 2                | QL (60 EA per 30 days)       |
| <i>abacavir sulfate-lamivudine oral tablet 600-300 mg</i>                          | 5                | NMO; QL (30 EA per 30 days)  |
| <i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i>                   | 5                | NMO; QL (60 EA per 30 days)  |
| CIMDUO ORAL TABLET 300-300 MG  | 5                | NMO; QL (30 EA per 30 days)  |
| DESCOVY ORAL TABLET 200-25 MG  | 5                | NMO; QL (30 EA per 30 days)  |
| <i>didanosine oral capsule delayed release 200 mg</i>                              | 2                | QL (60 EA per 30 days)       |
| <i>didanosine oral capsule delayed release 250 mg, 400 mg</i>                      | 2                | QL (30 EA per 30 days)       |
| DOVATO ORAL TABLET 50-300 MG   | 5                | NMO; QL (30 EA per 30 days)  |
| EMTRIVA ORAL CAPSULE 200 MG  | 4                | QL (30 EA per 30 days)       |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|--|------------------|------------------------------|
| EMTRIVA ORAL SOLUTION 10 MG/ML                                     | 4                | QL (680 ML per 28 days)      |
| EPIVIR HBV ORAL SOLUTION 5 MG/ML                                   | 3                |                              |
| EVOTAZ ORAL TABLET 300-150 MG                                      | 5                | NMO; QL (30 EA per 30 days)  |
| JULUCA ORAL TABLET 50-25 MG  | 5                | NMO; QL (30 EA per 30 days)  |
| <i>lamivudine oral solution 10 mg/ml</i>                           | 2                | QL (960 ML per 30 days)      |
| <i>lamivudine oral tablet 100 mg</i>                               | 2                |                              |
| <i>lamivudine oral tablet 150 mg</i>                               | 2                | QL (60 EA per 30 days)       |
| <i>lamivudine oral tablet 300 mg</i>                               | 2                | QL (30 EA per 30 days)       |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i>                | 4                | QL (60 EA per 30 days)       |
| PREZCOBIX ORAL TABLET 800-150 MG                                   | 5                | NMO; QL (30 EA per 30 days)  |
| <i>stavudine oral capsule 15 mg, 20 mg</i>                         | 2                | QL (120 EA per 30 days)      |
| <i>stavudine oral capsule 30 mg, 40 mg</i>                         | 2                | QL (60 EA per 30 days)       |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i>            | 5                | NMO; QL (30 EA per 30 days)  |
| TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG | 5                | NMO; QL (30 EA per 30 days)  |
| VIDEX EC ORAL CAPSULE DELAYED RELEASE 125 MG                       | 3                | QL (90 EA per 30 days)       |
| VIDEX ORAL SOLUTION RECONSTITUTED 4 GM                             | 4                | QL (1200 ML per 30 days)     |
| VIREAD ORAL POWDER 40 MG/GM  | 5                | NMO; QL (240 GM per 30 days) |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG                          | 5                | NMO; QL (30 EA per 30 days)  |
| <i>zidovudine oral capsule 100 mg</i>                              | 2                | QL (180 EA per 30 days)      |
| <i>zidovudine oral syrup 50 mg/5ml</i>                             | 2                | QL (1680 ML per 28 days)     |
| <i>zidovudine oral tablet 300 mg</i>                               | 2                | QL (60 EA per 30 days)       |
| <b>ANTI-HIV AGENTS, OTHER</b>                                      |                  |                              |
| FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED 90 MG                   | 5                | NMO; QL (60 EA per 30 days)  |
| ISENTRESS HD ORAL TABLET 600 MG                                    | 5                | NMO; QL (60 EA per 30 days)  |
| ISENTRESS ORAL PACKET 100 MG                                       | 4                | QL (60 EA per 30 days)       |
| ISENTRESS ORAL TABLET 400 MG                                       | 5                | NMO; QL (120 EA per 30 days) |
| ISENTRESS ORAL TABLET CHEWABLE 100 MG                              | 5                | NMO; QL (180 EA per 30 days) |
| ISENTRESS ORAL TABLET CHEWABLE 25 MG                               | 4                | QL (180 EA per 30 days)      |
| SELZENTRY ORAL SOLUTION 20 MG/ML                                   | 4                | QL (1800 ML per 30 days)     |
| SELZENTRY ORAL TABLET 150 MG                                       | 5                | NMO; QL (240 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|--|------------------|------------------------------|
| SELZENTRY ORAL TABLET 25 MG  | 4                | QL (120 EA per 30 days)      |
| SELZENTRY ORAL TABLET 300 MG                                       | 5                | NMO; QL (120 EA per 30 days) |
| SELZENTRY ORAL TABLET 75 MG  | 5                | NMO; QL (60 EA per 30 days)  |
| TIVICAY ORAL TABLET 10 MG  | 4                | QL (60 EA per 30 days)       |
| TIVICAY ORAL TABLET 25 MG, 50 MG                                   | 5                | NMO; QL (60 EA per 30 days)  |
| <b>ANTI-HIV AGENTS, PROTEASE INHIBITORS</b>                        |                  |                              |
| APTIVUS ORAL CAPSULE 250 MG  | 5                | NMO; QL (120 EA per 30 days) |
| APTIVUS ORAL SOLUTION 100 MG/ML                                    | 5                | NMO; QL (285 ML per 28 days) |
| <i>atazanavir sulfate oral capsule 150 mg, 200 mg</i>              | 4                | QL (60 EA per 30 days)       |
| <i>atazanavir sulfate oral capsule 300 mg</i>                      | 5                | NMO; QL (30 EA per 30 days)  |
| CRIXIVAN ORAL CAPSULE 200 MG                                       | 3                | QL (450 EA per 30 days)      |
| CRIXIVAN ORAL CAPSULE 400 MG                                       | 3                | QL (270 EA per 30 days)      |
| <i>fosamprenavir calcium oral tablet 700 mg</i>                    | 5                | NMO; QL (120 EA per 30 days) |
| INVIRASE ORAL TABLET 500 MG  | 5                | NMO; QL (120 EA per 30 days) |
| KALETRA ORAL TABLET 100-25 MG                                      | 4                | QL (300 EA per 30 days)      |
| KALETRA ORAL TABLET 200-50 MG                                      | 5                | NMO; QL (150 EA per 30 days) |
| LEXIVA ORAL SUSPENSION 50 MG/ML                                    | 3                | QL (1575 ML per 28 days)     |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5ml</i>            | 4                |                              |
| NORVIR ORAL PACKET 100 MG  | 4                | QL (360 EA per 30 days)      |
| NORVIR ORAL SOLUTION 80 MG/ML                                      | 4                | QL (480 ML per 30 days)      |
| PREZISTA ORAL SUSPENSION 100 MG/ML                                 | 5                | NMO; QL (360 ML per 30 days) |
| PREZISTA ORAL TABLET 150 MG  | 4                | QL (240 EA per 30 days)      |
| PREZISTA ORAL TABLET 600 MG  | 5                | NMO; QL (60 EA per 30 days)  |
| PREZISTA ORAL TABLET 75 MG   | 4                | QL (480 EA per 30 days)      |
| PREZISTA ORAL TABLET 800 MG  | 5                | NMO; QL (30 EA per 30 days)  |
| REYATAZ ORAL PACKET 50 MG  | 5                | NMO; QL (180 EA per 30 days) |
| <i>ritonavir oral tablet 100 mg</i>                                | 4                | QL (360 EA per 30 days)      |
| TRIUMEQ ORAL TABLET 600-50-300 MG                                  | 5                | NMO; QL (30 EA per 30 days)  |
| VIRACEPT ORAL TABLET 250 MG  | 5                | NMO; QL (300 EA per 30 days) |
| VIRACEPT ORAL TABLET 625 MG  | 5                | NMO; QL (120 EA per 30 days) |
| <b>ANTI-INFLUENZA AGENTS</b>                                       |                  |                              |
| <i>oseltamivir phosphate oral capsule 30 mg, 45 mg, 75 mg</i>      | 3                | NMO                          |
| <i>oseltamivir phosphate oral suspension reconstituted 6 mg/ml</i> | 3                | NMO; QL (540 ML per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|--|------------------|------------------------------|
| RELENZA DISKHALER INHALATION AEROSOL POWDER BREATH ACTIVATED 5 MG/BLISTER          | 4                | NMO                          |
| <i>rimantadine hcl oral tablet 100 mg</i>  | 3                | NMO                          |
| XOFLUZA ORAL TABLET THERAPY PACK 2 X 20 MG, 2 X 40 MG                              | 3                | NMO                          |
| <b>ANTIVIRALS, OTHER</b>   |                  |                              |
| ATRIPLA ORAL TABLET 600-200-300 MG   | 5                | NMO; QL (30 EA per 30 days)  |
| BIKTARVY ORAL TABLET 50-200-25 MG  | 5                | NMO; QL (30 EA per 30 days)  |
| COMPLERA ORAL TABLET 200-25-300 MG   | 5                | NMO; QL (30 EA per 30 days)  |
| DELSTRIGO ORAL TABLET 100-300-300 MG   | 5                | NMO; QL (30 EA per 30 days)  |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>                              | 2                | NMO                          |
| GENVOYA ORAL TABLET 150-150-200-10 MG  | 5                | NMO; QL (60 EA per 30 days)  |
| ODEFSEY ORAL TABLET 200-25-25 MG   | 5                | NMO; QL (30 EA per 30 days)  |
| STRIBILD ORAL TABLET 150-150-200-300 MG  | 5                | NMO; QL (30 EA per 30 days)  |
| SYMFI LO ORAL TABLET 400-300-300 MG  | 5                | NMO; QL (30 EA per 30 days)  |
| SYMFI ORAL TABLET 600-300-300 MG   | 5                | NMO; QL (30 EA per 30 days)  |
| SYMTUZA ORAL TABLET 800-150-200-10 MG  | 5                | NMO; QL (30 EA per 30 days)  |
| <b>ANXIOLYTICS</b>   |                  |                              |
| <b>ANXIOLYTICS, OTHER</b>  |                  |                              |
| <i>buspirone hcl oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>                 | 1                | NMO; GC                      |
| <i>hydroxyzine hcl oral syrup 10 mg/5ml</i>  | 2                | PA; NMO; HR                  |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                             | 2                | PA; NMO; HR                  |
| <i>hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg</i>                       | 2                | PA; NMO; HR                  |
| <b>BENZODIAZEPINES</b>   |                  |                              |
| <i>alprazolam er oral tablet extended release 24 hour 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 2                | NMO; QL (90 EA per 30 days)  |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg</i>                          | 2                | NMO; QL (180 EA per 30 days) |
| <i>alprazolam oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg</i>                    | 3                | NMO; QL (360 EA per 30 days) |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>                        | 2                | NMO; QL (120 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--|------------------|----------------------------------|
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>            | 2                | NMO; QL (180 EA per 30 days)     |
| <b>DIAZEPAM INTENSOL ORAL CONCENTRATE 5 MG/ML</b>                            | 3                | NMO; QL (240 ML per 30 days)     |
| <i>diazepam oral solution 5 mg/5ml</i>                                       | 3                | NMO; QL (1200 ML per 30 days)    |
| <i>diazepam oral tablet 10 mg</i>  | 2                | NMO; QL (120 EA per 30 days)     |
| <i>diazepam oral tablet 2 mg</i>   | 2                | NMO; QL (600 EA per 30 days)     |
| <i>diazepam oral tablet 5 mg</i>   | 2                | NMO; QL (240 EA per 30 days)     |
| <i>lorazepam oral concentrate 2 mg/ml</i>                                    | 2                | NMO; QL (240 ML per 30 days)     |
| <i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i>                              | 1                | NMO; GC; QL (150 EA per 30 days) |
| <i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>                             | 3                | NMO; QL (120 EA per 30 days)     |
| <b>BIPOLAR AGENTS</b>  |                  |                                  |
| <b>MOOD STABILIZERS</b>  |                  |                                  |
| <i>carbamazepine oral tablet chewable 100 mg</i>                             | 1                | GC                               |
| <i>lithium carbonate er oral tablet extended release 300 mg, 450 mg</i>      | 1                | GC                               |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>                 | 1                | GC                               |
| <i>lithium carbonate oral tablet 300 mg</i>                                  | 1                | GC                               |
| <i>lithium oral solution 8 meq/5ml</i>                                       | 2                |                                  |
| <b>BLOOD GLUCOSE REGULATORS</b>  |                  |                                  |
| <b>ANTIDIABETIC AGENTS</b>   |                  |                                  |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>                             | 2                |                                  |
| <i>ASSURE ID INSULIN SAFETY SYR 29G X 1/2" 1 ML</i>                          | 3                | NMO                              |
| <i>COMFORT ASSIST INSULIN SYRINGE 29G X 1/2" 1 ML</i>                        | 3                | NMO                              |
| <i>cvs gauze sterile pad 2"x2"</i>   | 3                | NMO                              |
| <i>CYCLOSET ORAL TABLET 0.8 MG</i>   | 4                |                                  |
| <i>EXEL COMFORT POINT PEN NEEDLE 29G X 12MM</i>                              | 3                | NMO                              |
| <i>glimepiride oral tablet 1 mg, 2 mg, 4 mg</i>                              | 1                | GC                               |
| <i>glipizide er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg</i> | 1                | GC                               |
| <i>glipizide oral tablet 10 mg, 5 mg</i>                                     | 1                | GC                               |
| <i>glipizide-metformin hcl oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg</i>  | 1                | GC; QL (120 EA per 30 days)      |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|--|------------------|--------------------------------------|
| <i>global alcohol prep ease pad 70 %</i>   | 3                | NMO                                  |
| INVOKAMET ORAL TABLET 150-1000 MG, 150-500 MG, 50-1000 MG, 50-500 MG                             | 3                |                                      |
| INVOKAMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 150-1000 MG, 150-500 MG, 50-1000 MG, 50-500 MG | 3                |                                      |
| INVOKANA ORAL TABLET 100 MG, 300 MG  | 3                |                                      |
| JANUMET ORAL TABLET 50-1000 MG, 50-500 MG  | 3                | QL (60 EA per 30 days)               |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 100-1000 MG                                      | 3                | QL (30 EA per 30 days)               |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 50-1000 MG, 50-500 MG                            | 3                | QL (60 EA per 30 days)               |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG   | 3                | QL (30 EA per 30 days)               |
| JARDIANCE ORAL TABLET 10 MG, 25 MG   | 3                |                                      |
| KORLYM ORAL TABLET 300 MG  | 5                | PA; LA; NMO; QL (120 EA per 30 days) |
| <i>metformin hcl er oral tablet extended release 24 hour 500 mg</i>                              | 1                | GC; QL (120 EA per 30 days)          |
| <i>metformin hcl er oral tablet extended release 24 hour 750 mg</i>                              | 1                | GC; QL (90 EA per 30 days)           |
| <i>metformin hcl oral tablet 1000 mg, 500 mg, 850 mg</i>   | 1                | GC                                   |
| <i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>   | 2                |                                      |
| <i>nateglinide oral tablet 120 mg, 60 mg</i>   | 2                |                                      |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/1.5ML                      | 3                |                                      |
| OZEMPIC (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/1.5ML                                | 3                |                                      |
| <i>pioglitazone hcl oral tablet 15 mg, 30 mg, 45 mg</i>  | 1                | GC                                   |
| <i>pioglitazone hcl-glimepiride oral tablet 30-2 mg, 30-4 mg</i>                                 | 2                | QL (30 EA per 30 days)               |
| <i>pioglitazone hcl-metformin hcl oral tablet 15-500 mg, 15-850 mg</i>                           | 2                | QL (90 EA per 30 days)               |
| <i>preferred plus insulin syringe 28g x 1/2" 0.5 ml</i>  | 3                | NMO                                  |
| RELI-ON INSULIN SYRINGE 29G 0.3 ML   | 3                | NMO                                  |
| <i>repaglinide oral tablet 0.5 mg, 1 mg, 2 mg</i>  | 2                |                                      |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>repaglinide-metformin hcl oral tablet 1-500 mg, 2-500 mg</i>                                  | 2                |                            |
| RIOMET ORAL SOLUTION 500 MG/5ML  | 4                |                            |
| SOLIQUA SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-33 UNT-MCG/ML                                     | 3                |                            |
| SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR 2700 MCG/2.7ML                                  | 4                | PA                         |
| SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR 1500 MCG/1.5ML                                   | 4                | PA                         |
| SYNJARDY ORAL TABLET 12.5-1000 MG, 12.5-500 MG, 5-1000 MG, 5-500 MG                              | 3                |                            |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 12.5-1000 MG, 25-1000 MG, 5-1000 MG | 3                |                            |
| <i>tolbutamide oral tablet 500 mg</i>  | 1                | GC                         |
| TRULICITY SUBCUTANEOUS SOLUTION PEN-INJECTOR 0.75 MG/0.5ML, 1.5 MG/0.5ML                         | 3                |                            |
| VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR 18 MG/3ML   | 3                |                            |
| XULTOPHY SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-3.6 UNIT-MG/ML                                   | 3                |                            |
| <b>GLYCEMIC AGENTS</b>   |                  |                            |
| GLUCAGEN HYPOKIT INJECTION SOLUTION RECONSTITUTED 1 MG   | 3                | NMO                        |
| GLUCAGON EMERGENCY INJECTION KIT 1 MG  | 3                | NMO                        |
| PROGLYCEM ORAL SUSPENSION 50 MG/ML   | 4                |                            |
| <b>INSULINS</b>  |                  |                            |
| FIASP FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                                   | 3                |                            |
| FIASP SUBCUTANEOUS SOLUTION 100 UNIT/ML  | 3                |                            |
| HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION 500 UNIT/ML                                 | 5                | NMO                        |
| HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 500 UNIT/ML                           | 5                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                     | 3                |                            |
| LANTUS SUBCUTANEOUS SOLUTION 100 UNIT/ML   | 3                |                            |
| LEVEMIR FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                   | 3                |                            |
| LEVEMIR SUBCUTANEOUS SOLUTION 100 UNIT/ML  | 3                |                            |
| NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML                          | 3                |                            |
| NOVOLIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML                                      | 3                |                            |
| NOVOLIN R INJECTION SOLUTION 100 UNIT/ML   | 3                |                            |
| NOVOLOG FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML                     | 3                |                            |
| NOVOLOG MIX 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | 3                |                            |
| NOVOLOG MIX 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML                      | 3                |                            |
| NOVOLOG PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML                        | 3                |                            |
| NOVOLOG SUBCUTANEOUS SOLUTION 100 UNIT/ML  | 3                |                            |
| TOUJEO MAX SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 300 UNIT/ML                 | 3                |                            |
| TOUJEO SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 300 UNIT/ML                     | 3                |                            |
| TRESIBA FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML      | 3                |                            |
| TRESIBA SUBCUTANEOUS SOLUTION 100 UNIT/ML  | 3                |                            |
| <b>BLOOD PRODUCTS/MODIFIERS/ VOLUME EXPANDERS</b>                                  |                  |                            |
| <b>ANTICOAGULANTS</b>  |                  |                            |
| ELIQUIS ORAL TABLET 2.5 MG, 5 MG   | 3                |                            |
| ELIQUIS STARTER PACK ORAL TABLET 5 MG  | 3                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>enoxaparin sodium subcutaneous solution 100 mg/ml, 120 mg/0.8ml, 150 mg/ml, 30 mg/0.3ml, 40 mg/0.4ml, 60 mg/0.6ml, 80 mg/0.8ml</i>   | 4                | NMO                        |
| <i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml, 5 mg/0.4ml, 7.5 mg/0.6ml</i>  | 5                | NMO                        |
| <i>fondaparinux sodium subcutaneous solution 2.5 mg/0.5ml</i>   | 4                | NMO                        |
| FRAGMIN SUBCUTANEOUS SOLUTION<br>10000 UNIT/ML, 12500 UNIT/0.5ML, 15000 UNIT/0.6ML, 18000 UNT/0.72ML, 7500 UNIT/0.3ML, 95000 UNIT/3.8ML | 5                | NMO                        |
| FRAGMIN SUBCUTANEOUS SOLUTION<br>2500 UNIT/0.2ML, 5000 UNIT/0.2ML   | 4                | NMO                        |
| <i>heparin sodium (porcine) injection solution 1000 unit/ml, 10000 unit/ml, 20000 unit/ml, 5000 unit/ml</i>                             | 1                | NMO; GC                    |
| JANTOVEN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG  | 1                | GC                         |
| PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG  | 4                |                            |
| <i>warfarin sodium oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>  | 1                | GC                         |
| XARELTO ORAL TABLET 10 MG, 15 MG, 2.5 MG, 20 MG   | 3                |                            |
| XARELTO STARTER PACK ORAL TABLET THERAPY PACK 15 & 20 MG  | 3                | NMO                        |
| <b>BLOOD FORMATION MODIFIERS</b>  |                  |                            |
| LEUKINE INJECTION SOLUTION RECONSTITUTED 250 MCG  | 5                | PA; NMO                    |
| LEUKINE INTRAVENOUS SOLUTION RECONSTITUTED 250 MCG  | 5                | PA; NMO                    |
| NEULASTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML   | 5                | PA; NMO                    |
| NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6ML   | 5                | PA; NMO                    |
| NEUPOGEN INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML  | 5                | PA; NMO                    |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--|------------------|----------------------------------|
| PROCRIT INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML                 | 4                | PA; NMO                          |
| PROCRIT INJECTION SOLUTION 20000 UNIT/ML, 40000 UNIT/ML  | 5                | PA; NMO                          |
| PROMACTA ORAL PACKET 12.5 MG   | 5                | PA; NMO; QL (360 EA per 30 days) |
| PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG  | 5                | PA; NMO; QL (30 EA per 30 days)  |
| RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML | 4                | PA; NMO                          |
| <i>tranexamic acid oral tablet 650 mg</i>  | 2                | NMO                              |
| ZARXIO INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML                           | 5                | PA; NMO                          |
| <b>PLATELET MODIFYING AGENTS</b>   |                  |                                  |
| <i>anagrelide hcl oral capsule 0.5 mg, 1 mg</i>  | 1                | GC                               |
| <i>aspirin-dipyridamole er oral capsule extended release 12 hour 25-200 mg</i>                     | 2                |                                  |
| BRILINTA ORAL TABLET 60 MG, 90 MG  | 3                |                                  |
| CABLIVI INJECTION KIT 11 MG  | 5                | PA; LA; NMO                      |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>  | 1                | GC                               |
| <i>clopidogrel bisulfate oral tablet 75 mg</i>   | 1                | GC                               |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>  | 1                | PA; GC; HR                       |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i>   | 3                |                                  |
| <b>CARDIOVASCULAR AGENTS</b>   |                  |                                  |
| <b>ALPHA-ADRENERGIC AGONISTS</b>   |                  |                                  |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>  | 1                | GC                               |
| <i>clonidine hcl transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i>                | 2                |                                  |
| <i>clonidine transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i>                    | 2                |                                  |
| <i>guanfacine hcl oral tablet 1 mg, 2 mg</i>   | 1                | PA; GC; HR                       |
| <i>midodrine hcl oral tablet 10 mg, 2.5 mg, 5 mg</i>   | 2                | NMO                              |
| <b>ALPHA-ADRENERGIC BLOCKING AGENTS</b>  |                  |                                  |
| DEMSER ORAL CAPSULE 250 MG   | 5                | NMO                              |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>doxazosin mesylate oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>           | 1                | GC                         |
| <i>prazosin hcl oral capsule 1 mg, 2 mg, 5 mg</i>                      | 1                | GC                         |
| <i>terazosin hcl oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>              | 1                | GC                         |
| <b>ANGIOTENSIN II RECEPTOR ANTAGONISTS</b>                             |                  |                            |
| <i>candesartan cilexetil oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>      | 2                |                            |
| <i>eprosartan mesylate oral tablet 600 mg</i>                          | 2                |                            |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>                    | 1                | GC                         |
| <i>losartan potassium oral tablet 100 mg, 25 mg, 50 mg</i>             | 1                | GC                         |
| <i>olmesartan medoxomil oral tablet 20 mg, 40 mg, 5 mg</i>             | 1                | GC                         |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>                     | 1                | GC                         |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i>              | 1                | GC                         |
| <b>ANGIOTENSIN-CONVERTING ENZYME (ACE) INHIBITORS</b>                  |                  |                            |
| <i>benazepril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>            | 1                | GC                         |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>             | 1                | GC                         |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>        | 1                | GC                         |
| <i>fosinopril sodium oral tablet 10 mg, 20 mg, 40 mg</i>               | 1                | GC                         |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> | 1                | GC                         |
| <i>moexipril hcl oral tablet 15 mg, 7.5 mg</i>                         | 1                | GC                         |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>               | 1                | GC                         |
| <i>quinapril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>             | 1                | GC                         |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i>              | 1                | GC                         |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>                       | 1                | GC                         |
| <b>ANTIARRHYTHMICS</b>   |                  |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>amiodarone hcl oral tablet 100 mg, 200 mg, 400 mg</i>  | 1                | GC                         |
| <i>disopyramide phosphate oral capsule 100 mg, 150 mg</i>   | 1                | PA; GC; HR                 |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i>  | 2                |                            |
| <i>flecainide acetate oral tablet 100 mg, 150 mg, 50 mg</i>   | 1                | GC                         |
| <i>mexiletine hcl oral capsule 150 mg, 200 mg, 250 mg</i>   | 2                |                            |
| <b>MULTAQ ORAL TABLET 400 MG</b>  | 3                |                            |
| <b>NORPACE CR ORAL CAPSULE EXTENDED RELEASE 12 HOUR 100 MG, 150 MG</b>  | 4                | PA; HR                     |
| <b>PACERONE ORAL TABLET 100 MG, 200 MG, 400 MG</b>  | 1                | GC                         |
| <i>propafenone hcl er oral capsule extended release 12 hour 225 mg, 325 mg, 425 mg</i>                              | 4                |                            |
| <i>propafenone hcl oral tablet 150 mg, 225 mg, 300 mg</i>   | 2                |                            |
| <i>quinidine gluconate er oral tablet extended release 324 mg</i>   | 2                |                            |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i>   | 1                | GC                         |
| <b>ANTIHYPERTENSIVE COMBINATIONS</b>  |                  |                            |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>  | 1                | GC                         |
| <i>amlodipine besy-benazepril hcl oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i>         | 1                | GC                         |
| <i>amlodipine besylate-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i>                           | 1                | GC                         |
| <i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i>                                       | 2                |                            |
| <i>amlodipine-valsartan-hctz oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> | 1                | GC                         |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i>  | 1                | GC                         |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg</i>                       | 1                | GC                         |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>                             | 1                | GC                         |
| <i>candesartan cilexetil-hctz oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i>                                   | 2                |                            |
| <i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>                          | 1                | GC                         |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg</i>   | 1                | GC                         |
| <i>fosinopril sodium-hctz oral tablet 10-12.5 mg, 20-12.5 mg</i>   | 1                | GC                         |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>                                       | 1                | GC                         |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>                               | 1                | GC                         |
| <i>losartan potassium-hctz oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>                                    | 1                | GC                         |
| <i>metoprolol-hydrochlorothiazide oral tablet 100-25 mg, 100-50 mg, 50-25 mg</i>                                 | 2                |                            |
| <i>olmesartan medoxomil-hctz oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>                                    | 1                | GC                         |
| <i>olmesartan-amlodipine-hctz oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> | 2                |                            |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>                                | 1                | GC                         |
| <i>spironolactone-hctz oral tablet 25-25 mg</i>  | 1                | GC                         |
| <i>telmisartan-hctz oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>   | 2                |                            |
| <i>triamterene-hctz oral capsule 37.5-25 mg</i>  | 1                | GC                         |
| <i>triamterene-hctz oral tablet 37.5-25 mg, 75-50 mg</i>   | 1                | GC                         |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i>      | 1                | GC                         |
| <b>BETA-ADRENERGIC BLOCKING AGENTS</b>   |                  |                            |
| <i>acebutolol hcl oral capsule 200 mg, 400 mg</i>  | 1                | GC                         |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>   | 1                | GC                         |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>   | 1                | GC                         |
| <b>BYSTOLIC ORAL TABLET 10 MG, 2.5 MG, 20 MG, 5 MG</b>   | 3                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>                                  | 1                | GC                         |
| <i>carvedilol phosphate er oral capsule extended release 24 hour 10 mg, 20 mg, 40 mg, 80 mg</i>  | 4                |                            |
| <i>labetalol hcl oral tablet 100 mg, 200 mg, 300 mg</i>  | 1                | GC                         |
| <i>metoprolol succinate er oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 50 mg</i> | 1                | GC                         |
| <i>metoprolol tartrate oral tablet 100 mg, 25 mg, 50 mg</i>                                      | 1                | GC                         |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>   | 2                |                            |
| <i>pindolol oral tablet 10 mg, 5 mg</i>  | 2                |                            |
| <i>propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg</i>     | 2                |                            |
| <i>propranolol hcl oral solution 20 mg/5ml, 40 mg/5ml</i>  | 1                | GC                         |
| <i>propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>                             | 1                | GC                         |
| <i>sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg</i>  | 1                | GC                         |
| <i>sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>                                     | 1                | GC                         |
| <i>sotalol hydrochloride oral tablet 120 mg</i>  | 1                | GC                         |
| <i>timolol maleate oral tablet 20 mg, 5 mg</i>   | 1                | GC                         |

## **CALCIUM CHANNEL BLOCKING AGENTS**

|   |   |    |
|---|---|----|
| <i>amlodipine besylate oral tablet 10 mg, 2.5 mg, 5 mg</i>  | 1 | GC |
| <i>CARTIA XT ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG</i>                     | 1 | GC |
| <i>diltiazem hcl er beads oral capsule extended release 24 hour 360 mg, 420 mg</i>                        | 2 |    |
| <i>diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i> | 1 | GC |
| <i>diltiazem hcl er oral capsule extended release 12 hour 120 mg, 60 mg, 90 mg</i>                        | 2 |    |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg</i>  | 1 | GC |
| <i>dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i>                               | 1 | GC |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name  | Drug Tier | Requirements/Limits         |
|--|-----------|-----------------------------|
| <i>felodipine er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg</i>  | 1         | GC                          |
| <i>isradipine oral capsule 2.5 mg, 5 mg</i>  | 2         |                             |
| <b>MATZIM LA ORAL TABLET EXTENDED RELEASE 24 HOUR 180 MG, 240 MG, 300 MG, 360 MG, 420 MG</b>   | 2         |                             |
| <i>nicardipine hcl oral capsule 20 mg, 30 mg</i>   | 1         | GC                          |
| <i>nifedipine er oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i>  | 1         | GC                          |
| <i>nifedipine er osmotic release oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg</i>  | 1         | GC                          |
| <i>nimodipine oral capsule 30 mg</i>   | 4         |                             |
| <i>nisoldipine er oral tablet extended release 24 hour 17 mg, 20 mg, 25.5 mg, 30 mg, 34 mg, 40 mg, 8.5 mg</i>  | 3         |                             |
| <b>TAZTIA XT ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 180 MG, 240 MG, 300 MG, 360 MG</b>  | 1         | GC                          |
| <i>verapamil hcl er oral capsule extended release 24 hour 100 mg, 120 mg, 180 mg, 200 mg, 240 mg, 300 mg, 360 mg</i>                                   | 2         |                             |
| <i>verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg</i>  | 1         | GC                          |
| <i>verapamil hcl oral tablet 120 mg, 40 mg, 80 mg</i>  | 1         | GC                          |
| <b>CARDIOVASCULAR AGENTS, OTHER</b>  |           |                             |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> | 2         |                             |
| <b>CORLANOR ORAL SOLUTION 5 MG/5ML</b>   | 4         | PA; QL (450 ML per 30 days) |
| <b>CORLANOR ORAL TABLET 5 MG, 7.5 MG</b>   | 4         | PA; QL (60 EA per 30 days)  |
| <b>DIGITEK ORAL TABLET 125 MCG, 250 MCG</b>  | 1         | GC                          |
| <b>DIGOX ORAL TABLET 125 MCG, 250 MCG</b>  | 1         | GC                          |
| <i>digoxin oral solution 0.05 mg/ml</i>  | 1         | GC                          |
| <i>digoxin oral tablet 125 mcg, 250 mcg</i>  | 1         | GC                          |
| <b>ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG</b>  | 3         | PA                          |
| <i>pentoxifylline er oral tablet extended release 400 mg</i>   | 1         | GC                          |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>ranolazine er oral tablet extended release 12 hour<br/>1000 mg, 500 mg</i>       | 3         |                     |
| <b>DIURETICS, CARBONIC ANHYDRASE INHIBITORS</b>                                     |           |                     |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>                                     | 2         |                     |
| <i>methazolamide oral tablet 25 mg, 50 mg</i>                                       | 4         |                     |
| <b>DIURETICS, LOOP</b>  |           |                     |
| <i>bumetanide injection solution 0.25 mg/ml</i>                                     | 2         | NMO                 |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>                                    | 2         |                     |
| <i>ethacrynic acid oral tablet 25 mg</i>  | 4         |                     |
| <i>furosemide injection solution 10 mg/ml, 10 mg/ml<br/>(4ml syringe)</i>           | 1         | NMO; GC             |
| <i>furosemide oral solution 10 mg/ml, 8 mg/ml</i>                                   | 1         | GC                  |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i>                                   | 1         | GC                  |
| <i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>                             | 1         | GC                  |
| <b>DIURETICS, POTASSIUM-SPARING</b>   |           |                     |
| <i>amiloride hcl oral tablet 5 mg</i>   | 1         | GC                  |
| <i>eplerenone oral tablet 25 mg, 50 mg</i>  | 2         |                     |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i>                              | 1         | GC                  |
| <b>DIURETICS, THIAZIDE</b>  |           |                     |
| <i>chlorothiazide oral tablet 250 mg, 500 mg</i>                                    | 2         |                     |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i>                                      | 1         | GC                  |
| <b>DIURIL ORAL SUSPENSION 250 MG/5ML</b>  | 4         |                     |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i>                                     | 1         | GC                  |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg,<br/>50 mg</i>                    | 1         | GC                  |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>                                       | 1         | GC                  |
| <i>metolazone oral tablet 10 mg, 5 mg</i>   | 2         |                     |
| <i>metolazone oral tablet 2.5 mg</i>  | 1         | GC                  |
| <b>DYSLIPIDEMICS, FIBRIC ACID DERIVATIVES</b>                                       |           |                     |
| <i>fenofibrate micronized oral capsule 130 mg, 134<br/>mg, 200 mg, 43 mg, 67 mg</i> | 2         |                     |
| <i>fenofibrate oral capsule 150 mg, 50 mg</i>                                       | 2         |                     |
| <i>fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54<br/>mg</i>                     | 2         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|--|------------------|---------------------------------|
| <i>fenofibric acid oral capsule delayed release 135 mg, 45 mg</i>                          | 2                |                                 |
| <i>gemfibrozil oral tablet 600 mg</i>  | 1                | GC                              |
| <b>DYSLIPIDEMICS, HMG COA REDUCTASE INHIBITORS</b>   |                  |                                 |
| <i>atorvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>                         | 1                | GC                              |
| <i>fluvastatin sodium er oral tablet extended release 24 hour 80 mg</i>                    | 2                |                                 |
| <i>fluvastatin sodium oral capsule 20 mg, 40 mg</i>  | 2                |                                 |
| <b>LIVALO ORAL TABLET 1 MG, 2 MG, 4 MG</b>   | 3                |                                 |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>  | 1                | GC                              |
| <i>pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>                           | 1                | GC                              |
| <i>rosuvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                          | 1                | GC                              |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg</i>                            | 1                | GC                              |
| <b>DYSLIPIDEMICS, OTHER</b>  |                  |                                 |
| <i>cholestyramine light oral powder 4 gm/dose</i>  | 2                |                                 |
| <i>cholestyramine oral packet 4 gm</i>   | 2                |                                 |
| <i>colesevelam hcl oral packet 3.75 gm</i>   | 3                |                                 |
| <i>colesevelam hcl oral tablet 625 mg</i>  | 3                |                                 |
| <i>colestipol hcl oral packet 5 gm</i>   | 2                |                                 |
| <i>colestipol hcl oral tablet 1 gm</i>   | 2                |                                 |
| <i>ezetimibe oral tablet 10 mg</i>   | 2                |                                 |
| <b>JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 5 MG, 60 MG</b>                       | 5                | PA; NMO; QL (30 EA per 30 days) |
| <b>KYNAMRO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/ML</b>                           | 5                | PA; NMO                         |
| <i>niacin er (antihyperlipidemic) oral tablet extended release 1000 mg, 500 mg, 750 mg</i> | 2                |                                 |
| <b>NIACOR ORAL TABLET 500 MG</b>   | 1                | NMO; GC                         |
| <i>omega-3-acid ethyl esters oral capsule 1 gm</i>   | 2                |                                 |
| <b>PRALUENT SUBCUTANEOUS SOLUTION PEN-INJECTOR 150 MG/ML, 75 MG/ML</b>                     | 5                | PA; NMO                         |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| REPATHA PUSHTRONEX SYSTEM<br>SUBCUTANEOUS SOLUTION CARTRIDGE<br>420 MG/3.5ML               | 5         | PA; NMO             |
| REPATHA SUBCUTANEOUS SOLUTION<br>PREFILLED SYRINGE 140 MG/ML                               | 5         | PA; NMO             |
| REPATHA SURECLICK SUBCUTANEOUS<br>SOLUTION AUTO-INJECTOR 140 MG/ML                         | 5         | PA; NMO             |
| VASCEPA ORAL CAPSULE 0.5 GM, 1 GM  | 4         |                     |
| <b>VASODILATORS, DIRECT-ACTING<br/>ARTERIAL/VENOUS</b>                                     |           |                     |
| <i>isosorbide dinitrate er oral tablet extended release 40 mg</i>                          | 2         |                     |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i>                          | 2         |                     |
| <i>isosorbide mononitrate er oral tablet extended release 24 hour 120 mg, 30 mg, 60 mg</i> | 1         | GC                  |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>                                     | 1         | GC                  |
| MINITRAN TRANSDERMAL PATCH 24 HOUR 0.1 MG/HR, 0.2 MG/HR, 0.4 MG/HR, 0.6 MG/HR              | 2         |                     |
| NITRO-BID TRANSDERMAL OINTMENT 2 %   | 3         |                     |
| <i>nitroglycerin sublingual tablet sublingual 0.3 mg, 0.4 mg, 0.6 mg</i>                   | 1         | GC                  |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>  | 1         | GC                  |
| <i>nitroglycerin translingual solution 0.4 mg/spray</i>                                    | 4         |                     |
| <b>VASODILATORS, DIRECT-ACTING<br/>ARTERIAL</b>  |           |                     |
| BIDIL ORAL TABLET 20-37.5 MG   | 4         |                     |
| <i>hydralazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                             | 1         | GC                  |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>   | 1         | GC                  |
| <b>CENTRAL NERVOUS SYSTEM<br/>AGENTS</b>   |           |                     |
| <b>ATTENTION DEFICIT<br/>HYPERACTIVITY DISORDER<br/>AGENTS, AMPHETAMINES</b>               |           |                     |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>amphetamine-dextroamphetamine oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i> | 2                | PA                         |
| <i>amphetamine-dextroamphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>                 | 2                |                            |
| <i>dextroamphetamine sulfate er oral capsule extended release 24 hour 10 mg, 15 mg, 5 mg</i>                       | 4                | PA                         |
| <i>dextroamphetamine sulfate oral tablet 10 mg, 5 mg</i>   | 4                | PA                         |
| <b>VYVANSE ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG</b>  | 4                | PA                         |
| <b>VYVANSE ORAL TABLET CHEWABLE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG</b>                                       | 4                | PA                         |
| <b>ATTENTION DEFICIT HYPERACTIVITY DISORDER AGENTS, NON-AMPHETAMINES</b>   |                  |                            |
| <i>atomoxetine hcl oral capsule 10 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i>                                       | 4                | QL (60 EA per 30 days)     |
| <i>atomoxetine hcl oral capsule 100 mg</i>   | 4                | QL (30 EA per 30 days)     |
| <i>clonidine hcl er oral tablet extended release 12 hour 0.1 mg</i>  | 3                | QL (120 EA per 30 days)    |
| <b>DAYTRANA TRANSDERMAL PATCH 15 MG/9HR</b>  | 4                | PA                         |
| <i>guanfacine hcl er oral tablet extended release 24 hour 1 mg, 2 mg, 3 mg, 4 mg</i>                               | 4                |                            |
| <i>methylphenidate hcl er (cd) oral capsule extended release 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i>          | 4                | PA                         |
| <i>methylphenidate hcl er (la) oral capsule extended release 24 hour 10 mg, 20 mg, 30 mg, 40 mg, 60 mg</i>         | 4                | PA                         |
| <i>methylphenidate hcl er oral tablet extended release 10 mg, 20 mg, 72 mg</i>                                     | 4                | PA                         |
| <i>methylphenidate hcl er oral tablet extended release 24 hour 18 mg, 27 mg, 36 mg, 54 mg</i>                      | 3                | PA                         |
| <i>methylphenidate hcl oral solution 10 mg/5ml, 5 mg/5ml</i>   | 4                | PA                         |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i>  | 2                | PA                         |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name  | Drug Tier | Requirements/Limits              |
|--|-----------|----------------------------------|
| <b>CENTRAL NERVOUS SYSTEM, OTHER</b>   |           |                                  |
| AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG  | 5         | PA; NMO; QL (120 EA per 30 days) |
| <i>riluzole oral tablet 50 mg</i>  | 4         |                                  |
| <i>tetrabenazine oral tablet 12.5 mg</i>   | 5         | PA; NMO; QL (90 EA per 30 days)  |
| <i>tetrabenazine oral tablet 25 mg</i>   | 5         | PA; NMO; QL (120 EA per 30 days) |
| TIGLUTIK ORAL SUSPENSION 50 MG/10ML  | 4         |                                  |
| <b>FIBROMYALGIA AGENTS</b>   |           |                                  |
| LYRICA ORAL CAPSULE 100 MG   | 3         | QL (120 EA per 30 days)          |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG                                    | 3         | QL (60 EA per 30 days)           |
| SAVELLA TITRATION PACK ORAL 12.5 & 25 & 50 MG  | 3         | NMO                              |
| <b>MULTIPLE SCLEROSIS AGENTS</b>   |           |                                  |
| AUBAGIO ORAL TABLET 14 MG, 7 MG  | 5         | PA; LA; NMO                      |
| AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT 30 MCG/0.5ML                              | 5         | PA; NMO                          |
| AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT 30 MCG/0.5ML                    | 5         | PA; NMO                          |
| BETASERON SUBCUTANEOUS KIT 0.3 MG  | 5         | PA; NMO                          |
| <i>dalfampridine er oral tablet extended release 12 hour 10 mg</i>                   | 5         | PA; NMO; QL (60 EA per 30 days)  |
| GILENYA ORAL CAPSULE 0.5 MG  | 5         | PA; NMO                          |
| <i>glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml, 40 mg/ml</i> | 5         | PA; NMO                          |
| MAYZENT ORAL TABLET 0.25 MG, 2 MG  | 5         | PA; NMO                          |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION PEN-INJECTOR 63 & 94 MCG/0.5ML           | 5         | PA; NMO                          |
| PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 63 & 94 MCG/0.5ML      | 5         | PA; NMO                          |
| PLEGRIDY SUBCUTANEOUS SOLUTION PEN-INJECTOR 125 MCG/0.5ML                            | 5         | PA; NMO                          |
| PLEGRIDY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MCG/0.5ML                       | 5         | PA; NMO                          |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| TECFIDERA ORAL 120 & 240 MG                                 | 5                | PA; NMO                    |
| TECFIDERA ORAL CAPSULE DELAYED RELEASE 120 MG, 240 MG       | 5                | PA; NMO                    |
| <b>DENTAL AND ORAL AGENTS</b>                               |                  |                            |
| <b>DENTAL AND ORAL AGENTS</b>                               |                  |                            |
| <i>cevimeline hcl oral capsule 30 mg</i>                    | 3                |                            |
| <i>chlorhexidine gluconate mouth/throat solution 0.12 %</i> | 1                | NMO; GC                    |
| <i>clotrimazole mouth/throat lozenge 10 mg</i>              | 1                | NMO; GC                    |
| <i>lidocaine viscous hcl mouth/throat solution 2 %</i>      | 1                | NMO; GC                    |
| <i>lidocaine viscous mouth/throat solution 2 %</i>          | 1                | NMO; GC                    |
| <i>nystatin mouth/throat suspension 100000 unit/ml</i>      | 1                | NMO; GC                    |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i>             | 2                |                            |
| <i>triamcinolone acetonide mouth/throat paste 0.1 %</i>     | 2                | NMO                        |
| <b>DERMATOLOGICAL AGENTS</b>                                |                  |                            |
| <b>DERMATOLOGICAL AGENTS</b>                                |                  |                            |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>         | 5                | NMO                        |
| <i>acyclovir external cream 5 %</i>                         | 4                | NMO                        |
| <i>acyclovir external ointment 5 %</i>                      | 4                | NMO                        |
| <i>adapalene external cream 0.1 %</i>                       | 4                | NMO                        |
| <i>adapalene external gel 0.1 %, 0.3 %</i>                  | 4                | NMO                        |
| <i>adapalene external solution 0.1 %</i>                    | 4                | NMO                        |
| <i>alclometasone dipropionate external cream 0.05 %</i>     | 1                | NMO; GC                    |
| <i>alclometasone dipropionate external ointment 0.05 %</i>  | 1                | NMO; GC                    |
| <i>amcinonide external cream 0.1 %</i>                      | 4                | NMO                        |
| <i>amcinonide external lotion 0.1 %</i>                     | 4                | NMO                        |
| <i>amcinonide external ointment 0.1 %</i>                   | 3                | NMO                        |
| <i>ammonium lactate external cream 12 %</i>                 | 1                | NMO; GC                    |
| <i>ammonium lactate external lotion 12 %</i>                | 1                | NMO; GC                    |
| <i>AMNESTEEM ORAL CAPSULE 10 MG, 20 MG, 40 MG</i>           | 4                | NMO                        |
| <i>azelaic acid external gel 15 %</i>                       | 4                | NMO                        |
| <i>benzoyl peroxide-erythromycin external gel 5-3 %</i>     | 2                | NMO                        |
| <i>betamethasone dipropionate aug external cream 0.05 %</i> | 2                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>betamethasone dipropionate aug external lotion 0.05 %</i>         | 2                | NMO                        |
| <i>betamethasone dipropionate aug external ointment 0.05 %</i>       | 2                | NMO                        |
| <i>betamethasone dipropionate external cream 0.05 %</i>              | 2                | NMO                        |
| <i>betamethasone dipropionate external lotion 0.05 %</i>             | 2                | NMO                        |
| <i>betamethasone dipropionate external ointment 0.05 %</i>           | 2                | NMO                        |
| <i>betamethasone valerate external cream 0.1 %</i>                   | 2                | NMO                        |
| <i>betamethasone valerate external foam 0.12 %</i>                   | 4                | NMO                        |
| <i>betamethasone valerate external lotion 0.1 %</i>                  | 2                | NMO                        |
| <i>betamethasone valerate external ointment 0.1 %</i>                | 2                | NMO                        |
| <i>calcipotriene external cream 0.005 %</i>                          | 4                | NMO                        |
| <i>calcipotriene external ointment 0.005 %</i>                       | 4                | NMO                        |
| <i>calcipotriene external solution 0.005 %</i>                       | 4                | NMO                        |
| <i>calcipotriene-betameth diprop external ointment 0.005-0.064 %</i> | 4                | NMO                        |
| <i>calcitriol external ointment 3 mcg/gm</i>                         | 4                | NMO                        |
| <i>CAPEX EXTERNAL SHAMPOO 0.01 %</i>                                 | 4                | NMO                        |
| <i>ciclopirox external gel 0.77 %</i>                                | 2                | NMO                        |
| <i>ciclopirox external shampoo 1 %</i>                               | 2                | NMO                        |
| <i>ciclopirox external solution 8 %</i>                              | 2                | NMO                        |
| <i>ciclopirox olamine external cream 0.77 %</i>                      | 2                | NMO                        |
| <i>ciclopirox olamine external suspension 0.77 %</i>                 | 2                | NMO                        |
| <i>CLARAVIS ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG</i>              | 4                | NMO                        |
| <i>clindamycin phos-benzoyl perox external gel 1-5 %, 1.2-5 %</i>    | 4                | NMO                        |
| <i>clindamycin phosphate external foam 1 %</i>                       | 4                | NMO                        |
| <i>clindamycin phosphate external gel 1 %</i>                        | 2                | NMO                        |
| <i>clindamycin phosphate external lotion 1 %</i>                     | 2                | NMO                        |
| <i>clindamycin phosphate external solution 1 %</i>                   | 2                | NMO                        |
| <i>clindamycin phosphate external swab 1 %</i>                       | 2                | NMO                        |
| <i>clobetasol prop emollient base external cream 0.05 %</i>          | 4                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>clobetasol propionate emulsion external foam 0.05 %</i> | 4                | NMO                        |
| <i>clobetasol propionate external cream 0.05 %</i>         | 4                | NMO                        |
| <i>clobetasol propionate external foam 0.05 %</i>          | 4                | NMO                        |
| <i>clobetasol propionate external gel 0.05 %</i>           | 4                | NMO                        |
| <i>clobetasol propionate external liquid 0.05 %</i>        | 4                | NMO                        |
| <i>clobetasol propionate external lotion 0.05 %</i>        | 4                | NMO                        |
| <i>clobetasol propionate external ointment 0.05 %</i>      | 4                | NMO                        |
| <i>clobetasol propionate external shampoo 0.05 %</i>       | 4                | NMO                        |
| <i>clobetasol propionate external solution 0.05 %</i>      | 3                | NMO                        |
| <i>clotrimazole external cream 1 %</i>                     | 1                | NMO; GC                    |
| <i>clotrimazole external solution 1 %</i>                  | 1                | NMO; GC                    |
| <i>clotrimazole-betamethasone external cream 1-0.05 %</i>  | 2                | NMO                        |
| <i>clotrimazole-betamethasone external lotion 1-0.05 %</i> | 4                | NMO                        |
| <i>CONDYLOX EXTERNAL GEL 0.5 %</i>                         | 4                | NMO                        |
| <i>CORDRAN EXTERNAL TAPE 4 MCG/SQCM</i>                    | 4                | NMO                        |
| <i>CORTISPORIN EXTERNAL CREAM 3.5-10000-0.5</i>            | 3                | NMO                        |
| <i>CORTISPORIN EXTERNAL OINTMENT 1 %</i>                   | 3                | NMO                        |
| <i>DENAVIR EXTERNAL CREAM 1 %</i>                          | 4                | NMO                        |
| <i>desonide external cream 0.05 %</i>                      | 4                | NMO                        |
| <i>desonide external lotion 0.05 %</i>                     | 3                | NMO                        |
| <i>desonide external ointment 0.05 %</i>                   | 2                | NMO                        |
| <i>desoximetasone external cream 0.05 %, 0.25 %</i>        | 2                | NMO                        |
| <i>desoximetasone external gel 0.05 %</i>                  | 2                | NMO                        |
| <i>desoximetasone external liquid 0.25 %</i>               | 4                | NMO                        |
| <i>desoximetasone external ointment 0.05 %, 0.25 %</i>     | 2                | NMO                        |
| <i>diclofenac sodium transdermal gel 1 %</i>               | 2                | NMO                        |
| <i>diclofenac sodium transdermal gel 3 %</i>               | 5                | PA; NMO                    |
| <i>diclofenac sodium transdermal solution 1.5 %</i>        | 4                | NMO                        |
| <i>diflorasone diacetate external cream 0.05 %</i>         | 4                | NMO                        |
| <i>diflurasone diacetate external ointment 0.05 %</i>      | 4                | NMO                        |
| <i>doxepin hcl external cream 5 %</i>                      | 4                | NMO                        |
| <i>econazole nitrate external cream 1 %</i>                | 2                | NMO                        |
| <i>ery external pad 2 %</i>                                | 1                | NMO; GC                    |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>erythromycin external gel 2 %</i>                             | 1                | NMO; GC                    |
| <i>erythromycin external solution 2 %</i>                        | 1                | NMO; GC                    |
| <b>EURAX EXTERNAL CREAM 10 %</b>                                 | 4                | NMO                        |
| <b>EURAX EXTERNAL LOTION 10 %</b>                                | 4                | NMO                        |
| <i>fluocinolone acetonide external cream 0.01 %,<br/>0.025 %</i> | 2                | NMO                        |
| <i>fluocinolone acetonide external ointment 0.025 %</i>          | 2                | NMO                        |
| <i>fluocinolone acetonide external solution 0.01 %</i>           | 4                | NMO                        |
| <i>fluocinolone acetonide scalp external oil 0.01 %</i>          | 4                | NMO                        |
| <i>fluocinonide emulsified base external cream 0.05 %</i>        | 2                | NMO                        |
| <i>fluocinonide external cream 0.1 %</i>                         | 4                | NMO                        |
| <i>fluocinonide external gel 0.05 %</i>                          | 2                | NMO                        |
| <i>fluocinonide external ointment 0.05 %</i>                     | 2                | NMO                        |
| <i>fluocinonide external solution 0.05 %</i>                     | 3                | NMO                        |
| <i>fluorouracil external cream 5 %</i>                           | 3                | NMO                        |
| <i>fluorouracil external solution 2 %, 5 %</i>                   | 2                | NMO                        |
| <i>fluticasone propionate external cream 0.05 %</i>              | 1                | NMO; GC                    |
| <i>fluticasone propionate external lotion 0.05 %</i>             | 3                | NMO                        |
| <i>fluticasone propionate external ointment 0.005 %</i>          | 1                | NMO; GC                    |
| <i>gentamicin sulfate external cream 0.1 %</i>                   | 2                | NMO                        |
| <i>gentamicin sulfate external ointment 0.1 %</i>                | 2                | NMO                        |
| <i>halcinonide external cream 0.1 %</i>                          | 4                | NMO                        |
| <i>halobetasol propionate external cream 0.05 %</i>              | 4                | NMO                        |
| <i>halobetasol propionate external ointment 0.05 %</i>           | 4                | NMO                        |
| <b>HALOG EXTERNAL CREAM 0.1 %</b>                                | 4                | NMO                        |
| <b>HALOG EXTERNAL OINTMENT 0.1 %</b>                             | 4                | NMO                        |
| <i>hydrocortisone ace-pramoxine rectal cream 1-1 %</i>           | 2                | NMO                        |
| <i>hydrocortisone butyrate external lotion 0.1 %</i>             | 3                | NMO                        |
| <i>hydrocortisone butyrate external ointment 0.1 %</i>           | 3                | NMO                        |
| <i>hydrocortisone butyrate external solution 0.1 %</i>           | 3                | NMO                        |
| <i>hydrocortisone external cream 1 %, 2.5 %</i>                  | 1                | NMO; GC                    |
| <i>hydrocortisone external lotion 2.5 %</i>                      | 1                | NMO; GC                    |
| <i>hydrocortisone external ointment 1 %, 2.5 %</i>               | 1                | NMO; GC                    |
| <i>hydrocortisone rectal enema 100 mg/60ml</i>                   | 4                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>hydrocortisone valerate external cream 0.2 %</i>                  | 3                | NMO                        |
| <i>hydrocortisone valerate external ointment 0.2 %</i>               | 3                | NMO                        |
| <i>imiquimod external cream 5 %</i>                                  | 3                | NMO                        |
| <i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>          | 4                | NMO                        |
| JUBLIA EXTERNAL SOLUTION 10 %  | 4                | NMO                        |
| <i>ketoconazole external cream 2 %</i>                               | 2                | NMO                        |
| <i>ketoconazole external foam 2 %</i>                                | 4                | NMO                        |
| <i>ketoconazole external shampoo 2 %</i>                             | 1                | NMO; GC                    |
| <i>lidocaine hcl external gel 2 %</i>                                | 1                | NMO; GC                    |
| <i>lidocaine hcl external solution 4 %</i>                           | 1                | NMO; GC                    |
| <i>lidocaine hcl urethral/mucosal external gel 2 %</i>               | 1                | NMO; GC                    |
| <i>malathion external lotion 0.5 %</i>                               | 3                | NMO                        |
| <i>methoxsalen rapid oral capsule 10 mg</i>                          | 5                | NMO                        |
| <i>metronidazole external cream 0.75 %</i>                           | 2                | NMO                        |
| <i>metronidazole external gel 0.75 %, 1 %</i>                        | 2                | NMO                        |
| <i>metronidazole external lotion 0.75 %</i>                          | 2                | NMO                        |
| <i>mometasone furoate external cream 0.1 %</i>                       | 1                | NMO; GC                    |
| <i>mometasone furoate external ointment 0.1 %</i>                    | 1                | NMO; GC                    |
| <i>mometasone furoate external solution 0.1 %</i>                    | 1                | NMO; GC                    |
| <i>mupirocin calcium external cream 2 %</i>                          | 4                | NMO                        |
| <i>mupirocin external ointment 2 %</i>                               | 1                | NMO; GC                    |
| <i>naftifine hcl external cream 1 %, 2 %</i>                         | 4                | NMO                        |
| NYAMYC EXTERNAL POWDER 100000 UNIT/GM                                | 1                | NMO; GC                    |
| <i>nystatin external cream 100000 unit/gm</i>                        | 1                | NMO; GC                    |
| <i>nystatin external ointment 100000 unit/gm</i>                     | 1                | NMO; GC                    |
| <i>nystatin external powder 100000 unit/gm</i>                       | 1                | NMO; GC                    |
| <i>nystatin-triamcinolone external cream 100000-0.1 unit/gm-%</i>    | 2                | NMO                        |
| <i>nystatin-triamcinolone external ointment 100000-0.1 unit/gm-%</i> | 2                | NMO                        |
| NYSTOP EXTERNAL POWDER 100000 UNIT/GM                                | 1                | NMO; GC                    |
| <i>oxiconazole nitrate external cream 1 %</i>                        | 4                | NMO                        |
| PANRETIN EXTERNAL GEL 0.1 %  | 5                | NMO                        |
| <i>permethrin external cream 5 %</i>                                 | 3                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| PICATO EXTERNAL GEL 0.015 %, 0.05 %                                    | 5                | NMO                        |
| <i>pimecrolimus external cream 1 %</i>                                 | 4                | NMO                        |
| <i>podofilox external solution 0.5 %</i>                               | 2                | NMO                        |
| <i>prednicarbate external cream 0.1 %</i>                              | 4                | NMO                        |
| <i>prednicarbate external ointment 0.1 %</i>                           | 4                | NMO                        |
| PROCTO-MED HC RECTAL CREAM 2.5 %                                       | 2                | NMO                        |
| PROCTOSOL HC RECTAL CREAM 2.5 %  | 2                | NMO                        |
| PROCTOZONE-HC RECTAL CREAM 2.5 %                                       | 2                | NMO                        |
| REGRANEX EXTERNAL GEL 0.01 %   | 5                | PA; NMO                    |
| SANTYL EXTERNAL OINTMENT 250 UNIT/GM                                   | 4                | NMO                        |
| <i>selenium sulfide external lotion 2.5 %</i>                          | 1                | NMO; GC                    |
| <i>silver sulfadiazine external cream 1 %</i>                          | 1                | NMO; GC                    |
| SKLICE EXTERNAL LOTION 0.5 %   | 4                | NMO                        |
| SOOLANTRA EXTERNAL CREAM 1 %   | 4                | NMO                        |
| SSD EXTERNAL CREAM 1 %   | 1                | NMO; GC                    |
| <i>sulfacetamide sodium (acne) external lotion 10 %</i>                | 2                | NMO                        |
| SULFAMYLYON EXTERNAL CREAM 85 MG/GM                                    | 4                | NMO                        |
| TACLONEX EXTERNAL SUSPENSION 0.005-0.064 %                             | 4                | NMO                        |
| <i>tacrolimus external ointment 0.03 %, 0.1 %</i>                      | 2                | NMO                        |
| TARGRETIN EXTERNAL GEL 1 %   | 5                | NMO                        |
| <i>tazarotene external cream 0.1 %</i>                                 | 4                | NMO                        |
| TAZORAC EXTERNAL CREAM 0.05 %  | 4                | NMO                        |
| TAZORAC EXTERNAL GEL 0.05 %, 0.1 %                                     | 4                | NMO                        |
| TOLAK EXTERNAL CREAM 4 %   | 4                | NMO                        |
| <i>tretinoin external cream 0.025 %, 0.05 %, 0.1 %</i>                 | 3                | NMO                        |
| <i>tretinoin external gel 0.01 %, 0.025 %, 0.05 %</i>                  | 4                | NMO                        |
| <i>tretinoin microsphere external gel 0.04 %, 0.1 %</i>                | 4                | NMO                        |
| <i>triamcinolone acetonide external cream 0.025 %, 0.1 %, 0.5 %</i>    | 1                | NMO; GC                    |
| <i>triamcinolone acetonide external lotion 0.025 %, 0.1 %</i>          | 2                | NMO                        |
| <i>triamcinolone acetonide external ointment 0.025 %, 0.1 %, 0.5 %</i> | 1                | NMO; GC                    |
| UCERIS RECTAL FOAM 2 MG/ACT  | 4                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| VALCHLOR EXTERNAL GEL 0.016 %  | 5         | NMO                 |
| <b>ELECTROLYTES/MINERALS/METALS/VITAMINS</b>   |           |                     |
| <b>ELECTROLYTE/MINERAL REPLACEMENT</b>   |           |                     |
| CARBAGLU ORAL TABLET 200 MG  | 5         | NMO                 |
| <i>dextrose-nacl intravenous solution 10-0.2 %, 10-0.45 %, 2.5-0.45 %, 5-0.2 %, 5-0.225 %, 5-0.33 %, 5-0.45 %, 5-0.9 %</i>   | 2         | NMO                 |
| IONOSOL-MB IN D5W INTRAVENOUS SOLUTION   | 3         | NMO                 |
| ISOLYTE-P IN D5W INTRAVENOUS SOLUTION  | 3         | NMO                 |
| ISOLYTE-S INTRAVENOUS SOLUTION   | 3         | NMO                 |
| <i>kcl in dextrose-nacl intravenous solution 10-5-0.45 meq/l-%-%, 20-5-0.2 meq/l-%-%, 20-5-0.33 meq/l-%-%, 20-5-0.45 meq/l-%-%, 20-5-0.9 meq/l-%-%, 30-5-0.45 meq/l-%-%, 40-5-0.45 meq/l-%-%, 40-5-0.9 meq/l-%-%</i> | 2         | NMO                 |
| <i>kcl-lactated ringers-d5w intravenous solution 20 meq/l</i>  | 2         | NMO                 |
| KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ  | 1         | GC                  |
| KLOR-CON M10 ORAL TABLET EXTENDED RELEASE 10 MEQ   | 1         | GC                  |
| KLOR-CON M15 ORAL TABLET EXTENDED RELEASE 15 MEQ   | 2         |                     |
| KLOR-CON M20 ORAL TABLET EXTENDED RELEASE 20 MEQ   | 1         | GC                  |
| KLOR-CON ORAL TABLET EXTENDED RELEASE 8 MEQ  | 1         | GC                  |
| KLOR-CON SPRINKLE ORAL CAPSULE EXTENDED RELEASE 8 MEQ  | 2         |                     |
| KUVAN ORAL PACKET 100 MG, 500 MG   | 5         | PA; LA; NMO         |
| <i>magnesium sulfate injection solution 50 %, 50 % (10ml syringe)</i>  | 1         | NMO; GC             |
| NORMOSOL-M IN D5W INTRAVENOUS SOLUTION   | 3         | NMO                 |
| NORMOSOL-R IN D5W INTRAVENOUS SOLUTION   | 3         | NMO                 |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| NORMOSOL-R PH 7.4 INTRAVENOUS SOLUTION  | 3                | NMO                        |
| PLASMA-LYTE 148 INTRAVENOUS SOLUTION  | 3                | NMO                        |
| PLASMA-LYTE A INTRAVENOUS SOLUTION  | 3                | NMO                        |
| <i>potassium chloride crys er oral tablet extended release 10 meq, 20 meq</i>                                       | 1                | GC                         |
| <i>potassium chloride er oral capsule extended release 10 meq, 8 meq</i>  | 2                |                            |
| <i>potassium chloride er oral tablet extended release 10 meq, 20 meq, 8 meq</i>                                     | 1                | GC                         |
| <i>potassium chloride in dextrose intravenous solution 20-5 meq/l-%, 40-5 meq/l-%</i>                               | 2                | NMO                        |
| <i>potassium chloride in nacl intravenous solution 20-0.45 meq/l-%, 20-0.9 meq/l-%, 40-0.9 meq/l-%</i>              | 2                | NMO                        |
| <i>potassium chloride intravenous solution 10 meq/100ml, 2 meq/ml, 2 meq/ml (20 ml), 20 meq/100ml, 40 meq/100ml</i> | 2                | NMO                        |
| <i>potassium chloride oral solution 20 meq/15ml (10%), 40 meq/15ml (20%)</i>  | 2                |                            |
| <i>sodium chloride intravenous solution 0.45 %, 0.9 %, 3 %, 5 %</i>   | 2                | NMO                        |
| TPN ELECTROLYTES INTRAVENOUS SOLUTION   | 2                | BD; NMO                    |
| <b>ELECTROLYTE/MINERAL/METAL MODIFIERS</b>  |                  |                            |
| CHEMET ORAL CAPSULE 100 MG  | 4                | NMO                        |
| <i>deferasirox oral tablet soluble 125 mg, 250 mg, 500 mg</i>   | 5                | PA; NMO                    |
| DEPEN TITRATABS ORAL TABLET 250 MG  | 5                | NMO                        |
| FERRIPROX ORAL SOLUTION 100 MG/ML   | 5                | NMO                        |
| FERRIPROX ORAL TABLET 500 MG  | 5                | NMO                        |
| KIONEX ORAL SUSPENSION 15 GM/60ML   | 2                | NMO                        |
| LOKELMA ORAL PACKET 10 GM, 5 GM   | 4                |                            |
| SAMSCA ORAL TABLET 15 MG, 30 MG   | 5                | PA; NMO                    |
| <i>sodium polystyrene sulfonate oral powder</i>   | 2                | NMO                        |
| SPS ORAL SUSPENSION 15 GM/60ML  | 2                | NMO                        |
| <i>trientine hcl oral capsule 250 mg</i>  | 5                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| VELTASSA ORAL PACKET 16.8 GM, 25.2 GM, 8.4 GM             | 4                |                            |
| <b>NUTRIENTS</b>  |                  |                            |
| AMINOSYN II INTRAVENOUS SOLUTION 10 %                     | 4                | BD; NMO                    |
| AMINOSYN-PF INTRAVENOUS SOLUTION 10 %, 7 %                | 4                | BD; NMO                    |
| CLINIMIX E/DEXTROSE (2.75/5) INTRAVENOUS SOLUTION 2.75 %  | 3                | BD; NMO                    |
| CLINIMIX E/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION 4.25 % | 3                | BD; NMO                    |
| CLINIMIX E/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION 4.25 %  | 3                | BD; NMO                    |
| CLINIMIX E/DEXTROSE (5/15) INTRAVENOUS SOLUTION 5 %       | 3                | BD; NMO                    |
| CLINIMIX E/DEXTROSE (5/20) INTRAVENOUS SOLUTION 5 %       | 3                | BD; NMO                    |
| CLINIMIX/DEXTROSE (4.25/10) INTRAVENOUS SOLUTION 4.25 %   | 3                | BD; NMO                    |
| CLINIMIX/DEXTROSE (4.25/25) INTRAVENOUS SOLUTION 4.25 %   | 3                | BD; NMO                    |
| CLINIMIX/DEXTROSE (4.25/5) INTRAVENOUS SOLUTION 4.25 %    | 3                | BD; NMO                    |
| CLINIMIX/DEXTROSE (5/15) INTRAVENOUS SOLUTION 5 %         | 3                | BD; NMO                    |
| CLINIMIX/DEXTROSE (5/20) INTRAVENOUS SOLUTION 5 %         | 3                | BD; NMO                    |
| CLINIMIX/DEXTROSE (5/25) INTRAVENOUS SOLUTION 5 %         | 3                | BD; NMO                    |
| CLINISOL SF INTRAVENOUS SOLUTION 15 %                     | 4                | BD; NMO                    |
| <i>dextrose intravenous solution 10 %, 5 %</i>            | 2                | BD; NMO                    |
| FREAMINE HBC INTRAVENOUS SOLUTION 6.9 %                   | 4                | BD; NMO                    |
| HEPATAMINE INTRAVENOUS SOLUTION 8 %                       | 4                | BD; NMO                    |
| INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %                | 4                | BD; NMO                    |
| NEPHRAMINE INTRAVENOUS SOLUTION 5.4 %                     | 4                | BD; NMO                    |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>nutrilipid intravenous emulsion 20 %</i>   | 2                | BD; NMO                    |
| PLENAMINE INTRAVENOUS SOLUTION 15 %   | 4                | BD; NMO                    |
| PREMASOL INTRAVENOUS SOLUTION 10 %, 6 %   | 4                | BD; NMO                    |
| PROCALAMINE INTRAVENOUS SOLUTION 3 %  | 4                | BD; NMO                    |
| PROSOL INTRAVENOUS SOLUTION 20 %  | 4                | BD; NMO                    |
| TRAVASOL INTRAVENOUS SOLUTION 10 %  | 4                | BD; NMO                    |
| TROPHAMINE INTRAVENOUS SOLUTION 10 %  | 4                | BD; NMO                    |
| <b>VITAMINS</b>   |                  |                            |
| <i>prenatal oral tablet 27-1 mg</i>   | 1                | NMO; GC                    |
| <i>sodium fluoride oral tablet 2.2 (1 f) mg</i>   | 1                | NMO; GC                    |
| <b>GASTROINTESTINAL AGENTS</b>  |                  |                            |
| <b>ANTISPASMODICS,<br/>GASTROINTESTINAL</b>   |                  |                            |
| CUVPOSA ORAL SOLUTION 1 MG/5ML  | 4                |                            |
| <i>dicyclomine hcl oral capsule 10 mg</i>   | 1                | NMO; GC                    |
| <i>dicyclomine hcl oral solution 10 mg/5ml</i>  | 1                | NMO; GC                    |
| <i>dicyclomine hcl oral tablet 20 mg</i>  | 1                | NMO; GC                    |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i>  | 2                | NMO                        |
| <i>methscopolamine bromide oral tablet 2.5 mg, 5 mg</i>   | 2                | NMO                        |
| <b>DIGESTIVE ENZYMES</b>  |                  |                            |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000 UNIT, 24000-76000 UNIT, 3000-9500 UNIT, 36000 UNIT, 6000 UNIT  | 3                |                            |
| <i>ursodiol oral capsule 300 mg</i>   | 2                |                            |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000-47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-14000 UNIT, 40000-126000 UNIT, 5000-24000 UNIT | 3                |                            |
| <b>GASTROINTESTINAL AGENTS,<br/>OTHER</b>   |                  |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>amoxicill-clarithro-lansopraz oral</i>                  | 3                | NMO                        |
| <i>cromolyn sodium oral concentrate 100 mg/5ml</i>         | 4                |                            |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5ml</i> | 1                | NMO; GC                    |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>     | 1                | NMO; GC                    |
| GATTEX SUBCUTANEOUS KIT 5 MG                               | 5                | NMO                        |
| <i>loperamide hcl oral capsule 2 mg</i>                    | 1                | NMO; GC                    |
| <i>metoclopramide hcl oral solution 5 mg/5ml</i>           | 1                | NMO; GC                    |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i>          | 1                | GC                         |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG                        | 3                | NMO                        |
| PYLERA ORAL CAPSULE 140-125-125 MG                         | 4                | NMO                        |
| <i>ursodiol oral tablet 250 mg, 500 mg</i>                 | 2                |                            |

## **HISTAMINE2 (H2) RECEPTOR ANTAGONISTS**

|   |   |     |
|---|---|-----|
| <i>cimetidine hcl oral solution 300 mg/5ml</i>            | 2 |     |
| <i>cimetidine oral tablet 200 mg</i>                      | 2 | NMO |
| <i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>      | 2 |     |
| <i>famotidine oral suspension reconstituted 40 mg/5ml</i> | 2 |     |
| <i>famotidine oral tablet 20 mg, 40 mg</i>                | 1 | GC  |
| <i>nizatidine oral capsule 150 mg, 300 mg</i>             | 1 | GC  |
| <i>ranitidine hcl oral capsule 150 mg, 300 mg</i>         | 2 |     |
| <i>ranitidine hcl oral syrup 75 mg/5ml</i>                | 2 |     |
| <i>ranitidine hcl oral tablet 150 mg, 300 mg</i>          | 1 | GC  |

## **IRRITABLE BOWEL SYNDROME AGENTS**

|   |   |     |
|---|---|-----|
| <i>alosetron hcl oral tablet 0.5 mg, 1 mg</i> | 5 | NMO |
| AMITIZA ORAL CAPSULE 24 MCG, 8 MCG            | 3 |     |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG | 3 |     |
| VIBERZI ORAL TABLET 100 MG, 75 MG             | 4 |     |

## **LAXATIVES**

|   |   |         |
|---|---|---------|
| CLENPIQ ORAL SOLUTION 10-3.5-12 MG-GM -GM/160ML | 4 | NMO     |
| <i>enulose oral solution 10 gm/15ml</i>         | 1 | GC      |
| GAVILYTE-C ORAL SOLUTION RECONSTITUTED 240 GM   | 1 | NMO; GC |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| GAVILYTE-G ORAL SOLUTION RECONSTITUTED 236 GM                           | 1                | NMO; GC                    |
| GAVILYTE-N WITH FLAVOR PACK ORAL SOLUTION RECONSTITUTED 420 GM          | 1                | NMO; GC                    |
| <i>generlac oral solution 10 gm/15ml</i>                                | 1                | GC                         |
| GOLYTELY ORAL SOLUTION RECONSTITUTED 227.1 GM                           | 1                | NMO; GC                    |
| <i>lactulose oral solution 10 gm/15ml</i>                               | 1                | GC                         |
| <i>peg 3350/electrolytes oral solution reconstituted 240 gm</i>         | 1                | NMO; GC                    |
| <i>peg 3350-kcl-na bicarb-nacl oral solution reconstituted 420 gm</i>   | 1                | NMO; GC                    |
| <i>peg-3350/electrolytes oral solution reconstituted 236 gm</i>         | 1                | NMO; GC                    |
| PREPOPIK ORAL PACKET 10-3.5-12 MG-GM-GM                                 | 4                | NMO                        |
| SUPREP BOWEL PREP KIT ORAL SOLUTION 17.5-3.13-1.6 GM/177ML              | 4                | NMO                        |
| TRILYTE ORAL SOLUTION RECONSTITUTED 420 GM                              | 1                | NMO; GC                    |
| <b>PROTECTANTS</b>  |                  |                            |
| CARAFATE ORAL SUSPENSION 1 GM/10ML                                      | 3                |                            |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i>                         | 2                |                            |
| <i>sucralfate oral tablet 1 gm</i>                                      | 1                | GC                         |
| <b>PROTON PUMP INHIBITORS</b>   |                  |                            |
| DEXILANT ORAL CAPSULE DELAYED RELEASE 30 MG, 60 MG                      | 3                | ST; QL (30 EA per 30 days) |
| <i>esomeprazole magnesium oral capsule delayed release 20 mg, 40 mg</i> | 2                |                            |
| <i>lansoprazole oral capsule delayed release 15 mg, 30 mg</i>           | 1                | GC                         |
| <i>omeprazole oral capsule delayed release 10 mg, 20 mg, 40 mg</i>      | 1                | GC                         |
| <i>pantoprazole sodium oral tablet delayed release 20 mg, 40 mg</i>     | 1                | GC                         |
| <i>rabeprazole sodium oral tablet delayed release 20 mg</i>             | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name   | Drug Tier | Requirements/Limits                 |
|---|-----------|-------------------------------------|
| <b>GENETIC OR ENZYME DISORDER:<br/>REPLACEMENT, MODIFIERS,<br/>TREATMENT</b>          |           |                                     |
| <b>ENZYME REPLACEMENT/<br/>MODIFIERS</b>  |           |                                     |
| CYSTADANE ORAL POWDER   | 5         | NMO                                 |
| GALAFOLD ORAL CAPSULE 123 MG  | 5         | PA; LA; NMO; QL (15 EA per 30 days) |
| KUVAN ORAL TABLET SOLUBLE 100 MG  | 5         | PA; LA; NMO                         |
| <i>levocarnitine oral solution 1 gm/10ml</i>  | 1         | BD; GC                              |
| <i>levocarnitine oral tablet 330 mg</i>   | 1         | BD; GC                              |
| <i>miglustat oral capsule 100 mg</i>  | 5         | PA; NMO                             |
| ORFADIN ORAL CAPSULE 10 MG, 2 MG, 20 MG, 5 MG   | 5         | NMO                                 |
| ORFADIN ORAL SUSPENSION 4 MG/ML   | 5         | LA; NMO                             |
| RAVICTI ORAL LIQUID 1.1 GM/ML   | 5         | NMO                                 |
| <i>sodium phenylbutyrate oral powder 3 gm/tsp</i>                                     | 5         | NMO                                 |
| <i>sodium phenylbutyrate oral tablet 500 mg</i>                                       | 5         | NMO                                 |
| XURIDEN ORAL PACKET 2 GM  | 5         | PA; NMO                             |
| <b>GENITOURINARY AGENTS</b>   |           |                                     |
| <b>ANTISPASMODICS, URINARY</b>  |           |                                     |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>                     | 1         | NMO; GC                             |
| <i>darifenacin hydrobromide er oral tablet extended release 24 hour 15 mg, 7.5 mg</i> | 2         |                                     |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR 25 MG, 50 MG                           | 3         |                                     |
| <i>oxybutynin chloride er oral tablet extended release 24 hour 10 mg, 15 mg, 5 mg</i> | 2         |                                     |
| <i>oxybutynin chloride oral syrup 5 mg/5ml</i>  | 1         | GC                                  |
| <i>oxybutynin chloride oral tablet 5 mg</i>   | 1         | GC                                  |
| <i>solifenacain succinate oral tablet 10 mg, 5 mg</i>                                 | 4         |                                     |
| <i>tolterodine tartrate er oral capsule extended release 24 hour 2 mg, 4 mg</i>       | 2         |                                     |
| <i>tolterodine tartrate oral tablet 1 mg, 2 mg</i>                                    | 2         |                                     |
| <i>trospium chloride er oral capsule extended release 24 hour 60 mg</i>               | 2         |                                     |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>trospium chloride oral tablet 20 mg</i>  | 2         |                     |
| <b>BENIGN PROSTATIC HYPERTROPHY AGENTS</b>  |           |                     |
| <i>alfuzosin hcl er oral tablet extended release 24 hour 10 mg</i>  | 1         | GC                  |
| CARDURA XL ORAL TABLET EXTENDED RELEASE 24 HOUR 4 MG, 8 MG  | 4         |                     |
| <i>dutasteride oral capsule 0.5 mg</i>  | 2         |                     |
| <i>dutasteride-tamsulosin hcl oral capsule 0.5-0.4 mg</i>   | 2         |                     |
| <i>finasteride oral tablet 5 mg</i>   | 1         | GC                  |
| <i>silodosin oral capsule 4 mg, 8 mg</i>  | 4         |                     |
| <i>tamsulosin hcl oral capsule 0.4 mg</i>   | 1         | GC                  |
| <b>GENITOURINARY AGENTS, OTHER</b>  |           |                     |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG   | 3         |                     |
| ELMIRON ORAL CAPSULE 100 MG   | 4         | NMO                 |
| <i>potassium citrate er oral tablet extended release 10 meq (1080 mg), 15 meq (1620 mg), 5 meq (540 mg)</i> | 2         | NMO                 |
| <i>sodium chloride irrigation solution 0.9 %</i>  | 1         | NMO; GC             |
| <b>PHOSPHATE BINDERS</b>  |           |                     |
| AURYXIA ORAL TABLET 1 GM 210 MG(FE)   | 4         | PA                  |
| <i>calcium acetate (phos binder) oral capsule 667 mg</i>  | 2         |                     |
| <i>calcium acetate (phos binder) oral tablet 667 mg</i>   | 2         |                     |
| <i>sevelamer carbonate oral packet 0.8 gm, 2.4 gm</i>   | 5         | NMO                 |
| <i>sevelamer carbonate oral tablet 800 mg</i>   | 3         |                     |
| VELPHORO ORAL TABLET CHEWABLE 500 MG  | 4         |                     |
| <b>VAGINAL PRODUCTS</b>   |           |                     |
| CLEOCIN VAGINAL SUPPOSITORY 100 MG  | 4         | NMO                 |
| <i>clindamycin phosphate vaginal cream 2 %</i>  | 2         | NMO                 |
| <i>estradiol vaginal cream 0.1 mg/gm</i>  | 2         |                     |
| <i>estradiol vaginal tablet 10 mcg</i>  | 2         |                     |
| ESTRING VAGINAL RING 2 MG   | 4         |                     |
| FEMRING VAGINAL RING 0.05 MG/24HR, 0.1 MG/24HR  | 4         |                     |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| INTRAROSA VAGINAL INSERT 6.5 MG   | 4                | PA                         |
| <i>metronidazole vaginal gel 0.75 %</i>   | 2                | NMO                        |
| <i>miconazole 3 vaginal suppository 200 mg</i>  | 1                | NMO; GC                    |
| PREMARIN VAGINAL CREAM 0.625 MG/GM  | 3                |                            |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i>   | 2                | NMO                        |
| <i>terconazole vaginal suppository 80 mg</i>  | 2                | NMO                        |
| YUVAFEM VAGINAL TABLET 10 MCG   | 2                |                            |
| <b>HORMONAL AGENTS,<br/>STIMULANT/ REPLACEMENT/<br/>MODIFYING (ADRENAL)</b>                             |                  |                            |
| <b>GLUCOCORTICOIDS/MINERALOC<br/>ORTICOIDS</b>  |                  |                            |
| <i>budesonide er oral tablet extended release 24 hour 9 mg</i>  | 4                | NMO                        |
| <i>budesonide oral capsule delayed release particles 3 mg</i>   | 4                | NMO                        |
| <i>cortisone acetate oral tablet 25 mg</i>  | 3                | NMO                        |
| DEXAMETHASONE INTENSOL ORAL CONCENTRATE 1 MG/ML   | 1                | NMO; GC                    |
| <i>dexamethasone oral elixir 0.5 mg/5ml</i>   | 1                | NMO; GC                    |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>                        | 1                | NMO; GC                    |
| DEXPAK 13 DAY ORAL TABLET THERAPY PACK 1.5 MG (51)  | 4                | NMO                        |
| <i>fludrocortisone acetate oral tablet 0.1 mg</i>   | 1                | GC                         |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>  | 2                | NMO                        |
| <i>methylprednisolone oral tablet 16 mg, 32 mg, 8 mg</i>  | 1                | NMO; GC                    |
| <i>methylprednisolone oral tablet 4 mg</i>  | 2                | NMO                        |
| <i>methylprednisolone oral tablet therapy pack 4 mg</i>   | 2                | NMO                        |
| MILLIPRED ORAL TABLET 5 MG  | 4                | NMO                        |
| <i>prednisolone oral solution 15 mg/5ml</i>   | 2                | NMO                        |
| <i>prednisolone sodium phosphate oral solution 10 mg/5ml, 20 mg/5ml, 25 mg/5ml, 6.7 (5 base) mg/5ml</i> | 2                | NMO                        |
| <i>prednisolone sodium phosphate oral tablet dispersible 10 mg, 15 mg, 30 mg</i>                        | 4                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| PREDNISONE INTENSOL ORAL CONCENTRATE 5 MG/ML   | 1                | NMO; GC                    |
| <i>prednisone oral solution 5 mg/5ml</i>   | 1                | NMO; GC                    |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>  | 1                | NMO; GC                    |
| <i>prednisone oral tablet therapy pack 10 mg (21), 10 mg (48), 5 mg (21), 5 mg (48)</i>  | 1                | NMO; GC                    |
| TAPERDEX 12-DAY ORAL TABLET THERAPY PACK 1.5 MG (49)   | 4                | NMO                        |
| TAPERDEX 6-DAY ORAL TABLET THERAPY PACK 1.5 MG (21)  | 4                | NMO                        |
| TAPERDEX 7-DAY ORAL TABLET THERAPY PACK 1.5 MG (27)  | 4                | NMO                        |
| <b>HORMONAL AGENTS,<br/>STIMULANT/ REPLACEMENT/<br/>MODIFYING (SEX HORMONES/<br/>MODIFIERS)</b>  |                  |                            |
| <b>ANABOLIC STEROIDS</b>   |                  |                            |
| ANADROL-50 ORAL TABLET 50 MG   | 5                | NMO                        |
| <i>oxandrolone oral tablet 10 mg</i>   | 5                | PA; NMO                    |
| <i>oxandrolone oral tablet 2.5 mg</i>  | 4                | PA; NMO                    |
| <b>ANDROGENS</b>   |                  |                            |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>  | 2                | NMO                        |
| <i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml</i>  | 2                | NMO                        |
| <i>testosterone enanthate intramuscular solution 200 mg/ml</i>   | 2                | NMO                        |
| <i>testosterone transdermal gel 10 mg/act (2%), 12.5 mg/act (1%), 20.25 mg/1.25gm (1.62%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%), 50 mg/5gm (1%)</i> | 3                | PA                         |
| <i>testosterone transdermal solution 30 mg/act</i>   | 3                | PA                         |
| <b>CONTRACEPTIVES</b>  |                  |                            |
| ALTAVERA ORAL TABLET 0.15-30 MG-MCG  | 1                | GC                         |
| <i>alyacen 1/35 oral tablet 1-35 mg-mcg</i>  | 1                | GC                         |
| AMETHIA LO ORAL TABLET 0.1-0.02 & 0.01 MG  | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| AMETHIA ORAL TABLET 0.15-0.03 &0.01 MG  | 1                | GC                         |
| APRI ORAL TABLET 0.15-30 MG-MCG   | 1                | GC                         |
| ARANELLE ORAL TABLET 0.5/1/0.5-35 MG-MCG  | 1                | GC                         |
| ASHLYNA ORAL TABLET 0.15-0.03 &0.01 MG  | 1                | GC                         |
| AUBRA ORAL TABLET 0.1-20 MG-MCG   | 1                | GC                         |
| AVIANE ORAL TABLET 0.1-20 MG-MCG  | 1                | GC                         |
| BALZIVA ORAL TABLET 0.4-35 MG-MCG   | 1                | GC                         |
| BLISOVI 24 FE ORAL TABLET 1-20 MG-MCG(24)   | 1                | GC                         |
| BLISOVI FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG   | 1                | GC                         |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i>   | 1                | GC                         |
| CAMILA ORAL TABLET 0.35 MG  | 1                | GC                         |
| CAMRESE LO ORAL TABLET 0.1-0.02 & 0.01 MG   | 2                |                            |
| CAZIANT ORAL TABLET 0.1/0.125/0.15 - 0.025 MG   | 1                | GC                         |
| CRYSELLE-28 ORAL TABLET 0.3-30 MG-MCG   | 1                | NMO; GC                    |
| CYCLAFEM 1/35 ORAL TABLET 1-35 MG-MCG   | 1                | GC                         |
| CYCLAFEM 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG   | 1                | GC                         |
| CYRED EQ ORAL TABLET 0.15-30 MG-MCG   | 1                | GC                         |
| DEBLITANE ORAL TABLET 0.35 MG   | 1                | GC                         |
| DELYLA ORAL TABLET 0.1-20 MG-MCG  | 1                | GC                         |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE 104 MG/0.65ML             | 4                | NMO                        |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.02/0.01 mg (21/5), 0.15-30 mg-mcg</i> | 1                | GC                         |
| <i>drospirenen-eth estrad-levomefol oral tablet 3-0.02-0.451 mg</i>                       | 4                |                            |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>                               | 2                |                            |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>                               | 1                | GC                         |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| EMOQUETTE ORAL TABLET 0.15-30 MG-MCG                                      | 1                | GC                         |
| ENPRESSE-28 ORAL TABLET   | 1                | GC                         |
| ENSKYCE ORAL TABLET 0.15-30 MG-MCG  | 1                | GC                         |
| ERRIN ORAL TABLET 0.35 MG   | 1                | GC                         |
| ESTARYLLA ORAL TABLET 0.25-35 MG-MCG                                      | 1                | GC                         |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i> | 1                | GC                         |
| FALMINA ORAL TABLET 0.1-20 MG-MCG   | 1                | GC                         |
| FEMYNOR ORAL TABLET 0.25-35 MG-MCG  | 1                | GC                         |
| GIANVI ORAL TABLET 3-0.02 MG  | 2                |                            |
| HAILEY 24 FE ORAL TABLET 1-20 MG-MCG(24)                                  | 1                | GC                         |
| INCASSIA ORAL TABLET 0.35 MG  | 1                | GC                         |
| INTROVALE ORAL TABLET 0.15-0.03 MG  | 1                | GC                         |
| ISIBLOOM ORAL TABLET 0.15-30 MG-MCG                                       | 1                | GC                         |
| JASMIEL ORAL TABLET 3-0.02 MG   | 2                |                            |
| JULEBER ORAL TABLET 0.15-30 MG-MCG  | 1                | GC                         |
| JUNEL 1.5/30 ORAL TABLET 1.5-30 MG-MCG                                    | 1                | GC                         |
| JUNEL 1/20 ORAL TABLET 1-20 MG-MCG  | 1                | GC                         |
| JUNEL FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG                                 | 1                | GC                         |
| JUNEL FE 1/20 ORAL TABLET 1-20 MG-MCG                                     | 1                | GC                         |
| KAITLIB FE ORAL TABLET CHEWABLE 0.8-25 MG-MCG                             | 2                |                            |
| KARIVA ORAL TABLET 0.15-0.02/0.01 MG (21/5)                               | 1                | NMO; GC                    |
| KELNOR 1/35 ORAL TABLET 1-35 MG-MCG                                       | 1                | GC                         |
| KELNOR 1/50 ORAL TABLET 1-50 MG-MCG                                       | 1                | GC                         |
| KURVELO ORAL TABLET 0.15-30 MG-MCG  | 1                | GC                         |
| LARIN 1.5/30 ORAL TABLET 1.5-30 MG-MCG                                    | 1                | GC                         |
| LARIN 1/20 ORAL TABLET 1-20 MG-MCG  | 1                | GC                         |
| LARIN FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG                                 | 1                | GC                         |
| LARIN FE 1/20 ORAL TABLET 1-20 MG-MCG                                     | 1                | GC                         |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| LARISSIA ORAL TABLET 0.1-20 MG-MCG  | 1         | GC                  |
| LEENA ORAL TABLET 0.5/1/0.5-35 MG-MCG   | 1         | GC                  |
| LESSINA ORAL TABLET 0.1-20 MG-MCG   | 1         | GC                  |
| LEVONEST ORAL TABLET  | 1         | GC                  |
| <i>levonorgest-eth estrad 91-day oral tablet 0.1-0.02 &amp; 0.01 mg</i>                 | 2         |                     |
| <i>levonorgest-eth estrad 91-day oral tablet 0.15-0.03 &amp; 0.01 mg, 0.15-0.03 mg</i>  | 1         | GC                  |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg</i>          | 1         | GC                  |
| <i>levonorg-eth estrad triphasic oral tablet</i>  | 1         | GC                  |
| LEVORA 0.15/30 (28) ORAL TABLET 0.15-30 MG-MCG  | 1         | GC                  |
| LO LOESTRIN FE ORAL TABLET 1 MG-10 MCG / 10 MCG   | 2         |                     |
| LORYNA ORAL TABLET 3-0.02 MG  | 2         |                     |
| LOW-OGESTREL ORAL TABLET 0.3-30 MG-MCG  | 1         | GC                  |
| LUTERA ORAL TABLET 0.1-20 MG-MCG  | 1         | GC                  |
| LYZA ORAL TABLET 0.35 MG  | 1         | GC                  |
| <i>marlissa oral tablet 0.15-30 mg-mcg</i>  | 1         | GC                  |
| <i>medroxyprogesterone acetate intramuscular suspension 150 mg/ml</i>                   | 1         | NMO; GC             |
| <i>medroxyprogesterone acetate intramuscular suspension prefilled syringe 150 mg/ml</i> | 1         | NMO; GC             |
| MICROGESTIN 1.5/30 ORAL TABLET 1.5-30 MG-MCG  | 1         | GC                  |
| MICROGESTIN 1/20 ORAL TABLET 1-20 MG-MCG  | 1         | GC                  |
| MICROGESTIN FE 1.5/30 ORAL TABLET 1.5-30 MG-MCG   | 1         | GC                  |
| MICROGESTIN FE 1/20 ORAL TABLET 1-20 MG-MCG   | 1         | GC                  |
| MILI ORAL TABLET 0.25-35 MG-MCG   | 1         | GC                  |
| NECON 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG   | 1         | GC                  |
| NIKKI ORAL TABLET 3-0.02 MG   | 2         |                     |
| NORA-BE ORAL TABLET 0.35 MG   | 1         | GC                  |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>norethin ace-eth estrad-fe oral tablet 1-20 mg-mcg(24)</i>               | 1                | GC                         |
| <i>norethindrone acet-ethinyl est oral tablet 1-20 mg-mcg</i>               | 1                | GC                         |
| <i>norethindrone oral tablet 0.35 mg</i>                                    | 1                | GC                         |
| <i>norethin-eth estradiol-fe oral tablet chewable 0.8-25 mg-mcg</i>         | 2                |                            |
| <i>norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg</i>                | 1                | GC                         |
| <i>norgestim-eth estrad triphasic oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | 2                |                            |
| <i>norgestim-eth estrad triphasic oral tablet 0.18/0.215/0.25 mg-35 mcg</i> | 1                | GC                         |
| NORLYROC ORAL TABLET 0.35 MG  | 1                | GC                         |
| NORTREL 0.5/35 (28) ORAL TABLET 0.5-35 MG-MCG                               | 1                | GC                         |
| NORTREL 1/35 (21) ORAL TABLET 1-35 MG-MCG                                   | 1                | GC                         |
| NORTREL 1/35 (28) ORAL TABLET 1-35 MG-MCG                                   | 1                | GC                         |
| NORTREL 7/7/7 ORAL TABLET 0.5/0.75/1-35 MG-MCG                              | 1                | GC                         |
| NUVARING VAGINAL RING 0.12-0.015 MG/24HR                                    | 3                |                            |
| OCELLA ORAL TABLET 3-0.03 MG  | 1                | GC                         |
| OGESTREL ORAL TABLET 0.5-50 MG-MCG  | 1                | GC                         |
| ORSYTHIA ORAL TABLET 0.1-20 MG-MCG  | 1                | GC                         |
| PIMTREA ORAL TABLET 0.15-0.02/0.01 MG (21/5)                                | 1                | GC                         |
| PIRMELLA 1/35 ORAL TABLET 1-35 MG-MCG                                       | 1                | GC                         |
| PORTIA-28 ORAL TABLET 0.15-30 MG-MCG  | 1                | GC                         |
| PREVIFEM ORAL TABLET 0.25-35 MG-MCG   | 1                | GC                         |
| RECLIPSEN ORAL TABLET 0.15-30 MG-MCG  | 1                | GC                         |
| SETLAKIN ORAL TABLET 0.15-0.03 MG   | 1                | GC                         |
| SHAROBEL ORAL TABLET 0.35 MG  | 1                | GC                         |
| SPRINTEC 28 ORAL TABLET 0.25-35 MG-MCG                                      | 1                | GC                         |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| SRONYX ORAL TABLET 0.1-20 MG-MCG                        | 1                | GC                         |
| SYEDA ORAL TABLET 3-0.03 MG                             | 1                | GC                         |
| TARINA 24 FE ORAL TABLET 1-20 MG-MCG(24)                | 1                | GC                         |
| TARINA FE 1/20 ORAL TABLET 1-20 MG-MCG                  | 1                | GC                         |
| TRI-ESTARYLLA ORAL TABLET 0.18/0.215/0.25 MG-35 MCG     | 1                | GC                         |
| TRI-LEGEST FE ORAL TABLET 1-20/1-30/1-35 MG-MCG         | 1                | GC                         |
| TRI-LO-ESTARYLLA ORAL TABLET 0.18/0.215/0.25 MG-25 MCG  | 2                |                            |
| TRI-LO-SPRINTEC ORAL TABLET 0.18/0.215/0.25 MG-25 MCG   | 2                |                            |
| TRI-MILI ORAL TABLET 0.18/0.215/0.25 MG-35 MCG          | 1                | GC                         |
| TRI-PREVIFEM ORAL TABLET 0.18/0.215/0.25 MG-35 MCG      | 1                | GC                         |
| TRI-SPRINTEC ORAL TABLET 0.18/0.215/0.25 MG-35 MCG      | 1                | GC                         |
| TRIVORA (28) ORAL TABLET                                | 1                | GC                         |
| TRI-VYLIBRA LO ORAL TABLET 0.18/0.215/0.25 MG-25 MCG    | 2                |                            |
| TRI-VYLIBRA ORAL TABLET 0.18/0.215/0.25 MG-35 MCG       | 1                | GC                         |
| TYDEMY ORAL TABLET 3-0.03-0.451 MG                      | 4                |                            |
| VELIVET ORAL TABLET 0.1/0.125/0.15 -0.025 MG            | 1                | GC                         |
| VIENVA ORAL TABLET 0.1-20 MG-MCG                        | 1                | GC                         |
| VYFEMLA ORAL TABLET 0.4-35 MG-MCG                       | 1                | GC                         |
| VYLIBRA ORAL TABLET 0.25-35 MG-MCG                      | 1                | GC                         |
| XULANE TRANSDERMAL PATCH WEEKLY 150-35 MCG/24HR         | 3                |                            |
| ZARAH ORAL TABLET 3-0.03 MG                             | 1                | GC                         |
| ZOVIA 1/35E (28) ORAL TABLET 1-35 MG-MCG                | 1                | GC                         |
| <b>ESTROGENS</b>  |                  |                            |
| CLIMARA PRO TRANSDERMAL PATCH WEEKLY 0.045-0.015 MG/DAY | 4                | PA; HR                     |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| COMBIPATCH TRANSDERMAL PATCH TWICE WEEKLY 0.05-0.14 MG/DAY, 0.05-0.25 MG/DAY  | 4                | PA; HR                     |
| DEPO-ESTRADIOL INTRAMUSCULAR OIL 5 MG/ML  | 4                | NMO                        |
| DIVIGEL TRANSDERMAL GEL 1 MG/GM   | 4                | PA; HR                     |
| DUAVEE ORAL TABLET 0.45-20 MG   | 4                | PA; HR                     |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>   | 1                | PA; GC; HR                 |
| <i>estradiol transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i>         | 2                | PA; HR                     |
| <i>estradiol transdermal patch weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr</i> | 2                | PA; HR                     |
| <i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>  | 2                | NMO                        |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i>  | 2                | PA; HR                     |
| EVAMIST TRANSDERMAL SOLUTION 1.53 MG/SPRAY  | 4                | PA; HR                     |
| FYAVOLV ORAL TABLET 0.5-2.5 MG-MCG  | 2                | PA; HR                     |
| FYAVOLV ORAL TABLET 1-5 MG-MCG  | 4                | PA; HR                     |
| JINTELI ORAL TABLET 1-5 MG-MCG  | 4                | PA; HR                     |
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG  | 2                | PA; HR                     |
| <i>norethindrone-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>   | 4                | PA; HR                     |
| PREFEST ORAL TABLET 1/1-0.09 MG (15/15)   | 4                | PA; HR                     |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG   | 3                | PA; HR                     |
| PREMPHASE ORAL TABLET 0.625-5 MG  | 3                | PA; HR                     |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG   | 3                | PA; HR                     |
| <b>PROGESTINS</b>   |                  |                            |
| <i>medroxyprogesterone acetate oral tablet 10 mg, 2.5 mg, 5 mg</i>  | 1                | GC                         |
| <i>megestrol acetate oral suspension 625 mg/5ml</i>   | 4                | PA; HR                     |
| <i>norethindrone acetate oral tablet 5 mg</i>   | 2                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name  | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i>   | 2         |                     |
| <b>SELECTIVE ESTROGEN RECEPTOR MODIFYING AGENTS</b>  |           |                     |
| OSPHENA ORAL TABLET 60 MG  | 4         | PA                  |
| <i>raloxifene hcl oral tablet 60 mg</i>  | 2         |                     |
| <b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/ MODIFYING (PITUITARY)</b>   |           |                     |
| <b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/ MODIFYING (PITUITARY)</b>   |           |                     |
| <i>desmopressin ace spray refrig nasal solution 0.01 %</i>   | 2         |                     |
| <i>desmopressin acetate oral tablet 0.1 mg, 0.2 mg</i>   | 2         |                     |
| INCRELEX SUBCUTANEOUS SOLUTION 40 MG/4ML   | 5         | PA; LA; NMO         |
| NORDITROPIN FLEXPRO SUBCUTANEOUS SOLUTION 10 MG/1.5ML, 15 MG/1.5ML, 30 MG/3ML, 5 MG/1.5ML  | 5         | PA; NMO             |
| ORILISSA ORAL TABLET 150 MG, 200 MG  | 4         | PA; NMO             |
| STIMATE NASAL SOLUTION 1.5 MG/ML   | 4         |                     |
| <b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/ MODIFYING (THYROID)</b>   |           |                     |
| <b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/ MODIFYING (THYROID)</b>   |           |                     |
| LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG                      | 1         | GC                  |
| <i>levothyroxine sodium oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1         | GC                  |
| LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG                              | 1         | GC                  |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|--|------------------|-----------------------------|
| <i>liothyronine sodium oral tablet 25 mcg, 5 mcg, 50 mcg</i>   | 1                | GC                          |
| SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG   | 3                |                             |
| TIROSINT ORAL CAPSULE 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG  | 3                |                             |
| TIROSINT-SOL ORAL SOLUTION 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 50 MCG/ML, 75 MCG/ML, 88 MCG/ML | 3                |                             |
| UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG  | 1                | GC                          |
| <b>HORMONAL AGENTS,<br/>SUPPRESSANT (PITUITARY)</b>  |                  |                             |
| <b>HORMONAL AGENTS,<br/>SUPPRESSANT (PITUITARY)</b>  |                  |                             |
| <i>cabergoline oral tablet 0.5 mg</i>  | 2                | NMO                         |
| LUPRON DEPOT (3-MONTH)<br>INTRAMUSCULAR KIT 11.25 MG   | 5                | PA; NMO                     |
| <i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i>   | 2                | PA                          |
| <i>octreotide acetate injection solution 1000 mcg/ml, 500 mcg/ml</i>   | 5                | PA; NMO                     |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML, 0.6 MG/ML, 0.9 MG/ML   | 5                | NMO; QL (60 ML per 30 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SOLUTION 120 MG/0.5ML, 60 MG/0.2ML, 90 MG/0.3ML  | 5                | PA; NMO                     |
| SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED 10 MG, 15 MG, 20 MG, 25 MG, 30 MG   | 5                | PA; LA; NMO                 |
| SYNAREL NASAL SOLUTION 2 MG/ML   | 5                | NMO                         |
| <b>HORMONAL AGENTS,<br/>SUPPRESSANT (THYROID)</b>  |                  |                             |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <b>ANTITHYROID AGENTS</b>   |           |                     |
| <i>methimazole oral tablet 10 mg, 5 mg</i>  | 1         | GC                  |
| <i>propylthiouracil oral tablet 50 mg</i>   | 1         | GC                  |
| <b>IMMUNOLOGICAL AGENTS</b>   |           |                     |
| <b>IMMUNE SUPPRESSANTS</b>  |           |                     |
| ASTAGRAF XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR 0.5 MG, 1 MG  | 4         | BD                  |
| ASTAGRAF XL ORAL CAPSULE EXTENDED RELEASE 24 HOUR 5 MG  | 5         | BD; NMO             |
| AZASAN ORAL TABLET 100 MG, 75 MG  | 3         | BD                  |
| <i>azathioprine oral tablet 50 mg</i>   | 1         | BD; GC              |
| BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/ML  | 5         | NMO                 |
| BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/ML  | 5         | NMO                 |
| <i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i>  | 2         | BD                  |
| <i>cyclosporine modified oral solution 100 mg/ml</i>  | 2         | BD                  |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i>  | 2         | BD                  |
| ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE 50 MG/ML  | 5         | PA; NMO             |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML, 50 MG/ML  | 5         | PA; NMO             |
| ENBREL SUBCUTANEOUS SOLUTION RECONSTITUTED 25 MG  | 5         | PA; NMO             |
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 50 MG/ML   | 5         | PA; NMO             |
| ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HOUR 0.75 MG, 1 MG, 4 MG  | 4         | BD                  |
| GENGRAF ORAL CAPSULE 100 MG, 25 MG  | 2         | BD                  |
| GENGRAF ORAL SOLUTION 100 MG/ML   | 2         | BD                  |
| HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML, 40 MG/0.8ML (6 PACK), 80 MG/0.8ML, 80 MG/0.8ML & 40MG/0.4ML | 5         | PA; NMO             |
| HUMIRA PEN SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.4ML, 40 MG/0.8ML   | 5         | PA; NMO             |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| HUMIRA PEN-CD/UC/HS STARTER<br>SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML, 80 MG/0.8ML                                  | 5                | PA; NMO                    |
| HUMIRA PEN-PS/UV/ADOL HS START<br>SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML, 80 MG/0.8ML & 40MG/0.4ML                  | 5                | PA; NMO                    |
| HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 10 MG/0.2ML, 20 MG/0.2ML, 20 MG/0.4ML, 40 MG/0.4ML, 40 MG/0.8ML | 5                | PA; NMO                    |
| <i>mycophenolate mofetil oral capsule 250 mg</i>   | 2                | BD                         |
| <i>mycophenolate mofetil oral suspension reconstituted 200 mg/ml</i>   | 5                | BD; NMO                    |
| <i>mycophenolate mofetil oral tablet 500 mg</i>  | 2                | BD                         |
| <i>mycophenolate sodium oral tablet delayed release 180 mg, 360 mg</i>   | 2                | BD                         |
| PROGRAF ORAL PACKET 0.2 MG, 1 MG   | 4                | BD                         |
| SANDIMMUNE ORAL SOLUTION 100 MG/ML   | 3                | BD                         |
| <i>sirolimus oral solution 1 mg/ml</i>   | 5                | BD; NMO                    |
| <i>sirolimus oral tablet 0.5 mg, 1 mg</i>  | 4                | BD                         |
| <i>sirolimus oral tablet 2 mg</i>  | 5                | BD; NMO                    |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg</i>  | 2                | BD                         |
| <i>tacrolimus oral capsule 5 mg</i>  | 4                | BD                         |
| ZORTRESS ORAL TABLET 0.25 MG   | 4                | BD                         |
| ZORTRESS ORAL TABLET 0.5 MG, 0.75 MG, 1 MG   | 5                | BD; NMO                    |
| <b>IMMUNIZING AGENTS, PASSIVE</b>  |                  |                            |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 5 GM/50ML  | 5                | PA; NMO                    |
| GAMMAGARD INJECTION SOLUTION 2.5 GM/25ML   | 5                | PA; NMO                    |
| GAMMAGARD S/D LESS IGA INTRAVENOUS SOLUTION RECONSTITUTED 10 GM, 5 GM  | 5                | PA; NMO                    |
| GAMMAKED INJECTION SOLUTION 1 GM/10ML  | 5                | PA; NMO                    |
| GAMMAPLEX INTRAVENOUS SOLUTION 10 GM/100ML, 10 GM/200ML, 20 GM/200ML, 5 GM/50ML  | 5                | PA; NMO                    |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| GAMUNEX-C INJECTION SOLUTION 1 GM/10ML   | 5                | PA; NMO                    |
| VARIZIG INTRAMUSCULAR SOLUTION 125 UNIT/1.2ML  | 4                | NMO                        |
| <b>IMMUNOMODULATORS</b>  |                  |                            |
| ARCALYST SUBCUTANEOUS SOLUTION RECONSTITUTED 220 MG  | 5                | PA; NMO                    |
| <i>leflunomide oral tablet 10 mg, 20 mg</i>  | 2                |                            |
| XELJANZ ORAL TABLET 10 MG, 5 MG  | 5                | PA; NMO                    |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG  | 5                | PA; NMO                    |
| <b>VACCINES</b>  |                  |                            |
| ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED  | 3                | NMO                        |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 (PREFILLED SYRINGE), 5-2-15.5 LF-MCG/0.5                      | 3                | NMO                        |
| <i>bcg vaccine injection injectable</i>  | 3                | NMO                        |
| BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE   | 4                | NMO                        |
| BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 , 5-2.5-18.5 (0.5ML SYRINGE)                              | 3                | NMO                        |
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5  | 3                | NMO                        |
| <i>diphtheria-tetanus toxoids dt intramuscular suspension 25-5 lfu/0.5ml</i>                           | 3                | BD; NMO                    |
| ENGERIX-B INJECTION SUSPENSION 10 MCG/0.5ML, 20 MCG/ML   | 3                | BD; NMO                    |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION  | 3                | NMO                        |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE  | 3                | NMO                        |
| HAVRIX INTRAMUSCULAR SUSPENSION 1440 EL U/ML, 1440 EL U/ML 1 ML, 720 EL U/0.5ML, 720 EL U/0.5ML 0.5 ML | 3                | NMO                        |
| HIBERIX INJECTION SOLUTION RECONSTITUTED 10 MCG  | 4                | NMO                        |
| IMOVAX RABIES INTRAMUSCULAR INJECTABLE 2.5 UNIT/ML   | 3                | BD; NMO                    |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| INFANRIX INTRAMUSCULAR SUSPENSION<br>25-58-10   | 3                | NMO                        |
| IPOP INJECTION INJECTABLE   | 3                | NMO                        |
| IXIARO INTRAMUSCULAR SUSPENSION   | 3                | NMO                        |
| KINRIX INTRAMUSCULAR SUSPENSION ,<br>INJECTION 0.5 ML   | 3                | NMO                        |
| MENACTRA INTRAMUSCULAR<br>INJECTABLE  | 4                | NMO                        |
| MENVEO INTRAMUSCULAR SOLUTION<br>RECONSTITUTED  | 3                | NMO                        |
| M-M-R II SUBCUTANEOUS INJECTABLE  | 3                | NMO                        |
| PEDIARIX INTRAMUSCULAR SUSPENSION   | 3                | NMO                        |
| PEDVAX HIB INTRAMUSCULAR<br>SUSPENSION 7.5 MCG/0.5ML  | 3                | NMO                        |
| PROQUAD SUBCUTANEOUS INJECTABLE   | 3                | NMO                        |
| PROQUAD SUBCUTANEOUS SUSPENSION<br>RECONSTITUTED  | 3                | NMO                        |
| QUADRACEL INTRAMUSCULAR<br>SUSPENSION   | 3                | NMO                        |
| RABAVERT INTRAMUSCULAR<br>SUSPENSION RECONSTITUTED  | 3                | BD; NMO                    |
| RECOMBIVAX HB INJECTION SUSPENSION<br>10 MCG/ML, 10 MCG/ML (1ML SYRINGE), 40<br>MCG/ML, 5 MCG/0.5ML | 3                | BD; NMO                    |
| ROTARIX ORAL SUSPENSION<br>RECONSTITUTED  | 3                | NMO                        |
| ROTAQUE ORAL SOLUTION   | 3                | NMO                        |
| SHINGRIX INTRAMUSCULAR SUSPENSION<br>RECONSTITUTED 50 MCG, 50 MCG/0.5ML                             | 3                | NMO                        |
| TDVAX INTRAMUSCULAR SUSPENSION 2-<br>2 LF/0.5ML   | 3                | BD; NMO                    |
| TENIVAC INTRAMUSCULAR INJECTABLE<br>5-2 LFU   | 3                | BD; NMO                    |
| <i>tetanus-diphtheria toxoids td intramuscular<br/>suspension 2-2 lf/0.5ml</i>                      | 3                | BD; NMO                    |
| TRUMENBA INTRAMUSCULAR<br>SUSPENSION PREFILLED SYRINGE  | 4                | NMO                        |
| TWINRIX INTRAMUSCULAR SUSPENSION<br>720-20  | 3                | BD; NMO                    |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---|------------------|----------------------------------|
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 720-20 ELU-MCG/ML                            | 3                | BD; NMO                          |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5ML, 25 MCG/0.5ML (0.5ML SYRINGE)                     | 3                | NMO                              |
| VAQTA INTRAMUSCULAR SUSPENSION 25 UNIT/0.5ML, 25 UNIT/0.5ML 0.5 ML, 50 UNIT/ML, 50 UNIT/ML 1 ML | 3                | NMO                              |
| VARIVAX SUBCUTANEOUS INJECTABLE 1350 PFU/0.5ML  | 3                | NMO                              |
| YF-VAX SUBCUTANEOUS INJECTABLE  | 3                | NMO                              |
| ZOSTAVAX SUBCUTANEOUS SUSPENSION RECONSTITUTED 19400 UNT/0.65ML                                 | 3                | NMO                              |
| <b>INFLAMMATORY BOWEL DISEASE AGENTS</b>  |                  |                                  |
| <b>AMINOSALICYLATES</b>   |                  |                                  |
| APRISO ORAL CAPSULE EXTENDED RELEASE 24 HOUR 0.375 GM   | 3                |                                  |
| <i>balsalazide disodium oral capsule 750 mg</i>   | 2                | NMO                              |
| <i>mesalamine oral tablet delayed release 1.2 gm, 800 mg</i>                                    | 3                | NMO                              |
| <i>mesalamine rectal enema 4 gm</i>   | 4                | NMO                              |
| <b>SULFONAMIDES</b>   |                  |                                  |
| <i>sulfasalazine oral tablet 500 mg</i>   | 1                | GC                               |
| <i>sulfasalazine oral tablet delayed release 500 mg</i>   | 1                | GC                               |
| <b>METABOLIC BONE DISEASE AGENTS</b>  |                  |                                  |
| <b>HORMONAL AGENTS, SUPPRESSANT (PARATHYROID)</b>   |                  |                                  |
| <i>cinacalcet hcl oral tablet 30 mg</i>   | 3                | BD; QL (120 EA per 30 days)      |
| <i>cinacalcet hcl oral tablet 60 mg</i>   | 5                | BD; NMO; QL (150 EA per 30 days) |
| <i>cinacalcet hcl oral tablet 90 mg</i>   | 5                | BD; NMO; QL (120 EA per 30 days) |
| <i>paricalcitol oral capsule 4 mcg</i>  | 4                |                                  |
| <b>METABOLIC BONE DISEASE AGENTS</b>  |                  |                                  |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|---|------------------|--------------------------------------|
| <i>alendronate sodium oral tablet 10 mg, 35 mg, 5 mg, 70 mg</i>                     | 1                | GC                                   |
| <i>alendronate sodium oral tablet 40 mg</i>   | 1                | NMO; GC                              |
| <i>calcitonin (salmon) nasal solution 200 unit/act</i>                              | 2                | BD                                   |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>                                    | 1                | GC                                   |
| <i>calcitriol oral solution 1 mcg/ml</i>  | 1                | GC                                   |
| <i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>                         | 4                |                                      |
| <b>FORTEO SUBCUTANEOUS SOLUTION 600 MCG/2.4ML</b>                                   | 5                | PA; NMO                              |
| <i>ibandronate sodium oral tablet 150 mg</i>  | 2                |                                      |
| <b>NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG, 25 MCG, 50 MCG, 75 MCG</b>               | 5                | PA; NMO                              |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg</i>                                       | 4                |                                      |
| <b>PROLIA SUBCUTANEOUS SOLUTION 60 MG/ML</b>  | 4                | NMO                                  |
| <b>PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 60 MG/ML</b>                      | 4                | NMO                                  |
| <i>risedronate sodium oral tablet 150 mg, 35 mg (12 pack), 35 mg (4 pack), 5 mg</i> | 2                |                                      |
| <i>risedronate sodium oral tablet 30 mg</i>   | 2                | NMO                                  |
| <i>risedronate sodium oral tablet delayed release 35 mg</i>                         | 2                |                                      |
| <b>TYMLOS SUBCUTANEOUS SOLUTION PEN-INJECTOR 3120 MCG/1.56ML</b>                    | 5                | PA; NMO                              |
| <b>XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7ML</b>                                     | 5                | PA; NMO                              |
| <b>MISCELLANEOUS</b>  |                  |                                      |
| <b>MISCELLANEOUS</b>  |                  |                                      |
| <b>CINRYZE INTRAVENOUS SOLUTION RECONSTITUTED 500 UNIT</b>                          | 5                | NMO                                  |
| <b>ENDARI ORAL PACKET 5 GM</b>  | 4                | PA; LA; NMO; QL (180 EA per 30 days) |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.3ml, 0.3 mg/0.3ml</i>     | 2                | NMO                                  |
| <b>FIRAZYR SUBCUTANEOUS SOLUTION 30 MG/3ML</b>                                      | 5                | NMO                                  |
| <b>FIRDAPSE ORAL TABLET 10 MG</b>   | 5                | PA; NMO                              |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| NORTHERA ORAL CAPSULE 100 MG, 200 MG, 300 MG                        | 5                | PA; NMO                    |
| NUEDEXTA ORAL CAPSULE 20-10 MG                                      | 3                | PA                         |
| TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2ML                           | 5                | PA; LA; NMO                |
| TEGSEDI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 284 MG/1.5ML        | 5                | PA; LA; NMO                |
| <b>OPHTHALMIC AGENTS</b>  |                  |                            |
| <b>OPHTHALMIC PROSTAGLANDIN AND PROSTAMIDE ANALOGS</b>              |                  |                            |
| <i>bimatoprost ophthalmic solution 0.03 %</i>                       | 2                |                            |
| <i>latanoprost ophthalmic solution 0.005 %</i>                      | 1                | GC                         |
| LUMIGAN OPHTHALMIC SOLUTION 0.01 %                                  | 3                |                            |
| TRAVATAN Z OPHTHALMIC SOLUTION 0.004 %                              | 3                |                            |
| VYZULTA OPHTHALMIC SOLUTION 0.024 %                                 | 4                |                            |
| <b>OPHTHALMIC AGENTS, OTHER</b>                                     |                  |                            |
| <i>apraclonidine hcl ophthalmic solution 0.5 %</i>                  | 2                | NMO                        |
| <i>atropine sulfate ophthalmic solution 1 %</i>                     | 2                |                            |
| OXERVATE OPHTHALMIC SOLUTION 0.002 %                                | 5                | PA; NMO                    |
| <i>pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 %</i>            | 2                |                            |
| <i>proparacaine hcl ophthalmic solution 0.5 %</i>                   | 1                | NMO; GC                    |
| RESTASIS MULTIDOSE OPHTHALMIC EMULSION 0.05 %                       | 3                |                            |
| RESTASIS OPHTHALMIC EMULSION 0.05 %                                 | 3                |                            |
| XIIDRA OPHTHALMIC SOLUTION 5 %                                      | 4                |                            |
| <b>OPHTHALMIC ANTI INFECTIVES</b>                                   |                  |                            |
| <i>bacitracin ophthalmic ointment 500 unit/gm</i>                   | 2                | NMO                        |
| <i>bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm</i> | 2                | NMO                        |
| BESIVANCE OPHTHALMIC SUSPENSION 0.6 %                               | 4                | NMO                        |
| <i>ciprofloxacin hcl ophthalmic solution 0.3 %</i>                  | 1                | NMO; GC                    |
| <i>erythromycin ophthalmic ointment 5 mg/gm</i>                     | 1                | NMO; GC                    |
| <i>gatifloxacin ophthalmic solution 0.5 %</i>                       | 2                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>gentamicin sulfate ophthalmic solution 0.3 %</i>                      | 1                | NMO; GC                    |
| <i>levofloxacin ophthalmic solution 0.5 %</i>                            | 2                | NMO                        |
| <b>MOXEZA OPHTHALMIC SOLUTION 0.5 %</b>                                  | 3                | NMO                        |
| <i>moxifloxacin hcl ophthalmic solution 0.5 %</i>                        | 3                | NMO                        |
| <b>NATACYN OPHTHALMIC SUSPENSION 5 %</b>                                 | 4                | NMO                        |
| <i>neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000</i>    | 2                | NMO                        |
| <i>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</i> | 2                | NMO                        |
| <i>ofloxacin ophthalmic solution 0.3 %</i>                               | 1                | NMO; GC                    |
| <i>polymyxin b-trimethoprim ophthalmic solution 10000-0.1 unit/ml-%</i>  | 1                | NMO; GC                    |
| <i>sulfacetamide sodium ophthalmic solution 10 %</i>                     | 1                | NMO; GC                    |
| <i>tobramycin ophthalmic solution 0.3 %</i>                              | 1                | NMO; GC                    |
| <i>trifluridine ophthalmic solution 1 %</i>                              | 2                | NMO                        |
| <b>OPHTHALMIC ANTI-ALLERGY AGENTS</b>                                    |                  |                            |
| <i>azelastine hcl ophthalmic solution 0.05 %</i>                         | 2                | NMO                        |
| <i>cromolyn sodium ophthalmic solution 4 %</i>                           | 1                | NMO; GC                    |
| <i>epinastine hcl ophthalmic solution 0.05 %</i>                         | 2                | NMO                        |
| <i>olopatadine hcl ophthalmic solution 0.1 %, 0.2 %</i>                  | 2                | NMO                        |
| <b>PAZEO OPHTHALMIC SOLUTION 0.7 %</b>                                   | 4                | NMO                        |
| <b>OPHTHALMIC ANTIGLAUCOMA AGENTS</b>                                    |                  |                            |
| <b>ALPHAGAN P OPHTHALMIC SOLUTION 0.1 %</b>                              | 3                |                            |
| <b>AZOPT OPHTHALMIC SUSPENSION 1 %</b>                                   | 3                |                            |
| <i>betaxolol hcl ophthalmic solution 0.5 %</i>                           | 2                |                            |
| <i>brimonidine tartrate ophthalmic solution 0.15 %</i>                   | 2                |                            |
| <i>brimonidine tartrate ophthalmic solution 0.2 %</i>                    | 1                | GC                         |
| <i>bromfenac sodium (once-daily) ophthalmic solution 0.09 %</i>          | 2                | NMO                        |
| <b>BROMSITE OPHTHALMIC SOLUTION 0.075 %</b>                              | 4                | NMO                        |
| <i>carteolol hcl ophthalmic solution 1 %</i>                             | 1                | GC                         |
| <b>COMBIGAN OPHTHALMIC SOLUTION 0.2-0.5 %</b>                            | 3                |                            |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>dorzolamide hcl ophthalmic solution 2 %</i>                                    | 1                | GC                         |
| <i>dorzolamide hcl-timolol mal ophthalmic solution 22.3-6.8 mg/ml</i>             | 1                | GC                         |
| <i>dorzolamide hcl-timolol mal pf ophthalmic solution 2-0.5 %, 22.3-6.8 mg/ml</i> | 2                |                            |
| <i>levobunolol hcl ophthalmic solution 0.5 %</i>                                  | 1                | GC                         |
| <b>PHOSPHOLINE IODIDE OPHTHALMIC SOLUTION RECONSTITUTED 0.125 %</b>               | 4                |                            |
| <b>PROLENSA OPHTHALMIC SOLUTION 0.07 %</b>  | 4                | NMO                        |
| <b>SIMBRINZA OPHTHALMIC SUSPENSION 1-0.2 %</b>                                    | 4                |                            |
| <i>timolol maleate ophthalmic gel forming solution 0.25 %, 0.5 %</i>              | 2                |                            |
| <i>timolol maleate ophthalmic solution 0.25 %, 0.5 %, 0.5 % (daily)</i>           | 1                | GC                         |
| <b>OPHTHALMIC ANTI-INFLAMMATORIES</b>   |                  |                            |
| <i>bacitrac-neomycin-polymyxin-hc ophthalmic ointment 1 %</i>                     | 2                | NMO                        |
| <b>BLEPHAMIDE OPHTHALMIC SUSPENSION 10-0.2 %</b>                                  | 3                | NMO                        |
| <b>BLEPHAMIDE S.O.P. OPHTHALMIC OINTMENT 10-0.2 %</b>                             | 4                | NMO                        |
| <b>CYSTARAN OPHTHALMIC SOLUTION 0.44 %</b>  | 5                | PA; NMO                    |
| <i>dexamethasone sodium phosphate ophthalmic solution 0.1 %</i>                   | 1                | NMO; GC                    |
| <i>diclofenac sodium ophthalmic solution 0.1 %</i>                                | 1                | NMO; GC                    |
| <b>DUREZOL OPHTHALMIC EMULSION 0.05 %</b>   | 3                | NMO                        |
| <b>FLAREX OPHTHALMIC SUSPENSION 0.1 %</b>   | 4                | NMO                        |
| <i>fluorometholone ophthalmic suspension 0.1 %</i>                                | 2                | NMO                        |
| <i>flurbiprofen sodium ophthalmic solution 0.03 %</i>                             | 1                | NMO; GC                    |
| <b>ILEVRO OPHTHALMIC SUSPENSION 0.3 %</b>   | 3                | NMO                        |
| <i>ketorolac tromethamine ophthalmic solution 0.4 %, 0.5 %</i>                    | 1                | NMO; GC                    |
| <b>LOTEMAX OPHTHALMIC GEL 0.5 %</b>   | 4                | NMO                        |
| <b>LOTEMAX OPHTHALMIC OINTMENT 0.5 %</b>  | 4                | NMO                        |
| <b>LOTEMAX SM OPHTHALMIC GEL 0.38 %</b>   | 4                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>loteprednol etabonate ophthalmic suspension 0.5 %</i>               | 4                | NMO                        |
| <i>neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1</i>   | 1                | NMO; GC                    |
| <i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i> | 1                | NMO; GC                    |
| <i>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</i>         | 2                | NMO                        |
| <i>prednisolone acetate ophthalmic suspension 1 %</i>                  | 2                | NMO                        |
| <i>prednisolone sodium phosphate ophthalmic solution 1 %</i>           | 2                | NMO                        |
| <i>sulfacetamide-prednisolone ophthalmic solution 10-0.23 %</i>        | 1                | NMO; GC                    |
| <i>tobramycin-dexamethasone ophthalmic suspension 0.3-0.1 %</i>        | 2                | NMO                        |

## OTIC AGENTS

### OTIC AGENTS

|  |   |         |
|--|---|---------|
| <i>acetic acid otic solution 2 %</i>                     | 1 | NMO; GC |
| <i>CIPRODEX OTIC SUSPENSION 0.3-0.1 %</i>                | 3 | NMO     |
| <i>ciprofloxacin hcl otic solution 0.2 %</i>             | 3 | NMO     |
| <i>fluocinolone acetonide otic oil 0.01 %</i>            | 2 | NMO     |
| <i>hydrocortisone-acetic acid otic solution 1-2 %</i>    | 2 | NMO     |
| <i>neomycin-polymyxin-hc otic solution 1 %</i>           | 1 | NMO; GC |
| <i>neomycin-polymyxin-hc otic suspension 3.5-10000-1</i> | 1 | NMO; GC |
| <i>ofloxacin otic solution 0.3 %</i>                     | 2 | NMO     |

## RESPIRATORY TRACT AGENTS

### ANTIHISTAMINES

|  |   |                 |
|--|---|-----------------|
| <i>carbinoxamine maleate oral solution 4 mg/5ml</i>            | 1 | PA; NMO; GC; HR |
| <i>carbinoxamine maleate oral tablet 4 mg</i>                  | 1 | PA; NMO; GC; HR |
| <i>cetirizine hcl oral solution 1 mg/ml</i>                    | 1 | NMO; GC         |
| <i>clemastine fumarate oral tablet 2.68 mg</i>                 | 1 | PA; NMO; GC; HR |
| <i>cyproheptadine hcl oral syrup 2 mg/5ml</i>                  | 1 | PA; NMO; GC; HR |
| <i>cyproheptadine hcl oral tablet 4 mg</i>                     | 1 | PA; NMO; GC; HR |
| <i>levocetirizine dihydrochloride oral solution 2.5 mg/5ml</i> | 1 | NMO; GC         |
| <i>levocetirizine dihydrochloride oral tablet 5 mg</i>         | 1 | NMO; GC         |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>promethazine hcl oral syrup 6.25 mg/5ml</i>   | 1                | PA; NMO; GC; HR            |
| <i>promethazine hcl oral tablet 12.5 mg, 25 mg, 50 mg</i>  | 1                | PA; NMO; GC; HR            |
| <i>promethazine hcl rectal suppository 12.5 mg, 25 mg, 50 mg</i>                                     | 4                | PA; NMO; HR                |
| <i>promethazine vc plain oral solution 6.25-5 mg/5ml</i>   | 2                | PA; NMO; HR                |
| <i>promethazine-phenylephrine oral syrup 6.25-5 mg/5ml</i>   | 2                | PA; NMO; HR                |
| <b>ANTI-INFLAMMATORIES,<br/>INHALED CORTICOSTEROIDS</b>  |                  |                            |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT      | 3                |                            |
| ASMANEX (120 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/INH                   | 3                |                            |
| ASMANEX (30 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 110 MCG/INH, 220 MCG/INH       | 3                |                            |
| ASMANEX (60 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/INH                    | 3                |                            |
| ASMANEX HFA INHALATION AEROSOL 100 MCG/ACT, 200 MCG/ACT  | 3                |                            |
| <i>budesonide inhalation suspension 0.25 mg/2ml, 0.5 mg/2ml, 1 mg/2ml</i>                            | 3                | BD                         |
| FLOVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/BLIST, 250 MCG/BLIST, 50 MCG/BLIST | 3                |                            |
| FLOVENT HFA INHALATION AEROSOL 110 MCG/ACT, 220 MCG/ACT, 44 MCG/ACT                                  | 3                |                            |
| <b>ANTILEUKOTRIENES</b>  |                  |                            |
| <i>montelukast sodium oral packet 4 mg</i>   | 2                |                            |
| <i>montelukast sodium oral tablet 10 mg</i>  | 1                | GC                         |
| <i>montelukast sodium oral tablet chewable 4 mg, 5 mg</i>  | 2                |                            |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i>  | 2                |                            |
| <i>zileuton er oral tablet extended release 12 hour 600 mg</i>                                       | 5                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| ZYFLO ORAL TABLET 600 MG  | 5         | NMO                 |
| <b>BRONCHODILATORS,<br/>ANTICHOLINERGIC</b>   |           |                     |
| <i>ipratropium bromide inhalation solution 0.02 %</i>   | 1         | BD; GC              |
| SPIRIVA HANDIHALER INHALATION CAPSULE 18 MCG  | 3         | GC                  |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25 MCG/ACT, 2.5 MCG/ACT  | 3         | GC                  |
| <b>BRONCHODILATORS,<br/>SYMPATHOMIMETIC</b>   |           |                     |
| ADVAIR DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE  | 3         | GC                  |
| ADVAIR HFA INHALATION AEROSOL 115-21 MCG/ACT, 230-21 MCG/ACT, 45-21 MCG/ACT   | 3         | GC                  |
| <i>albuterol sulfate er oral tablet extended release 12 hour 4 mg, 8 mg</i>   | 2         |                     |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act</i>  | 3         | GC; NMO             |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act (nda020983)</i>  | 3         | GC                  |
| <i>albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%, (5 mg/ml) 0.5%, 0.63 mg/3ml, 1.25 mg/3ml</i>   | 1         | BD; GC              |
| <i>albuterol sulfate oral syrup 2 mg/5ml</i>  | 1         | GC                  |
| <i>albuterol sulfate oral tablet 2 mg, 4 mg</i>   | 2         |                     |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/INH, 200-25 MCG/INH  | 3         | GC                  |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100 MCG/ACT   | 4         |                     |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/dose, 113-14 mcg/act, 232-14 mcg/act, 250-50 mcg/dose, 500-50 mcg/dose, 55-14 mcg/act</i> | 3         | GC                  |
| <i>ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml</i>   | 1         | BD; GC              |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>levalbuterol hcl inhalation nebulization solution<br/>0.31 mg/3ml, 0.63 mg/3ml, 1.25 mg/0.5ml, 1.25 mg/3ml</i> | 2                | BD                         |
| PROAIR HFA INHALATION AEROSOL SOLUTION 108 (90 BASE) MCG/ACT  | 3                | GC                         |
| PROAIR RESPICLICK INHALATION AEROSOL POWDER BREATH ACTIVATED 108 (90 BASE) MCG/ACT                                | 3                | GC                         |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/DOSE  | 3                | GC                         |
| STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT  | 3                | GC                         |
| SYMBICORT INHALATION AEROSOL 160-4.5 MCG/ACT, 80-4.5 MCG/ACT  | 3                | GC                         |
| <i>terbutaline sulfate oral tablet 2.5 mg, 5 mg</i>   | 2                |                            |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/INH                                    | 3                | ST; GC                     |
| WIXELA INHUB INHALATION AEROSOL POWDER BREATH ACTIVATED 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE         | 3                | GC                         |
| <b>MAST CELL STABILIZERS</b>  |                  |                            |
| <i>cromolyn sodium inhalation nebulization solution<br/>20 mg/2ml</i>   | 2                | BD                         |
| <b>NASAL AGENTS</b>   |                  |                            |
| <i>azelastine hcl nasal solution 0.1 %, 0.15 %</i>  | 2                | NMO                        |
| BACTROBAN NASAL NASAL OINTMENT 2 %  | 3                | NMO                        |
| BECONASE AQ NASAL SUSPENSION 42 MCG/SPRAY   | 4                | NMO                        |
| DYMISTA NASAL SUSPENSION 137-50 MCG/ACT   | 4                | NMO                        |
| <i>flunisolide nasal solution 25 mcg/act (0.025%)</i>   | 2                | NMO                        |
| <i>fluticasone propionate nasal suspension 50 mcg/act</i>   | 1                | NMO; GC                    |
| <i>ipratropium bromide nasal solution 0.03 %, 0.06 %</i>  | 1                | GC                         |
| <i>mometasone furoate nasal suspension 50 mcg/act</i>   | 2                | NMO                        |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| Drug Name  | Drug Tier | Requirements/Limits        |
|--|-----------|----------------------------|
| <i>olopatadine hcl nasal solution 0.6 %</i>  | 4         | NMO                        |
| <b>PHOSPHODIESTERASE INHIBITORS, AIRWAYS DISEASE</b>   |           |                            |
| DALIRESP ORAL TABLET 250 MCG, 500 MCG  | 3         | QL (30 EA per 30 days)     |
| <i>theophylline er oral tablet extended release 12 hour 300 mg</i>                             | 1         | GC                         |
| <i>theophylline er oral tablet extended release 24 hour 400 mg, 600 mg</i>                     | 1         | GC                         |
| <b>PULMONARY ANTIHYPERTENSIVES</b>   |           |                            |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG   | 5         | PA; NMO                    |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i>   | 5         | PA; NMO                    |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i>  | 5         | PA; NMO                    |
| OPSUMIT ORAL TABLET 10 MG  | 5         | PA; NMO                    |
| <i>sildenafil citrate oral tablet 20 mg</i>  | 2         | PA; QL (90 EA per 30 days) |
| TRACLEER ORAL TABLET SOLUBLE 32 MG   | 5         | PA; LA; NMO                |
| UPTRAVI ORAL TABLET 1000 MCG, 1200 MCG, 1400 MCG, 1600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG | 5         | PA; LA; NMO                |
| UPTRAVI ORAL TABLET THERAPY PACK 200 & 800 MCG   | 5         | PA; LA; NMO                |
| <b>PULMONARY FIBROSIS AGENTS</b>   |           |                            |
| ESBRIET ORAL CAPSULE 267 MG  | 5         | PA; NMO                    |
| ESBRIET ORAL TABLET 267 MG, 801 MG   | 5         | PA; NMO                    |
| OFEV ORAL CAPSULE 100 MG, 150 MG   | 5         | NMO                        |
| <b>RESPIRATORY TRACT AGENTS, OTHER</b>   |           |                            |
| <i>acetylcysteine inhalation solution 10 %, 20 %</i>   | 1         | BD; NMO; GC                |
| KALYDECO ORAL PACKET 25 MG, 50 MG, 75 MG   | 5         | PA; NMO                    |
| KALYDECO ORAL TABLET 150 MG  | 5         | PA; NMO                    |
| NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML   | 5         | PA; LA; NMO                |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML                                       | 5         | PA; LA; NMO                |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|--|------------------|-----------------------------|
| NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED 100 MG                          | 5                | PA; NMO                     |
| ORKAMBI ORAL PACKET 100-125 MG, 150-188 MG                                 | 5                | PA; LA; NMO                 |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG                                 | 5                | PA; NMO                     |
| PROLASTIN-C INTRAVENOUS SOLUTION RECONSTITUTED 1000 MG                     | 5                | PA; NMO                     |
| PULMOZYME INHALATION SOLUTION 1 MG/ML                                      | 5                | BD; NMO                     |
| SYMDEKO ORAL TABLET THERAPY PACK 100-150 & 150 MG, 50-75 & 75 MG           | 5                | PA; LA; NMO                 |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 75 MG/0.5ML      | 5                | PA; NMO                     |
| XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED 150 MG                          | 5                | PA; LA; NMO                 |
| <b>SKELETAL MUSCLE RELAXANTS</b>   |                  |                             |
| <b>SKELETAL MUSCLE RELAXANTS</b>   |                  |                             |
| <i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>                             | 1                | GC                          |
| <i>chlorzoxazone oral tablet 375 mg, 500 mg, 750 mg</i>                    | 3                | PA; NMO; HR                 |
| <i>cyclobenzaprine hcl oral tablet 10 mg, 5 mg, 7.5 mg</i>                 | 3                | PA; NMO; HR                 |
| <i>dantrolene sodium oral capsule 100 mg, 25 mg, 50 mg</i>                 | 4                | NMO                         |
| <i>metaxalone oral tablet 800 mg</i>                                       | 4                | PA; NMO; HR                 |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i>                            | 3                | PA; NMO; HR                 |
| <i>orphenadrine citrate er oral tablet extended release 12 hour 100 mg</i> | 1                | PA; NMO; GC; HR             |
| <i>tizanidine hcl oral capsule 2 mg, 4 mg, 6 mg</i>                        | 3                |                             |
| <i>tizanidine hcl oral tablet 2 mg, 4 mg</i>                               | 1                | GC                          |
| <b>SLEEP DISORDER AGENTS</b>   |                  |                             |
| <b>BENZODIAZEPINES</b>   |                  |                             |
| <i>estazolam oral tablet 1 mg</i>  | 3                | NMO; QL (60 EA per 30 days) |
| <i>estazolam oral tablet 2 mg</i>  | 3                | NMO; QL (30 EA per 30 days) |
| <i>flurazepam hcl oral capsule 15 mg</i>                                   | 3                | NMO; QL (60 EA per 30 days) |
| <i>flurazepam hcl oral capsule 30 mg</i>                                   | 3                | NMO; QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|---|------------------|--------------------------------------|
| <i>temazepam oral capsule 15 mg, 30 mg</i>                                | 2                | NMO; QL (30 EA per 30 days)          |
| <i>temazepam oral capsule 22.5 mg</i>                                     | 3                | NMO; QL (30 EA per 30 days)          |
| <i>temazepam oral capsule 7.5 mg</i>                                      | 3                | NMO; QL (120 EA per 30 days)         |
| <i>triazolam oral tablet 0.125 mg</i>                                     | 3                | NMO; QL (30 EA per 30 days)          |
| <i>triazolam oral tablet 0.25 mg</i>                                      | 3                | NMO; QL (60 EA per 30 days)          |
| <b>GABA RECEPTOR MODULATORS</b>   |                  |                                      |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i>                           | 3                | PA; NMO; HR; QL (30 EA per 30 days)  |
| <i>zaleplon oral capsule 10 mg, 5 mg</i>                                  | 2                | PA; NMO; HR                          |
| <i>zolpidem tartrate er oral tablet extended release 12.5 mg, 6.25 mg</i> | 4                | PA; NMO; HR; QL (30 EA per 30 days)  |
| <i>zolpidem tartrate oral tablet 10 mg, 5 mg</i>                          | 2                | PA; NMO; HR; QL (30 EA per 30 days)  |
| <b>SLEEP DISORDERS, OTHER</b>   |                  |                                      |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i>              | 3                | PA                                   |
| <i>BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG</i>                     | 4                | NMO                                  |
| <i>HETLIOZ ORAL CAPSULE 20 MG</i>   | 5                | PA; NMO; QL (30 EA per 30 days)      |
| <i>modafinil oral tablet 100 mg, 200 mg</i>                               | 3                | PA; QL (30 EA per 30 days)           |
| <i>SILENOR ORAL TABLET 3 MG, 6 MG</i>                                     | 4                |                                      |
| <i>XYREM ORAL SOLUTION 500 MG/ML</i>                                      | 5                | PA; LA; NMO; QL (540 ML per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to page 1 of the introduction. Formulary ID: 19516, Ver. 17 Last Updated 10/22/2019 Effective Date: 11/01/2019

## Alphabetical Listing

### A

|                                   |        |
|-----------------------------------|--------|
| abacavir sulfate.....             | 37     |
| abacavir sulfate-lamivudine ..    | 37     |
| abacavir-lamivudine-zidovudine .. | 37     |
| ABELCET .....                     | 19     |
| ABILIFY MAINTENA.....             | 33     |
| ABILIFY MYCITE.....               | 33     |
| abiraterone acetate.....          | 24     |
| acamprosate calcium .....         | 4      |
| acarbose.....                     | 41     |
| acebutolol hcl .....              | 49     |
| acetaminophen-codeine .....       | 2      |
| acetaminophen-codeine #3.....     | 2      |
| acetazolamide .....               | 52     |
| acetic acid.....                  | 90     |
| acetylcysteine .....              | 94     |
| acitretin.....                    | 57     |
| ACTHIB .....                      | 83     |
| ACTIMMUNE .....                   | 24     |
| acyclovir .....                   | 36, 57 |
| acyclovir sodium .....            | 37     |
| ADACEL.....                       | 83     |
| adapalene.....                    | 57     |
| adefovir dipivoxil .....          | 36     |
| ADEMPAS.....                      | 94     |
| ADVAIR DISKUS .....               | 92     |
| ADVAIR HFA .....                  | 92     |
| AFINITOR .....                    | 24     |
| AFINITOR DISPERZ .....            | 24     |
| albendazole.....                  | 30     |
| albuterol sulfate .....           | 92     |
| albuterol sulfate er.....         | 92     |
| albuterol sulfate hfa.....        | 92     |
| alclometasone dipropionate....    | 57     |
| ALECENSA .....                    | 24     |
| alendronate sodium .....          | 86     |
| alfuzosin hcl er .....            | 70     |
| ALINIA .....                      | 30     |
| allopurinol .....                 | 20, 30 |
| almotriptan malate.....           | 22     |
| alosetron hcl .....               | 67     |
| ALPHAGAN P.....                   | 88     |
| alprazolam .....                  | 40     |
| alprazolam er .....               | 40     |
| ALTAVERA .....                    | 72     |
| ALUNBRIG .....                    | 24     |
| alyacen 1/35.....                 | 72     |

|                                      |     |
|--------------------------------------|-----|
| amantadine hcl.....                  | 31  |
| AMBISOME .....                       | 19  |
| ambrisentan .....                    | 94  |
| amcinonide .....                     | 57  |
| AMETHIA.....                         | 73  |
| AMETHIA LO .....                     | 72  |
| amikacin sulfate.....                | 5   |
| amiloride hcl.....                   | 52  |
| amiloride-hydrochlorothiazide        | 48  |
| AMINOSYN II.....                     | 65  |
| AMINOSYN-PF.....                     | 65  |
| amiodarone hcl .....                 | 48  |
| AMITIZA .....                        | 67  |
| amitriptyline hcl .....              | 18  |
| amlodipine besy-benazepril hcl ..... | 48  |
| amlodipine besylate .....            | 50  |
| amlodipine besylate-valsartan        | 48  |
| amlodipine-atorvastatin .....        | 51  |
| amlodipine-olmesartan .....          | 48  |
| amlodipine-valsartan-hctz .....      | 48  |
| ammonium lactate .....               | 57  |
| AMNESTEEM .....                      | 57  |
| amoxapine .....                      | 18  |
| amoxicill-clarithro-lansopraz        | .67 |
| amoxicillin.....                     | 8   |
| amoxicillin-pot clavulanate .....    | 9   |
| amoxicillin-pot clavulanate er ..... | 9   |
| amphetamine-dextroamphet er .....    | 55  |
| amphetamine-                         |     |
| dextroamphetamine .....              | 55  |
| amphotericin b .....                 | 19  |
| ampicillin.....                      | 9   |
| ampicillin sodium .....              | 9   |
| ampicillin-sulbactam sodium .....    | 9   |
| ANADROL-50 .....                     | 72  |
| anagrelide hcl .....                 | 46  |
| anastrozole.....                     | 30  |
| APOKYN .....                         | 31  |
| apraclonidine hcl .....              | 87  |
| aprepitant .....                     | 19  |
| APRI.....                            | 73  |
| APRISO.....                          | 85  |
| APTIOM.....                          | 14  |
| APTIVUS .....                        | 39  |
| ARANELLE .....                       | 73  |
| ARCALYST .....                       | 83  |

|                                     |        |
|-------------------------------------|--------|
| ARIKAYCE .....                      | 5      |
| aripiprazole .....                  | 33     |
| armodafinil .....                   | 96     |
| ARNUITY ELLIPTA .....               | 91     |
| ASCOMP-CODEINE .....                | 2      |
| ASHLYNA .....                       | 73     |
| ASMANEX (120 METERED DOSES) .....   | 91     |
| ASMANEX (30 METERED DOSES) .....    | 91     |
| ASMANEX (60 METERED DOSES) .....    | 91     |
| ASMANEX HFA .....                   | 91     |
| aspirin-dipyridamole er .....       | 46     |
| ASSURE ID INSULIN SAFETY SYR .....  | 41     |
| ASTAGRAF XL.....                    | 81     |
| atazanavir sulfate .....            | 39     |
| atenolol .....                      | 49     |
| atenolol-chlorthalidone .....       | 48     |
| atomoxetine hcl .....               | 55     |
| atorvastatin calcium .....          | 53     |
| atovaquone .....                    | 30     |
| atovaquone-proguanil hcl .....      | 31     |
| ATRIPLA .....                       | 40     |
| atropine sulfate .....              | 87     |
| AUBAGIO .....                       | 56     |
| AUBRA .....                         | 73     |
| AURYXIA .....                       | 70     |
| AUSTEDO .....                       | 56     |
| AVIANE .....                        | 73     |
| AVONEX PEN.....                     | 56     |
| AVONEX PREFILLED .....              | 56     |
| AZACTAM .....                       | 8      |
| AZASAN .....                        | 81     |
| azathioprine .....                  | 81     |
| azelaic acid .....                  | 57     |
| azelastine hcl .....                | 88, 93 |
| azithromycin .....                  | 10     |
| AZOPT .....                         | 88     |
| aztreonam .....                     | 8      |
| <b>B</b>                            |        |
| bacitracin .....                    | 87     |
| bacitracin-polymyxin b.....         | 87     |
| bacitra-neomycin-polymyxin-hc ..... | 89     |
| baclofen .....                      | 95     |
| BACTOCILL IN DEXTROSE.9             |        |

|                                      |        |
|--------------------------------------|--------|
| BACTROBAN NASAL.....                 | 93     |
| balsalazide disodium .....           | 85     |
| BALVERSA.....                        | 24     |
| BALZIVA .....                        | 73     |
| BANZEL .....                         | 14     |
| BARACLUDÉ .....                      | 36     |
| bcg vaccine .....                    | 83     |
| BECONASE AQ .....                    | 93     |
| BELSOMRA .....                       | 96     |
| benazepril hcl .....                 | 47     |
| benazepril-hydrochlorothiazide ..... | 48     |
| BENLYSTA .....                       | 81     |
| benznidazole.....                    | 30     |
| benzoyl peroxide-erythromycin .....  | 57     |
| benztropine mesylate.....            | 31     |
| BESIVANCE .....                      | 87     |
| betamethasone dipropionate .....     | 58     |
| betamethasone dipropionate aug ..... | 57, 58 |
| betamethasone valerate .....         | 58     |
| BETASERON .....                      | 56     |
| betaxolol hcl .....                  | 88     |
| bethanechol chloride .....           | 69     |
| bexarotene .....                     | 24     |
| BEXSERO.....                         | 83     |
| bicalutamide .....                   | 24     |
| BICILLIN C-R .....                   | 9      |
| BICILLIN C-R 900/300.....            | 9      |
| BICILLIN L-A .....                   | 9      |
| BIDIL .....                          | 54     |
| BIKTARVY .....                       | 40     |
| bimatoprost.....                     | 87     |
| bisoprolol fumarate .....            | 49     |
| bisoprolol-hydrochlorothiazide ..... | 49     |
| BLEPHAMIDE .....                     | 89     |
| BLEPHAMIDE S.O.P.....                | 89     |
| BLISOVI 24 FE .....                  | 73     |
| BLISOVI FE 1.5/30 .....              | 73     |
| BOOSTRIX.....                        | 83     |
| bosentan.....                        | 94     |
| BOSULIF .....                        | 24, 25 |
| BRAFTOVI.....                        | 25     |
| BREO ELLIPTA .....                   | 92     |
| briellyn .....                       | 73     |
| BRILINTA .....                       | 46     |
| brimonidine tartrate .....           | 88     |
| BRIVIACT .....                       | 15     |
| bromfenac sodium (once-daily) .....  | 88     |
| bromocriptine mesylate .....         | 31     |
| BROMSITE.....                        | 88     |
| budesonide.....                      | 71, 91 |
| budesonide er.....                   | 71     |
| bumetanide .....                     | 52     |
| buprenorphine .....                  | 4      |
| buprenorphine hcl.....               | 4      |
| buprenorphine hcl-naloxone hcl ..... | 4      |
| bupropion hcl.....                   | 16     |
| bupropion hcl er (smoking det) ..... | 5      |
| bupropion hcl er (sr) .....          | 16     |
| bupropion hcl er (xl).....           | 5, 16  |
| buspirone hcl .....                  | 40     |
| butalbital-apap-caff-cod .....       | 2      |
| butalbital-apap-caffeine .....       | 3      |
| butalbital-asa-caff-codeine .....    | 3      |
| butalbital-aspirin-caffeine .....    | 3      |
| butorphanol tartrate .....           | 3      |
| BUTRANS .....                        | 4      |
| BYSTOLIC .....                       | 49     |
| C                                    |        |
| cabergoline .....                    | 80     |
| CABLIVI.....                         | 46     |
| CABOMETYX.....                       | 25     |
| calcipotriene .....                  | 58     |
| calcipotriene-betameth diprop .....  | 58     |
| calcitonin (salmon) .....            | 86     |
| calcitriol.....                      | 58, 86 |
| calcium acetate (phos binder) .....  | 70     |
| CALQUENCE .....                      | 25     |
| CAMILA .....                         | 73     |
| CAMRESE LO.....                      | 73     |
| candesartan cilexetil .....          | 47     |
| candesartan cilexetil-hctz .....     | 49     |
| CAPEX .....                          | 58     |
| CAPRELSA.....                        | 25     |
| captopril .....                      | 47     |
| captopril-hydrochlorothiazide .....  | 49     |
| CARAFATE .....                       | 68     |
| CARBAGLU .....                       | 63     |
| carbamazepine .....                  | 15, 41 |
| carbamazepine er .....               | 15     |
| carbidopa-levodopa .....             | 32     |
| carbidopa-levodopa er .....          | 32     |
| carbidopa-levodopa-entacapone .....  | 32     |
| carbinoxamine maleate.....           | 90     |
| CARDURA XL .....                     | 70     |
| carteolol hcl .....                  | 88     |
| CARTIA XT .....                      | 50     |
| carvedilol .....                     | 50     |
| carvedilol phosphate er .....        | 50     |
| caspofungin acetate .....            | 19     |
| CAYSTON .....                        | 8      |
| CAZIANT .....                        | 73     |
| cefaclor .....                       | 7      |
| cefaclor er .....                    | 7      |
| cefadroxil .....                     | 7      |
| cefazolin sodium .....               | 7      |
| cefdinir .....                       | 7      |
| cefepime hcl .....                   | 7      |
| cefixime .....                       | 7      |
| cefotaxime sodium .....              | 7      |
| cefotetan disodium .....             | 7      |
| cefoxitin sodium .....               | 7      |
| cefpodoxime proxetil .....           | 7      |
| cefprozil .....                      | 7      |
| ceftazidime .....                    | 7      |
| ceftriaxone sodium .....             | 7      |
| cefuroxime axetil .....              | 8      |
| cefuroxime sodium .....              | 8      |
| celecoxib .....                      | 21     |
| CELONTIN .....                       | 13     |
| cephalexin .....                     | 8      |
| cetirizine hcl .....                 | 90     |
| cevimeline hcl .....                 | 57     |
| CHANTIX .....                        | 5      |
| CHANTIX CONTINUING MONTH PAK .....   | 5      |
| CHANTIX STARTING MONTH PAK .....     | 5      |
| CHEMET .....                         | 64     |
| chlordiazepoxide hcl .....           | 40     |
| chlorhexidine gluconate .....        | 57     |
| chloroquine phosphate .....          | 31     |
| chlorothiazide .....                 | 52     |
| chlorpromazine hcl .....             | 32     |
| chlorthalidone .....                 | 52     |
| chlorzoxazone .....                  | 95     |
| cholestyramine .....                 | 53     |
| cholestyramine light .....           | 53     |
| ciclopirox .....                     | 58     |
| ciclopirox olamine .....             | 58     |
| cilostazol .....                     | 46     |
| CIMDUO .....                         | 37     |
| cimetidine .....                     | 67     |
| cimetidine hcl .....                 | 67     |

|   |            |
|---|------------|
| cinacalcet hcl .....                    | 85         |
| CINRYZE.....                            | 86         |
| CIPRODEX.....                           | 90         |
| ciprofloxacin.....                      | 11         |
| ciprofloxacin hcl.....                  | 11, 87, 90 |
| ciprofloxacin in d5w.....               | 11         |
| citalopram hydrobromide .....           | 17         |
| CLARAVIS.....                           | 58         |
| clarithromycin .....                    | 10         |
| clarithromycin er .....                 | 10         |
| clemastine fumarate.....                | 90         |
| CLENPIQ.....                            | 67         |
| CLEOCIN.....                            | 70         |
| CLIMARA PRO.....                        | 77         |
| clindamycin hcl .....                   | 5          |
| clindamycin palmitate hcl .....         | 6          |
| clindamycin phos-benzoyl perox .....    | 58         |
| clindamycin phosphate.                  | 6, 58, 70  |
| clindamycin phosphate in d5w.           | 6          |
| CLINIMIX E/DEXTROSE<br>(2.75/5).....    | 65         |
| CLINIMIX E/DEXTROSE<br>(4.25/10).....   | 65         |
| CLINIMIX E/DEXTROSE<br>(4.25/5).....    | 65         |
| CLINIMIX E/DEXTROSE<br>(5/15).....      | 65         |
| CLINIMIX E/DEXTROSE<br>(5/20).....      | 65         |
| CLINIMIX/DEXTROSE<br>(4.25/10).....     | 65         |
| CLINIMIX/DEXTROSE<br>(4.25/25).....     | 65         |
| CLINIMIX/DEXTROSE<br>(4.25/5).....      | 65         |
| CLINIMIX/DEXTROSE (5/15)<br>.....       | 65         |
| CLINIMIX/DEXTROSE (5/20)<br>.....       | 65         |
| CLINIMIX/DEXTROSE (5/25)<br>.....       | 65         |
| CLINISOL SF .....                       | 65         |
| clobazam.....                           | 12         |
| clobetasol prop emollient base          | 58         |
| clobetasol propionate.....              | 59         |
| clobetasol propionate emulsion .....    | 59         |
| clomipramine hcl.....                   | 18         |
| clonazepam.....                         | 12         |
| clonidine .....                         | 46         |
| clonidine hcl .....                     | 46         |
| clonidine hcl er .....                  | 55         |
| clopidogrel bisulfate .....             | 46         |
| clorazepate dipotassium .....           | 41         |
| clotrimazole .....                      | 57, 59     |
| clotrimazole-betamethasone .....        | 59         |
| clozapine.....                          | 35, 36     |
| COARTEM .....                           | 31         |
| codeine sulfate .....                   | 3          |
| colchicine.....                         | 20         |
| colchicine-probenecid .....             | 20         |
| colesevelam hcl .....                   | 53         |
| colestipol hcl.....                     | 53         |
| colistimethate sodium (cba).....        | 6          |
| COMBIGAN .....                          | 88         |
| COMBIPATCH.....                         | 78         |
| COMBIVENT RESPIMAT .....                | 92         |
| COMETRIQ (100 MG DAILY<br>DOSE) .....   | 25         |
| COMETRIQ (140 MG DAILY<br>DOSE) .....   | 25         |
| COMETRIQ (60 MG DAILY<br>DOSE) .....    | 25         |
| COMFORT ASSIST INSULIN<br>SYRINGE.....  | 41         |
| COMPLERA .....                          | 40         |
| COMPROM .....                           | 32         |
| CONDYLOX.....                           | 59         |
| COPIKTRA .....                          | 25         |
| CORDRAN .....                           | 59         |
| CORLANOR .....                          | 51         |
| cortisone acetate .....                 | 71         |
| CORTISPORIN.....                        | 59         |
| COTELLIC.....                           | 25         |
| CREON .....                             | 66         |
| CRIVAN .....                            | 39         |
| cromolyn sodium .....                   | 67, 88, 93 |
| CRYSELLE-28 .....                       | 73         |
| CUVPOSA .....                           | 66         |
| cvs gauze sterile.....                  | 41         |
| CYCLAFEM 1/35 .....                     | 73         |
| CYCLAFEM 7/7/7 .....                    | 73         |
| cyclobenzaprine hcl .....               | 95         |
| cyclophosphamide .....                  | 23         |
| CYCLOSET .....                          | 41         |
| cyclosporine.....                       | 81         |
| cyclosporine modified .....             | 81         |
| cyproheptadine hcl .....                | 90         |
| CYRED EQ .....                          | 73         |
| CYSTADANE.....                          | 69         |
| CYSTAGON .....                          | 70         |
| CYSTARAN.....                           | 89         |
| <b>D</b>                                |            |
| dalfampridine er.....                   | 56         |
| DALIRESP .....                          | 94         |
| danazol.....                            | 72         |
| dantrolene sodium .....                 | 95         |
| dapsone .....                           | 23         |
| DAPTACEL .....                          | 83         |
| daptomycin .....                        | 6          |
| DARAPRIM .....                          | 31         |
| darifenacin hydrobromide er ..          | 69         |
| DAURISMO .....                          | 25         |
| DAYTRANA.....                           | 55         |
| DEBLITANE.....                          | 73         |
| deferasirox .....                       | 64         |
| DELSTRIGO .....                         | 40         |
| DELYLA .....                            | 73         |
| demeclocycline hcl .....                | 11         |
| DEM SER.....                            | 46         |
| DENAVIR .....                           | 59         |
| DEPEN TITRATABS .....                   | 64         |
| DEPO-ESTRADIOL .....                    | 78         |
| DEPO-PROVERA.....                       | 25         |
| DEPO-SUBQ PROVERA 104<br>.....          | 73         |
| DESCOVY .....                           | 37         |
| desipramine hcl.....                    | 18         |
| desmopressin ace spray refrigerated     | 79         |
| desmopressin acetate .....              | 79         |
| desogestrel-ethinyl estradiol...        | 73         |
| desonide .....                          | 59         |
| desoximetasone.....                     | 59         |
| desvenlafaxine er .....                 | 17         |
| desvenlafaxine succinate er .....       | 17         |
| dexamethasone .....                     | 71         |
| <b>DEXAMETHASONE<br/>INTENSOL</b> ..... | 71         |
| dexamethasone sodium<br>phosphate ..... | 89         |
| DEXILANT .....                          | 68         |
| DEXPAK 13 DAY .....                     | 71         |
| dextroamphetamine sulfate....           | 55         |
| dextroamphetamine sulfate er....        | 55         |
| dextrose .....                          | 65         |
| dextrose-nacl.....                      | 63         |
| DIASTAT ACUDIAL .....                   | 13         |
| DIASTAT PEDIATRIC .....                 | 13         |
| diazepam.....                           | 13, 41     |

|                                    |            |
|------------------------------------|------------|
| DIAZEPAM INTENSOL.....             | 41         |
| diclofenac potassium .....         | 21         |
| diclofenac sodium .....            | 21, 59, 89 |
| diclofenac sodium er .....         | 21         |
| diclofenac-misoprostol .....       | 21         |
| dicloxacillin sodium .....         | 9          |
| dicyclomine hcl .....              | 66         |
| didanosine.....                    | 37         |
| DIFICID .....                      | 10         |
| diflorasone diacetate.....         | 59         |
| dilunisal.....                     | 21         |
| DIGITEK.....                       | 51         |
| DIGOX.....                         | 51         |
| digoxin.....                       | 51         |
| dihydroergotamine mesylate ..      | 22         |
| DILANTIN.....                      | 15         |
| diltiazem hcl .....                | 50         |
| diltiazem hcl er .....             | 50         |
| diltiazem hcl er beads .....       | 50         |
| diltiazem hcl er coated beads .    | 50         |
| dilt-xr.....                       | 50         |
| diphenoxylate-atropine.....        | 67         |
| diphtheria-tetanus toxoids dt..    | 83         |
| dipyridamole.....                  | 46         |
| disopyramide phosphate.....        | 48         |
| disulfiram .....                   | 4          |
| DIURIL .....                       | 52         |
| divalproex sodium .....            | 13, 22     |
| divalproex sodium er.....          | 13         |
| DIVIGEL.....                       | 78         |
| dofetilide.....                    | 48         |
| donepezil hcl .....                | 15         |
| dorzolamide hcl .....              | 89         |
| dorzolamide hcl-timolol mal ..     | 89         |
| dorzolamide hcl-timolol mal pf ..  | 89         |
| .....                              | 89         |
| DOVATO .....                       | 37         |
| doxazosin mesylate .....           | 47         |
| doxepin hcl .....                  | 18, 59     |
| doxercalciferol.....               | 86         |
| DOXY 100 .....                     | 11         |
| doxycycline hyclate.....           | 11         |
| doxycycline monohydrate .....      | 11         |
| dronabinol.....                    | 19         |
| drospirene-eth estrad-levomefol .. | 73         |
| drospirenone-ethinyl estradiol     | 73         |
| DROXIA .....                       | 23         |
| DUAVEE .....                       | 78         |
| duloxetine hcl .....               | 17         |
| duramorph .....                    | 3          |
| DUREZOL .....                      | 89         |
| dutasteride .....                  | 70         |
| dutasteride-tamsulosin hcl .....   | 70         |
| DYMISTA.....                       | 93         |
| <b>E</b>                           |            |
| econazole nitrate.....             | 59         |
| EDURANT .....                      | 37         |
| efavirenz .....                    | 37         |
| eletriptan hydrobromide .....      | 22         |
| ELIGARD .....                      | 25         |
| ELIQUIS .....                      | 44         |
| ELIQUIS STARTER PACK ..            | 44         |
| ELMIRON.....                       | 70         |
| EMCYT .....                        | 25         |
| EMOQUETTE.....                     | 74         |
| EMSAM .....                        | 17         |
| EMTRIVA.....                       | 37, 38     |
| EMVERM .....                       | 30         |
| enalapril maleate.....             | 47         |
| enalapril-hydrochlorothiazide      | 49         |
| ENBREL .....                       | 81         |
| ENBREL MINI .....                  | 81         |
| ENBREL SURECLICK .....             | 81         |
| ENDARI.....                        | 86         |
| ENGERIX-B .....                    | 83         |
| enoxaparin sodium .....            | 45         |
| ENPRESSE-28 .....                  | 74         |
| ENSKYCE.....                       | 74         |
| entacapone .....                   | 31         |
| entecavir .....                    | 36         |
| ENTRESTO.....                      | 51         |
| enulose .....                      | 67         |
| ENVARSUS XR .....                  | 81         |
| EPIDIOLEX .....                    | 12         |
| epinastine hcl .....               | 88         |
| epinephrine .....                  | 86         |
| EPITOL .....                       | 15         |
| EPIVIR HBV.....                    | 38         |
| eplerenone .....                   | 52         |
| eprosartan mesylate .....          | 47         |
| EQUETRO .....                      | 34         |
| ERAXIS.....                        | 19         |
| ergoloid mesylates .....           | 15         |
| ERIVEDGE .....                     | 25         |
| ERLEADA .....                      | 25         |
| erlotinib hcl.....                 | 25         |
| ERRIN .....                        | 74         |
| ertapenem sodium.....              | 8          |
| ery.....                           | 59         |
| <b>ERY-TAB .....</b>               | <b>10</b>  |
| <b>ERYTHROCIN</b>                  |            |
| <b>LACTOBIONATE .....</b>          | <b>10</b>  |
| <b>ERYTHROCIN STEARATE.</b>        | <b>10</b>  |
| erythromycin.....                  | 60, 87     |
| erythromycin base .....            | 10         |
| erythromycin ethylsuccinate..      | 10         |
| ESBRIET .....                      | 94         |
| escitalopram oxalate .....         | 17         |
| esomeprazole magnesium.....        | 68         |
| ESTARYLLA.....                     | 74         |
| estazolam .....                    | 95         |
| estradiol .....                    | 70, 78     |
| estradiol valerate.....            | 78         |
| estradiol-norethindrone acet ..    | 78         |
| ESTRING .....                      | 70         |
| eszopiclone .....                  | 96         |
| ethacrynic acid.....               | 52         |
| ethambutol hcl .....               | 23         |
| ethosuximide.....                  | 13         |
| ethynodiol diac-eth estradiol ..   | 74         |
| etodolac .....                     | 21         |
| etodolac er .....                  | 21         |
| EURAX .....                        | 60         |
| EVAMIST .....                      | 78         |
| EVOTAZ .....                       | 38         |
| EXEL COMFORT POINT PEN             |            |
| NEEDLE.....                        | 41         |
| exemestane .....                   | 30         |
| ezetimibe.....                     | 53         |
| <b>F</b>                           |            |
| FALMINA .....                      | 74         |
| famciclovir.....                   | 40         |
| famotidine .....                   | 67         |
| FANAPT .....                       | 34         |
| FANAPT TITRATION PACK              |            |
| .....                              | 34         |
| FARYDAK .....                      | 25         |
| febuxostat .....                   | 20         |
| felbamate .....                    | 14         |
| felodipine er.....                 | 51         |
| FEMRING .....                      | 70         |
| FEMYNOR .....                      | 74         |
| fenofibrate.....                   | 52         |
| fenofibrate micronized.....        | 52         |
| fenofibric acid.....               | 53         |
| fentanyl.....                      | 2          |
| fentanyl citrate .....             | 3          |
| FERRIPROX .....                    | 64         |
| FETZIMA .....                      | 17         |

|                                      |        |
|--------------------------------------|--------|
| FETZIMA TITRATION .....              | 17     |
| FIASP .....                          | 43     |
| FIASP FLEXTOUCH .....                | 43     |
| finasteride .....                    | 70     |
| FIRAZYR.....                         | 86     |
| FIRDAPSE.....                        | 86     |
| FIRMAGON.....                        | 25     |
| FIRVANQ.....                         | 6      |
| FLAREX .....                         | 89     |
| FLEBOGAMMA DIF.....                  | 82     |
| flecainide acetate .....             | 48     |
| FLOVENT DISKUS .....                 | 91     |
| FLOVENT HFA.....                     | 91     |
| fluconazole .....                    | 20     |
| fluconazole in sodium chloride ..... | 19     |
| flucytosine .....                    | 20     |
| fludrocortisone acetate .....        | 71     |
| flunisolide.....                     | 93     |
| fluocinolone acetonide .....         | 60, 90 |
| fluocinolone acetonide scalp .....   | 60     |
| fluocinonide.....                    | 60     |
| fluocinonide emulsified base .....   | 60     |
| fluorometholone .....                | 89     |
| fluorouracil .....                   | 60     |
| fluoxetine hcl.....                  | 17     |
| fluphenazine decanoate .....         | 32     |
| fluphenazine hcl .....               | 32, 33 |
| flurazepam hcl .....                 | 95     |
| flurbiprofen.....                    | 21     |
| flurbiprofen sodium.....             | 89     |
| flutamide.....                       | 25     |
| fluticasone propionate .....         | 60, 93 |
| fluticasone-salmeterol .....         | 92     |
| fluvastatin sodium .....             | 53     |
| fluvastatin sodium er .....          | 53     |
| fluvoxamine maleate .....            | 17     |
| fluvoxamine maleate er .....         | 17     |
| fondaparinux sodium.....             | 45     |
| FORTEO .....                         | 86     |
| fosamprenavir calcium .....          | 39     |
| fosinopril sodium.....               | 47     |
| fosinopril sodium-hctz.....          | 49     |
| FRAGMIN .....                        | 45     |
| FREAMINE HBC .....                   | 65     |
| frovatriptan succinate .....         | 22     |
| furosemide .....                     | 52     |
| FUZEON .....                         | 38     |
| FYAVOLV .....                        | 78     |
| FYCOMPA .....                        | 13     |

## G

|                                   |           |
|-----------------------------------|-----------|
| gabapentin .....                  | 13        |
| GALAFOLD .....                    | 69        |
| galantamine hydrobromide .....    | 15        |
| galantamine hydrobromide er ..... | 15        |
| GAMMAGARD .....                   | 82        |
| GAMMAGARD S/D LESS IGA .....      | 82        |
| GAMMAKED .....                    | 82        |
| GAMMAPLEX .....                   | 82        |
| GAMUNEX-C .....                   | 83        |
| GARDASIL 9 .....                  | 83        |
| gatifloxacin.....                 | 87        |
| GATTEX .....                      | 67        |
| GAVILYTE-C .....                  | 67        |
| GAVILYTE-G .....                  | 68        |
| GAVILYTE-N WITH FLAVOR PACK ..... | 68        |
| gemfibrozil .....                 | 53        |
| generlac .....                    | 68        |
| GENGRAF .....                     | 81        |
| gentamicin in saline .....        | 5         |
| gentamicin sulfate .....          | 5, 60, 88 |
| GENVOYA .....                     | 40        |
| GEODON .....                      | 34        |
| GIANVI .....                      | 74        |
| GILENYA .....                     | 56        |
| GILOTrif .....                    | 25        |
| glatiramer acetate .....          | 56        |
| GLEOSTINE .....                   | 23        |
| glimepiride .....                 | 41        |
| glipizide .....                   | 41        |
| glipizide er .....                | 41        |
| glipizide-metformin hcl .....     | 41        |
| global alcohol prep ease .....    | 42        |
| GLUCAGEN HYPOKIT .....            | 43        |
| GLUCAGON EMERGENCY .....          | 43        |
| glycopyrrolate .....              | 66        |
| GOCOVRI .....                     | 31        |
| GOLYTELY .....                    | 68        |
| gransetron hcl .....              | 19        |
| griseofulvin microsize .....      | 20        |
| griseofulvin ultramicrosize ..... | 20        |
| guanfacine hcl .....              | 46        |
| guanfacine hcl er .....           | 55        |
| guanidine hcl .....               | 22        |
| <b>H</b>                          |           |
| HAILEY 24 FE .....                | 74        |
| halcinonide .....                 | 60        |
| halobetasol propionate .....      | 60        |

|                                  |        |
|----------------------------------|--------|
| HALOG .....                      | 60     |
| haloperidol .....                | 33     |
| haloperidol decanoate .....      | 33     |
| haloperidol lactate .....        | 33     |
| HAVRIX .....                     | 83     |
| heparin sodium (porcine) .....   | 45     |
| HEPATAMINE .....                 | 65     |
| HETLIOZ .....                    | 96     |
| HIBERIX .....                    | 83     |
| HUMIRA .....                     | 82     |
| HUMIRA PEDIATRIC                 |        |
| CROHNS START .....               | 81     |
| HUMIRA PEN .....                 | 81     |
| HUMIRA PEN-CD/UC/HS              |        |
| STARTER .....                    | 82     |
| HUMIRA PEN-PS/UV/ADOL            |        |
| HS START .....                   | 82     |
| HUMULIN R U-500                  |        |
| (CONCENTRATED) .....             | 43     |
| HUMULIN R U-500                  |        |
| KWIKPEN .....                    | 43     |
| hydralazine hcl .....            | 54     |
| hydrochlorothiazide .....        | 52     |
| hydrocodone-acetaminophen .....  | 3      |
| hydrocodone-ibuprofen .....      | 3      |
| hydrocortisone .....             | 60, 71 |
| hydrocortisone ace-pramoxine     | 60     |
| hydrocortisone butyrate .....    | 60     |
| hydrocortisone valerate .....    | 61     |
| hydrocortisone-acetic acid ..... | 90     |
| hydromorphone hcl .....          | 3      |
| hydromorphone hcl er .....       | 2      |
| hydroxychloroquine sulfate ..... | 31     |
| hydroxyurea .....                | 25     |
| hydroxyzine hcl .....            | 40     |
| hydroxyzine pamoate .....        | 40     |
| <b>I</b>                         |        |
| ibandronate sodium .....         | 86     |
| IBRANCE .....                    | 26     |
| IBU .....                        | 21     |
| ibuprofen .....                  | 21     |
| ICLUSIG .....                    | 26     |
| IDHIFA .....                     | 26     |
| ILEVRO .....                     | 89     |
| imatinib mesylate .....          | 26     |
| IMBRUVICA .....                  | 26     |
| imipenem-cilastatin .....        | 8      |
| imipramine hcl .....             | 18     |
| imipramine pamoate .....         | 18     |
| imiquimod .....                  | 61     |

|                                       |        |
|---------------------------------------|--------|
| IMOVAX RABIES .....                   | 83     |
| INBRIJA.....                          | 32     |
| INCASSIA .....                        | 74     |
| INCRELEX .....                        | 79     |
| indapamide .....                      | 52     |
| indomethacin .....                    | 21     |
| indomethacin er .....                 | 21     |
| INFANRIX.....                         | 84     |
| INLYTA.....                           | 26     |
| INREBIC.....                          | 26     |
| INTELENCE.....                        | 37     |
| INTRALIPID .....                      | 65     |
| INTRAROSA.....                        | 71     |
| INTRON A .....                        | 26     |
| INTROVALE .....                       | 74     |
| INVEGA SUSTENNA.....                  | 34     |
| INVEGA TRINZA .....                   | 34     |
| INVIRASE .....                        | 39     |
| INVOKAMET.....                        | 42     |
| INVOKAMET XR .....                    | 42     |
| INVOKANA .....                        | 42     |
| IONOSOL-MB IN D5W .....               | 63     |
| IPOP.....                             | 84     |
| ipratropium bromide.....              | 92, 93 |
| ipratropium-albuterol .....           | 92     |
| irbesartan .....                      | 47     |
| irbesartan-hydrochlorothiazide .....  | 49     |
| IRESSA.....                           | 26     |
| ISENTRESS .....                       | 38     |
| ISENTRESS HD .....                    | 38     |
| ISIBLOOM.....                         | 74     |
| ISOLYTE-P IN D5W .....                | 63     |
| ISOLYTE-S.....                        | 63     |
| isoniazid .....                       | 23     |
| isosorbide dinitrate .....            | 54     |
| isosorbide dinitrate er .....         | 54     |
| isosorbide mononitrate .....          | 54     |
| isosorbide mononitrate er .....       | 54     |
| isotretinoin.....                     | 61     |
| isradipine .....                      | 51     |
| itraconazole .....                    | 20     |
| ivermectin.....                       | 30     |
| IXIARO.....                           | 84     |
| <b>J</b>                              |        |
| JAKAFI.....                           | 26     |
| JANTOVEN .....                        | 45     |
| JANUMET .....                         | 42     |
| JANUMET XR.....                       | 42     |
| JANUVIA.....                          | 42     |
| JARDIANC.....                         | 42     |
| JASMIEL.....                          | 74     |
| JINTELI.....                          | 78     |
| JUBLIA .....                          | 61     |
| JULEBER .....                         | 74     |
| JULUCA.....                           | 38     |
| JUNEL 1.5/30.....                     | 74     |
| JUNEL 1/20.....                       | 74     |
| JUNEL FE 1.5/30 .....                 | 74     |
| JUNEL FE 1/20 .....                   | 74     |
| JUXTAPID .....                        | 53     |
| <b>K</b>                              |        |
| KAITLIB FE .....                      | 74     |
| KALETRA .....                         | 39     |
| KALYDECO .....                        | 94     |
| KARIVA .....                          | 74     |
| kcl in dextrose-nacl .....            | 63     |
| kcl-lactated ringers-d5w .....        | 63     |
| KELNOR 1/35.....                      | 74     |
| KELNOR 1/50.....                      | 74     |
| ketoconazole .....                    | 20, 61 |
| ketoprofen .....                      | 21     |
| ketoprofen er .....                   | 21     |
| ketorolac tromethamine .....          | 89     |
| KINRIX .....                          | 84     |
| KIONEX.....                           | 64     |
| KISQALI (200 MG DOSE) ...             | 26     |
| KISQALI (400 MG DOSE) ...             | 26     |
| KISQALI (600 MG DOSE) ...             | 26     |
| KISQALI 200 DOSE.....                 | 26     |
| KISQALI 400 DOSE.....                 | 26     |
| KISQALI 600 DOSE.....                 | 26     |
| KISQALI FEMARA (400 MG<br>DOSE) ..... | 26     |
| KISQALI FEMARA (600 MG<br>DOSE) ..... | 26     |
| KISQALI FEMARA(200 MG<br>DOSE) .....  | 27     |
| KLOR-CON .....                        | 63     |
| KLOR-CON 10 .....                     | 63     |
| KLOR-CON M10.....                     | 63     |
| KLOR-CON M15.....                     | 63     |
| KLOR-CON M20.....                     | 63     |
| KLOR-CON SPRINKLE .....               | 63     |
| KORLYM.....                           | 42     |
| KURVELO .....                         | 74     |
| KUVAN.....                            | 63, 69 |
| KYNAMRO .....                         | 53     |
| <b>L</b>                              |        |
| labetalol hcl .....                   | 50     |
| lactulose.....                        | 68     |
| LAMICTAL XR.....                      | 14     |
| lamivudine .....                      | 38     |
| lamivudine-zidovudine .....           | 38     |
| lamotrigine .....                     | 14     |
| lamotrigine er .....                  | 14     |
| lamotrigine starter kit-blue .....    | 14     |
| lamotrigine starter kit-green .....   | 14     |
| lamotrigine starter kit-orange .....  | 14     |
| lansoprazole .....                    | 68     |
| LANTUS .....                          | 44     |
| LANTUS SOLOSTAR.....                  | 44     |
| LARIN 1.5/30.....                     | 74     |
| LARIN 1/20.....                       | 74     |
| LARIN FE 1.5/30 .....                 | 74     |
| LARIN FE 1/20 .....                   | 74     |
| LARISSIA .....                        | 75     |
| latanoprost .....                     | 87     |
| LATUDA.....                           | 34     |
| LEENA .....                           | 75     |
| leflunomide .....                     | 83     |
| LENVIMA (10 MG DAILY<br>DOSE) .....   | 27     |
| LENVIMA (12 MG DAILY<br>DOSE) .....   | 27     |
| LENVIMA (14 MG DAILY<br>DOSE) .....   | 27     |
| LENVIMA (18 MG DAILY<br>DOSE) .....   | 27     |
| LENVIMA (20 MG DAILY<br>DOSE) .....   | 27     |
| LENVIMA (24 MG DAILY<br>DOSE) .....   | 27     |
| LENVIMA (4 MG DAILY<br>DOSE) .....    | 27     |
| LENVIMA (8 MG DAILY<br>DOSE) .....    | 27     |
| LESSINA.....                          | 75     |
| letrozole .....                       | 30     |
| leucovorin calcium .....              | 27     |
| LEUKERAN.....                         | 23     |
| LEUKINE .....                         | 45     |
| leuprolide acetate .....              | 27     |
| levalbuterol hcl .....                | 93     |
| LEVEMIR .....                         | 44     |
| LEVEMIR FLEXTOUCH.....                | 44     |
| levetiracetam .....                   | 12     |
| levetiracetam er .....                | 12     |
| levobunolol hcl .....                 | 89     |
| levocarnitine .....                   | 69     |

|                                      |             |
|--------------------------------------|-------------|
| levocetirizine dihydrochloride       | 90          |
| levofloxacin                         | 11, 88      |
| levofloxacin in d5w                  | 11          |
| LEVONEST                             | 75          |
| levonorgest-eth estrad 91-day        | 75          |
| levonorgestrel-ethinyl estrad..      | 75          |
| levonorg-eth estrad triphasic ..     | 75          |
| LEVORA 0.15/30 (28).....             | 75          |
| LEVO-T .....                         | 79          |
| levothyroxine sodium.....            | 79          |
| LEVOXYL.....                         | 79          |
| LEXIVA .....                         | 39          |
| lidocaine .....                      | 4           |
| lidocaine hcl .....                  | 61          |
| lidocaine hcl urethral/mucosal       | 61          |
| lidocaine viscous .....              | 57          |
| lidocaine viscous hcl .....          | 57          |
| lidocaine-prilocaine.....            | 4           |
| linezolid.....                       | 6           |
| LINZESS.....                         | 67          |
| liothyronine sodium.....             | 80          |
| lisinopril .....                     | 47          |
| lisinopril-hydrochlorothiazide       | 49          |
| lithium .....                        | 41          |
| lithium carbonate.....               | 41          |
| lithium carbonate er.....            | 41          |
| LIVALO .....                         | 53          |
| LO LOESTRIN FE.....                  | 75          |
| LOKELMA .....                        | 64          |
| LONSURF.....                         | 27          |
| loperamide hcl .....                 | 67          |
| lopinavir-ritonavir .....            | 39          |
| lorazepam .....                      | 41          |
| LORBRENA .....                       | 27          |
| LORYNA .....                         | 75          |
| losartan potassium .....             | 47          |
| losartan potassium-hctz .....        | 49          |
| LOTEMAX .....                        | 89          |
| LOTEMAX SM.....                      | 89          |
| loteprednol etabonate .....          | 90          |
| lovastatin .....                     | 53          |
| LOW-OGESTREL .....                   | 75          |
| loxapine succinate .....             | 33          |
| LUMIGAN .....                        | 87          |
| LUPRON DEPOT (1-MONTH)               | .....27     |
| LUPRON DEPOT (3-MONTH)               | .....27, 80 |
| LUPRON DEPOT (4-MONTH)               | .....27     |
| LUPRON DEPOT (6-MONTH)               | .....27     |
| LUTERA .....                         | 75          |
| LYNPARZA.....                        | 27          |
| LYRICA .....                         | 13, 56      |
| LYSODREN.....                        | 27          |
| LYZA .....                           | 75          |
| <b>M</b>                             |             |
| magnesium sulfate .....              | 63          |
| malathion .....                      | 61          |
| maprotiline hcl.....                 | 16          |
| marlissa.....                        | 75          |
| MARPLAN .....                        | 17          |
| MATULANE.....                        | 27          |
| MATZIM LA .....                      | 51          |
| MAVYRET .....                        | 36          |
| MAYZENT .....                        | 56          |
| meclizine hcl.....                   | 19          |
| medroxyprogesterone acetate          | 75,         |
| 78                                   |             |
| mefloquine hcl .....                 | 31          |
| megestrol acetate .....              | 28, 78      |
| MEKINIST .....                       | 28          |
| MEKTOVI.....                         | 28          |
| meloxicam .....                      | 21          |
| memantine hcl .....                  | 15, 16      |
| memantine hcl er .....               | 16          |
| MENACTRA.....                        | 84          |
| MENEST .....                         | 78          |
| MENVEO .....                         | 84          |
| mercaptopurine.....                  | 24          |
| meropenem .....                      | 8           |
| mesalamine .....                     | 85          |
| MESNEX.....                          | 30          |
| metaxalone.....                      | 95          |
| metformin hcl .....                  | 42          |
| metformin hcl er .....               | 42          |
| methadone hcl.....                   | 2           |
| methazolamide.....                   | 52          |
| methenamine hippurate .....          | 6           |
| methimazole .....                    | 81          |
| methocarbamol .....                  | 95          |
| methotrexate .....                   | 24          |
| methotrexate sodium .....            | 24          |
| methotrexate sodium (pf) .....       | 24          |
| methoxsalen rapid.....               | 61          |
| methscopolamine bromide .....        | 66          |
| methylphenidate hcl .....            | 55          |
| methylphenidate hcl er .....         | 55          |
| methylphenidate hcl er (cd)....      | 55          |
| methylphenidate hcl er (la) .....    | 55          |
| methylprednisolone .....             | 71          |
| metoclopramide hcl .....             | 67          |
| metolazone.....                      | 52          |
| metoprolol succinate er.....         | 50          |
| metoprolol tartrate .....            | 50          |
| metoprolol-hydrochlorothiazide ..... | 49          |
| metronidazole .....                  | 6, 61, 71   |
| metronidazole in nacl .....          | 6           |
| mexiletine hcl .....                 | 48          |
| miconazole 3.....                    | 71          |
| MICROGESTIN 1.5/30.....              | 75          |
| MICROGESTIN 1/20.....                | 75          |
| MICROGESTIN FE 1.5/30 .....          | 75          |
| MICROGESTIN FE 1/20.....             | 75          |
| midodrine hcl.....                   | 46          |
| MIGERGOT .....                       | 22          |
| miglitol .....                       | 42          |
| miglustat .....                      | 69          |
| MILI .....                           | 75          |
| MILLIPRED .....                      | 71          |
| MINITRAN .....                       | 54          |
| minocycline hcl .....                | 12          |
| minocycline hcl er .....             | 11          |
| minoxidil.....                       | 54          |
| mirtazapine .....                    | 16          |
| misoprostol .....                    | 68          |
| M-M-R II .....                       | 84          |
| modafinil.....                       | 96          |
| moexipril hcl.....                   | 47          |
| molindone hcl .....                  | 33          |
| mometasone furoate.....              | 61, 93      |
| montelukast sodium.....              | 91          |
| morphine sulfate .....               | 3           |
| morphine sulfate (concentrate) .3    |             |
| morphine sulfate er .....            | 2           |
| MOVANTIK .....                       | 67          |
| MOXEZA .....                         | 88          |
| moxifloxacin hcl .....               | 11, 88      |
| moxifloxacin hcl in nacl .....       | 11          |
| MULTAQ .....                         | 48          |
| mupirocin.....                       | 61          |
| mupirocin calcium .....              | 61          |
| MYCAMINE .....                       | 20          |
| mycophenolate mofetil .....          | 82          |
| mycophenolate sodium .....           | 82          |
| MYRBETRIQ.....                       | 69          |
| <b>N</b>                             |             |
| nabumetone.....                      | 21          |

|   |            |
|---|------------|
| nadolol.....                            | 50         |
| nafcillin sodium.....                   | 9          |
| naftifine hcl .....                     | 61         |
| naloxone hcl .....                      | 4, 5       |
| naltrexone hcl .....                    | 4          |
| NAMENDA XR TITRATION<br>PACK .....      | 16         |
| NAMZARIC.....                           | 16         |
| naproxen.....                           | 21         |
| naproxen dr.....                        | 21         |
| naproxen sodium .....                   | 21         |
| naratriptan hcl.....                    | 22         |
| NARCAN.....                             | 5          |
| NATACYN .....                           | 88         |
| nateglinide.....                        | 42         |
| NATPARA.....                            | 86         |
| NEBUPENT .....                          | 31         |
| NECON 0.5/35 (28) .....                 | 75         |
| nefazodone hcl.....                     | 16         |
| neomycin sulfate .....                  | 5          |
| neomycin-bacitracin zn-<br>polymyx..... | 88         |
| neomycin-polymyxin-dexameth<br>.....    | 90         |
| neomycin-polymyxin-<br>gramicidin.....  | 88         |
| neomycin-polymyxin-hc .....             | 90         |
| NEPHRAMINE.....                         | 65         |
| NERLYNX.....                            | 28         |
| NEULASTA.....                           | 45         |
| NEUPOGEN .....                          | 45         |
| NEUPRO.....                             | 31         |
| nevirapine .....                        | 37         |
| nevirapine er.....                      | 37         |
| NEXAVAR .....                           | 28         |
| niacin er (antihyperlipidemic) .....    | 53         |
| NIACOR.....                             | 53         |
| nicardipine hcl .....                   | 51         |
| NICOTROL.....                           | 5          |
| nifedipine er.....                      | 51         |
| nifedipine er osmotic release..         | 51         |
| NIKKI.....                              | 75         |
| nilutamide.....                         | 28         |
| nimodipine.....                         | 51         |
| NINLARO.....                            | 28         |
| nisoldipine er .....                    | 51         |
| NITRO-BID .....                         | 54         |
| nitrofurantoin.....                     | 6          |
| nitrofurantoin macrocrystal .....       | 6          |
| nitrofurantoin monohyd macro.           | 6          |
| nitroglycerin .....                     | 54         |
| nizatidine .....                        | 67         |
| NORA-BE .....                           | 75         |
| NORDITROPIN FLEXPRO ..                  | 79         |
| norethrin ace-eth estrad-fe .....       | 76         |
| norethindrone.....                      | 76         |
| norethindrone acetate .....             | 78         |
| norethindrone acet-ethinyl est          | 76         |
| norethindrone-eth estradiol....         | 78         |
| norethin-eth estradiol-fe .....         | 76         |
| norgestimate-eth estradiol .....        | 76         |
| norgestim-eth estrad triphasic          | 76         |
| NORLYROC .....                          | 76         |
| NORMOSOL-M IN D5W .....                 | 63         |
| NORMOSOL-R IN D5W.....                  | 63         |
| NORMOSOL-R PH 7.4 .....                 | 64         |
| NORPACE CR .....                        | 48         |
| NORTHERA .....                          | 87         |
| NORTREL 0.5/35 (28).....                | 76         |
| NORTREL 1/35 (21).....                  | 76         |
| NORTREL 1/35 (28).....                  | 76         |
| NORTREL 7/7/7 .....                     | 76         |
| nortriptyline hcl .....                 | 18         |
| NORVIR.....                             | 39         |
| NOVOLIN 70/30.....                      | 44         |
| NOVOLIN N.....                          | 44         |
| NOVOLIN R .....                         | 44         |
| NOVOLOG .....                           | 44         |
| NOVOLOG FLEXPEN .....                   | 44         |
| NOVOLOG MIX 70/30 .....                 | 44         |
| NOVOLOG MIX 70/30<br>FLEXPEN .....      | 44         |
| NOVOLOG PENFILL .....                   | 44         |
| NOXAFILE.....                           | 20         |
| NUBEQA .....                            | 28         |
| NUCALA .....                            | 94, 95     |
| NUEDEXTA .....                          | 87         |
| NUPLAZID .....                          | 34         |
| nutrilipid .....                        | 66         |
| NUVARING .....                          | 76         |
| NYAMYC .....                            | 61         |
| nystatin .....                          | 20, 57, 61 |
| nystatin-triamcinolone .....            | 61         |
| NYSTOP .....                            | 61         |
| <b>O</b>                                |            |
| OCELLA .....                            | 76         |
| octreotide acetate .....                | 80         |
| ODEFSEY .....                           | 40         |
| ODOMZO .....                            | 28         |
| OFEV .....                              | 94         |
| ofloxacin .....                         | 88, 90     |
| OGESTREL.....                           | 76         |
| olanzapine .....                        | 34         |
| olanzapine-fluoxetine hcl .....         | 34         |
| olmesartan medoxomil .....              | 47         |
| olmesartan medoxomil-hctz ..            | 49         |
| olmesartan-amlodipine-hctz ..           | 49         |
| olopatadine hcl.....                    | 88, 94     |
| omega-3-acid ethyl esters .....         | 53         |
| omeprazole .....                        | 68         |
| ondansetron .....                       | 19         |
| ondansetron hcl.....                    | 19         |
| OPSUMIT .....                           | 94         |
| ORAVIG.....                             | 20         |
| ORFADIN .....                           | 69         |
| ORILISSA .....                          | 79         |
| ORKAMBI .....                           | 95         |
| orphenadrine citrate er .....           | 95         |
| ORSYTHIA .....                          | 76         |
| oseltamivir phosphate .....             | 39         |
| OSPHENA.....                            | 79         |
| oxacillin sodium .....                  | 9          |
| oxandrolone .....                       | 72         |
| oxaprozin .....                         | 21         |
| oxazepam .....                          | 41         |
| oxcarbazepine .....                     | 12, 15     |
| OXERVATE.....                           | 87         |
| oxiconazole nitrate.....                | 61         |
| OXTELLAR XR .....                       | 15         |
| oxybutynin chloride .....               | 69         |
| oxybutynin chloride er .....            | 69         |
| oxycodone hcl.....                      | 3          |
| oxycodone hcl er.....                   | 2          |
| oxycodone-acetaminophen .....           | 3          |
| oxycodone-aspirin .....                 | 3          |
| oxycodone-ibuprofen.....                | 3          |
| oxymorphone hcl .....                   | 4          |
| OZEMPIK (0.25 OR 0.5<br>MG/DOSE).....   | 42         |
| OZEMPIK (1 MG/DOSE).....                | 42         |
| <b>P</b>                                |            |
| PACERONE .....                          | 48         |
| paliperidone er .....                   | 35         |
| PANRETIN .....                          | 61         |
| pantoprazole sodium.....                | 68         |
| paricalcitol .....                      | 85, 86     |
| paromomycin sulfate .....               | 5          |
| paroxetine hcl .....                    | 18         |
| paroxetine hcl er .....                 | 18         |
| paroxetine mesylate .....               | 18         |

|  |        |
|--|--------|
| PASER .....  | 23     |
| PAXIL .....  | 18     |
| PAZEO .....  | 88     |
| PEDIARIX .....   | 84     |
| PEDVAX HIB .....   | 84     |
| peg 3350/electrolytes.....                               | 68     |
| peg 3350-kcl-na bicarb-nacl ..                           | 68     |
| peg-3350/electrolytes .....                              | 68     |
| PEGANONE .....   | 15     |
| PEGASYS .....  | 36     |
| PEGASYS PROCLICK .....                                   | 36     |
| penicillin g pot in dextrose .....                       | 9      |
| penicillin g potassium.....                              | 9      |
| penicillin g procaine .....                              | 9      |
| penicillin g sodium .....                                | 9      |
| penicillin v potassium.....                              | 10     |
| PENTAM .....   | 31     |
| pentoxifylline er .....                                  | 51     |
| perindopril erbumine .....                               | 47     |
| permethrin .....   | 61     |
| perphenazine.....  | 33     |
| perphenazine-amitriptyline....                           | 33     |
| PERSERIS.....  | 35     |
| phenelzine sulfate.....                                  | 17     |
| phenobarbital.....                                       | 12     |
| phenytoin.....   | 15     |
| phenytoin sodium extended....                            | 15     |
| PHOSPHOLINE IODIDE.....                                  | 89     |
| PICATO .....   | 62     |
| PIFELTRO .....   | 37     |
| pilocarpine hcl .....                                    | 57, 87 |
| pimecrolimus .....                                       | 62     |
| pimozide .....   | 33     |
| PIMTREA .....  | 76     |
| pindolol.....  | 50     |
| pioglitazone hcl .....                                   | 42     |
| pioglitazone hcl-glimepiride ..                          | 42     |
| pioglitazone hcl-metformin hcl .....                     | 42     |
| piperacillin sod-tazobactam so10                         |        |
| PIQRAY (200 MG DAILY DOSE) .....                         | 28     |
| PIQRAY (250 MG DAILY DOSE) .....                         | 28     |
| PIQRAY (300 MG DAILY DOSE) .....                         | 28     |
| PIRMELLA 1/35.....                                       | 76     |
| piroxicam.....   | 21     |
| PLASMA-LYTE 148 .....                                    | 64     |
| PLASMA-LYTE A .....                                      | 64     |
| PLEGRIDY .....   | 56     |
| PLEGRIDY STARTER PACK .....                              | 56     |
| PLENAMINE .....  | 66     |
| podofilox .....  | 62     |
| polymyxin b sulfate .....                                | 6      |
| polymyxin b-trimethoprim .....                           | 88     |
| POMALYST .....   | 28     |
| PORTIA-28 .....  | 76     |
| potassium chloride.....                                  | 64     |
| potassium chloride crys er .....                         | 64     |
| potassium chloride er.....                               | 64     |
| potassium chloride in dextrose .....                     | 64     |
| potassium chloride in nacl .....                         | 64     |
| potassium citrate er.....                                | 70     |
| PRADAXA.....   | 45     |
| PRALUENT .....   | 53     |
| pramipexole dihydrochloride .                            | 32     |
| pramipexole dihydrochloride er .....                     | 32     |
| prasugrel hcl .....                                      | 46     |
| pravastatin sodium.....                                  | 53     |
| praziquantel .....                                       | 30     |
| prazosin hcl.....  | 47     |
| prednicarbate .....                                      | 62     |
| prednisolone .....                                       | 71     |
| prednisolone acetate .....                               | 90     |
| prednisolone sodium phosphate .....                      | 71, 90 |
| prednisone .....   | 72     |
| PREDNISONE INTENSOL...<br>preferred plus insulin syringe | 42     |
| PREFEST .....  | 78     |
| pregabalin .....   | 13     |
| PREMARIN .....   | 71, 78 |
| PREMASOL.....  | 66     |
| PREMPHASE .....  | 78     |
| PREMPRO .....  | 78     |
| prenatal .....   | 66     |
| PREPOPIK .....   | 68     |
| PREVIFEM .....   | 76     |
| PREZCOBIX .....  | 38     |
| PREZISTA .....   | 39     |
| PRIFTIN .....  | 23     |
| primaquine phosphate.....                                | 31     |
| primidone.....   | 12     |
| PROAIR HFA .....   | 93     |
| PROAIR RESPICLICK .....                                  | 93     |
| probenecid .....   | 20     |
| PROCALAMINE .....  | 66     |
| prochlorperazine .....                                   | 33     |
| prochlorperazine maleate.....                            | 33     |
| PROCRIT .....  | 46     |
| PROCTO-MED HC.....                                       | 62     |
| PROCTOSOL HC .....                                       | 62     |
| PROCTOZONE-HC .....                                      | 62     |
| progesterone micronized .....                            | 79     |
| PROGLYCEM .....  | 43     |
| PROGRAF.....   | 82     |
| PROLASTIN-C .....  | 95     |
| PROLENSA .....   | 89     |
| PROLIA.....  | 86     |
| PROMACTA.....  | 46     |
| promethazine hcl .....                                   | 91     |
| promethazine vc plain.....                               | 91     |
| promethazine-phenylephrine ..                            | 91     |
| propafenone hcl .....                                    | 48     |
| propafenone hcl er .....                                 | 48     |
| proparacaine hcl.....                                    | 87     |
| propranolol hcl.....                                     | 50     |
| propranolol hcl er .....                                 | 50     |
| propylthiouracil .....                                   | 81     |
| PROQUAD .....  | 84     |
| PROSOL.....  | 66     |
| protriptyline hcl .....                                  | 18     |
| PULMOZYME.....   | 95     |
| PURIXAN .....  | 24     |
| PYLERA.....  | 67     |
| pyrazinamide .....                                       | 23     |
| pyridostigmine bromide.....                              | 23     |
| pyridostigmine bromide er .....                          | 23     |
| <b>Q</b>   |        |
| QUADRACEL .....  | 84     |
| quetiapine fumarate .....                                | 35     |
| quetiapine fumarate er .....                             | 35     |
| quinapril hcl .....                                      | 47     |
| quinapril-hydrochlorothiazide                            | 49     |
| quinidine gluconate er .....                             | 48     |
| quinidine sulfate .....                                  | 48     |
| quinine sulfate .....                                    | 31     |
| <b>R</b>   |        |
| RABAVERT.....  | 84     |
| rabeprazole sodium.....                                  | 68     |
| raloxifene hcl .....                                     | 79     |
| ramipril .....   | 47     |
| ranitidine hcl .....                                     | 67     |
| ranolazine er .....                                      | 52     |
| rasagiline mesylate .....                                | 32     |
| RAVICTI.....   | 69     |

|                               |        |
|-------------------------------|--------|
| REBETOL                       | 36     |
| RECLIPSEN                     | 76     |
| RECOMBIVAX HB                 | 84     |
| REGRANEX                      | 62     |
| RELENZA DISKHALER             | 40     |
| RELI-ON INSULIN SYRINGE       | 42     |
| repaglinide                   | 42     |
| repaglinide-metformin hcl     | 43     |
| REPATHA                       | 54     |
| REPATHA PUSHTRONEX SYSTEM     | 54     |
| REPATHA SURECLICK             | 54     |
| RESCRIPTOR                    | 37     |
| RESTASIS                      | 87     |
| RESTASIS MULTIDOSE            | 87     |
| RETACRIT                      | 46     |
| REVLIMID                      | 23     |
| REXULTI                       | 35     |
| REYATAZ                       | 39     |
| RIBASPHERE                    | 36     |
| ribavirin                     | 36     |
| rifabutin                     | 23     |
| RIFAMATE                      | 23     |
| rifampin                      | 23     |
| RIFATER                       | 23     |
| riluzole                      | 56     |
| rimantadine hcl               | 40     |
| RIOMET                        | 43     |
| risedronate sodium            | 86     |
| RISPERDAL CONSTA              | 35     |
| risperidone                   | 35     |
| ritonavir                     | 39     |
| rivastigmine                  | 16     |
| rivastigmine tartrate         | 16     |
| rizatriptan benzoate          | 22     |
| ropinirole hcl                | 32     |
| ropinirole hcl er             | 32     |
| rosuvastatin calcium          | 53     |
| ROTARIX                       | 84     |
| ROTATEQ                       | 84     |
| ROWEEPRA                      | 12     |
| ROWEEPRA XR                   | 12     |
| RUBRACA                       | 28     |
| RYDAPT                        | 28     |
| S                             |        |
| SAMSCA                        | 64     |
| SANCUSO                       | 19     |
| SANDIMMUNE                    | 82     |
| SANTYL                        | 62     |
| SAPHRIS                       | 35     |
| SAVELLA                       | 56     |
| SAVELLA TITRATION PACK        | 56     |
| scopolamine                   | 19     |
| selegiline hcl                | 32     |
| selenium sulfide              | 62     |
| SELZENTRY                     | 38, 39 |
| SEREVENT DISKUS               | 93     |
| sertraline hcl                | 18     |
| SETLAKIN                      | 76     |
| sevelamer carbonate           | 70     |
| SHAROBEL                      | 76     |
| SHINGRIX                      | 84     |
| SIGNIFOR                      | 80     |
| sildenafil citrate            | 94     |
| SILENOR                       | 96     |
| silodosin                     | 70     |
| silver sulfadiazine           | 62     |
| SIMBRINZA                     | 89     |
| simvastatin                   | 53     |
| sirolimus                     | 82     |
| SIRTURO                       | 23     |
| SKLICE                        | 62     |
| sodium chloride               | 64, 70 |
| sodium fluoride               | 66     |
| sodium phenylbutyrate         | 69     |
| sodium polystyrene sulfonate  | 64     |
| sofosbuvir-velpatasvir        | 36     |
| solifenacin succinate         | 69     |
| SOLIQUA                       | 43     |
| SOLOXIDE                      | 12     |
| SOLTAMOX                      | 28     |
| SOMATULINE DEPOT              | 80     |
| SOMAVERT                      | 80     |
| SOOLANTRA                     | 62     |
| sotalol hcl                   | 50     |
| sotalol hcl (af)              | 50     |
| sotalol hydrochloride         | 50     |
| SPIRIVA HANDIHALER            | 92     |
| SPIRIVA RESPIMAT              | 92     |
| spironolactone                | 52     |
| spironolactone-hctz           | 49     |
| SPRINTEC 28                   | 76     |
| SPRITAM                       | 12     |
| SPRYCEL                       | 28     |
| SPS                           | 64     |
| SRONYX                        | 77     |
| SSD                           | 62     |
| stavudine                     | 38     |
| STIMATE                       | 79     |
| STIOLTO RESPIMAT              | 93     |
| STIVARGA                      | 28     |
| streptomycin sulfate          | 5      |
| STRIBILD                      | 40     |
| sucralfate                    | 68     |
| sulfacetamide sodium          | 88     |
| sulfacetamide sodium (acne)   | 62     |
| sulfacetamide-prednisolone    | 90     |
| sulfadiazine                  | 11     |
| sulfamethoxazole-trimethoprim | 11     |
| SULFAMYLYON                   | 62     |
| sulfasalazine                 | 85     |
| sulindac                      | 21     |
| sumatriptan                   | 22     |
| sumatriptan succinate         | 22     |
| sumatriptan succinate refill  | 22     |
| sumatriptan-naproxen sodium   | 22     |
| SUPRAX                        | 8      |
| SUPREP BOWEL PREP KIT         | 68     |
| SUTENT                        | 28     |
| SYEDA                         | 77     |
| SYLATRON                      | 28     |
| SYMBICORT                     | 93     |
| SYMDEKO                       | 95     |
| SYMFI                         | 40     |
| SYMFI LO                      | 40     |
| SYMLINPEN 120                 | 43     |
| SYMLINPEN 60                  | 43     |
| SYMPAZAN                      | 13     |
| SYMTUZA                       | 40     |
| SYNAREL                       | 80     |
| SYNJARDY                      | 43     |
| SYNJARDY XR                   | 43     |
| SYNRIBO                       | 28     |
| SYNTHROID                     | 80     |
| T                             |        |
| TABLOID                       | 24     |
| TACLONEX                      | 62     |
| tacrolimus                    | 62, 82 |
| TAFINLAR                      | 29     |
| TAGRISSO                      | 29     |
| TAKHZYRO                      | 87     |
| TALZENNA                      | 29     |
| tamoxifen citrate             | 29     |
| tamsulosin hcl                | 70     |
| TAPERDEX 12-DAY               | 72     |
| TAPERDEX 6-DAY                | 72     |
| TAPERDEX 7-DAY                | 72     |

|                                  |            |
|----------------------------------|------------|
| TARGRETIN .....                  | 62         |
| TARINA 24 FE .....               | 77         |
| TARINA FE 1/20 .....             | 77         |
| TASIGNA .....                    | 29         |
| tazarotene .....                 | 62         |
| TAZICEF .....                    | 8          |
| TAZORAC .....                    | 62         |
| TAZTIA XT .....                  | 51         |
| TDVAX.....                       | 84         |
| TECFIDERA.....                   | 57         |
| TEFLARO.....                     | 8          |
| TEGSEDI .....                    | 87         |
| telmisartan .....                | 47         |
| telmisartan-hctz .....           | 49         |
| temazepam.....                   | 96         |
| TENIVAC .....                    | 84         |
| tenofovir disoproxil fumarate    | 38         |
| terazosin hcl.....               | 47         |
| terbinafine hcl.....             | 20         |
| terbutaline sulfate .....        | 93         |
| terconazole .....                | 71         |
| testosterone.....                | 72         |
| testosterone cypionate .....     | 72         |
| testosterone enanthate .....     | 72         |
| tetanus-diphtheria toxoids td .. | 84         |
| tetrabenazine.....               | 56         |
| THALOMID.....                    | 23         |
| theophylline er.....             | 94         |
| thiordiazine hcl.....            | 33         |
| thiothixene.....                 | 33         |
| tiagabine hcl .....              | 13         |
| TIBSOVO.....                     | 29         |
| tigecycline .....                | 6          |
| TIGLUTIK .....                   | 56         |
| timolol maleate.....             | 22, 50, 89 |
| tinidazole .....                 | 6          |
| TIROSINT .....                   | 80         |
| TIROSINT-SOL.....                | 80         |
| TIVICAY .....                    | 39         |
| tizanidine hcl .....             | 95         |
| TOBI PODHALER .....              | 5          |
| tobramycin.....                  | 5, 88      |
| tobramycin sulfate .....         | 5          |
| tobramycin-dexamethasone....     | 90         |
| TOLAK .....                      | 62         |
| tolbutamide.....                 | 43         |
| tolmetin sodium.....             | 21         |
| tolterodine tartrate .....       | 69         |
| tolterodine tartrate er .....    | 69         |
| topiramate .....                 | 14         |
| topiramate er.....               | 14         |
| toremifene citrate.....          | 29         |
| torsemide .....                  | 52         |
| TOUJEO MAX SOLOSTAR .....        | 44         |
| TOUJEO SOLOSTAR .....            | 44         |
| TPN ELECTROLYTES .....           | 64         |
| TRACLEER .....                   | 94         |
| tramadol hcl.....                | 4          |
| tramadol hcl er .....            | 2          |
| tramadol-acetaminophen .....     | 4          |
| trandolapril .....               | 47         |
| tranexamic acid.....             | 46         |
| TRANSDERM-SCOP (1.5 MG)          |            |
| .....                            | 19         |
| tranylcypromine sulfate .....    | 17         |
| TRAVASOL.....                    | 66         |
| TRAVATAN Z.....                  | 87         |
| trazodone hcl .....              | 16         |
| TRECATOR.....                    | 23         |
| TRELEGY ELLIPTA.....             | 93         |
| TRELSTAR MIXJECT .....           | 29         |
| TRESIBA .....                    | 44         |
| TRESIBA FLEXTOUCH.....           | 44         |
| tretinoïn .....                  | 29, 62     |
| tretinoïn microsphere.....       | 62         |
| TREXALL.....                     | 24         |
| triamcinolone acetonide ...      | 57, 62     |
| triamterene-hctz .....           | 49         |
| triazolam.....                   | 96         |
| trientine hcl.....               | 64         |
| TRI-ESTARYLLA .....              | 77         |
| trifluoperazine hcl.....         | 33         |
| trifluridine.....                | 88         |
| trihexyphenidyl hcl.....         | 31         |
| TRI-LEGEST FE .....              | 77         |
| TRI-LO-ESTARYLLA .....           | 77         |
| TRI-LO-SPRINTEC .....            | 77         |
| TRILYTE .....                    | 68         |
| trimethobenzamide hcl .....      | 19         |
| trimethoprim.....                | 6          |
| TRI-MILI.....                    | 77         |
| trimipramine maleate.....        | 18         |
| TRINTELLIX .....                 | 18         |
| TRI-PREVIFEM .....               | 77         |
| TRI-SPRINTEC .....               | 77         |
| TRIUMEQ.....                     | 39         |
| TRIVORA (28).....                | 77         |
| TRI-VYLIBRA .....                | 77         |
| TRI-VYLIBRA LO .....             | 77         |
| TROKENDI XR .....                | 14         |
| TROPHAMINE .....                 | 66         |
| trospium chloride .....          | 70         |
| trospium chloride er.....        | 69         |
| TRULICITY .....                  | 43         |
| TRUMENBA.....                    | 84         |
| TRUVADA.....                     | 38         |
| TURALIO.....                     | 29         |
| TWINRIX .....                    | 84, 85     |
| TYBOST .....                     | 37         |
| TYDEMY .....                     | 77         |
| TYKERB .....                     | 29         |
| TYMLOS .....                     | 86         |
| TYPHIM VI.....                   | 85         |
| <b>U</b>                         |            |
| UCERIS .....                     | 62         |
| ULORIC .....                     | 20         |
| UNITHROID .....                  | 80         |
| UPTRAVI.....                     | 94         |
| ursodiol .....                   | 66, 67     |
| <b>V</b>                         |            |
| valacyclovir hcl .....           | 37         |
| VALCHLOR .....                   | 63         |
| valganciclovir hcl .....         | 36         |
| valproate sodium .....           | 13         |
| valproic acid .....              | 13         |
| valsartan.....                   | 47         |
| valsartan-hydrochlorothiazide    | 49         |
| vancomycin hcl.....              | 6          |
| VAQTA .....                      | 85         |
| VARIVAX .....                    | 85         |
| VARIZIG .....                    | 83         |
| VASCEPA .....                    | 54         |
| VELIVET .....                    | 77         |
| VELPHORO .....                   | 70         |
| VELTASSA .....                   | 65         |
| VEMLIDY .....                    | 36         |
| VENCLEXTA .....                  | 29         |
| VENCLEXTA STARTING               |            |
| PACK .....                       | 29         |
| venlafaxine hcl.....             | 18         |
| venlafaxine hcl er .....         | 18         |
| verapamil hcl .....              | 51         |
| verapamil hcl er .....           | 51         |
| VERSACLOZ.....                   | 36         |
| VERZENIO .....                   | 29         |
| VIBERZI .....                    | 67         |
| VIBRAMYCIN .....                 | 12         |
| VICTOZA .....                    | 43         |
| VIDEX .....                      | 38         |
| VIDEX EC.....                    | 38         |

|                                  |    |
|----------------------------------|----|
| VIENVA.....                      | 77 |
| vigabatrin.....                  | 14 |
| VIGADRONE .....                  | 14 |
| VIIBRYD .....                    | 16 |
| VIIBRYD STARTER PACK.            | 17 |
| VIMPAT.....                      | 15 |
| VIRACEPT .....                   | 39 |
| VIREAD.....                      | 38 |
| VITRAKVI.....                    | 29 |
| VIVITROL.....                    | 4  |
| VIZIMPRO.....                    | 29 |
| voriconazole .....               | 20 |
| VOSEVI .....                     | 36 |
| VOTRIENT.....                    | 29 |
| VRAYLAR.....                     | 35 |
| VYFEMLA.....                     | 77 |
| VYLIBRA .....                    | 77 |
| VYVANSE.....                     | 55 |
| VYZULTA .....                    | 87 |
| <b>W</b>                         |    |
| warfarin sodium.....             | 45 |
| WIXELA INHUB .....               | 93 |
| <b>X</b>                         |    |
| XALKORI.....                     | 29 |
| XARELTO .....                    | 45 |
| XARELTO STARTER PACK .....       | 45 |
| XATMEP .....                     | 24 |
| XELJANZ .....                    | 83 |
| XELJANZ XR .....                 | 83 |
| XGEVA .....                      | 86 |
| XIFAXAN.....                     | 7  |
| XIIDRA .....                     | 87 |
| XOFLUZA .....                    | 40 |
| XOLAIR.....                      | 95 |
| XOSPATA.....                     | 29 |
| XPOVIO (100 MG ONCE WEEKLY)..... | 29 |
| XPOVIO (60 MG ONCE WEEKLY).....  | 29 |
| XPOVIO (80 MG ONCE WEEKLY).....  | 29 |
| XPOVIO (80 MG TWICE WEEKLY)..... | 30 |
| XTANDI.....                      | 30 |
| XULANE.....                      | 77 |
| XULTOPHY .....                   | 43 |
| XURIDEN .....                    | 69 |
| XYREM.....                       | 96 |
| <b>Y</b>                         |    |
| YF-VAX.....                      | 85 |
| YONSA .....                      | 30 |
| YUVAFEM .....                    | 71 |
| <b>Z</b>                         |    |
| zafirlukast .....                | 91 |
| zaleplon .....                   | 96 |
| ZARAH .....                      | 77 |
| ZARXIO .....                     | 46 |
| ZEJULA .....                     | 30 |
| ZELBORAF .....                   | 30 |
| ZENPEP .....                     | 66 |
| ZERBAXA .....                    | 8  |
| zidovudine .....                 | 38 |
| zileuton er .....                | 91 |
| ziprasidone hcl.....             | 35 |
| ZIRGAN .....                     | 36 |
| ZOLINZA.....                     | 30 |
| zolmitriptan.....                | 22 |
| zolpidem tartrate.....           | 96 |
| zolpidem tartrate er .....       | 96 |
| zonisamide.....                  | 13 |
| ZORTRESS .....                   | 82 |
| ZOSTAVAX.....                    | 85 |
| ZOSYN.....                       | 10 |
| ZOVIA 1/35E (28) .....           | 77 |
| ZTLIDO .....                     | 4  |
| ZYDELIG .....                    | 30 |
| ZYFLO .....                      | 92 |
| ZYKADIA .....                    | 30 |
| ZYPREXA RELPREVV .....           | 35 |
| ZYTIGA .....                     | 30 |

This formulary was updated on 10/22/2019. For more recent information or other questions, please contact us, Care N' Care Health Plan Healthcare Concierge, at 1-877-374-7993 or, for TTY users, 711, October 1 – March 31, seven (7) days a week/8 a.m. – 8 p.m. (CST), or April 1 – September 30, Monday through Friday, 8 a.m. – 8 p.m. (CST), or visit [www.cnchealthplan.com](http://www.cnchealthplan.com).

The Formulary may change at any time. You will receive notice when necessary. Care N' Care Insurance is an HMO and PPO plan with a Medicare contract. Enrollment in Care N' Care depends on contract renewal.

## DISCRIMINATION IS AGAINST THE LAW

Care N' Care complies with applicable federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. Care N' Care does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex. Care N' Care:

- Provides free aids and services to people with disabilities to communicate effectively with us, such as:
  - Qualified sign language interpreters
  - Written information in other formats (large print, audio, accessible electronic formats, other formats)
- Provides free language services to people whose primary language is not English, such as:
  - Qualified interpreters
  - Information written in other languages

If you need these services, contact your Healthcare Concierge at 1-877-374-7993 (TTY: 711) October 1 – March 31, 8AM -8PM (CST), 7 days a week; April 1 - September 30, 8AM - 8PM (CST), Monday through Friday.

If you believe that Care N' Care has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with: Care N' Care, Attn: Appeals and Grievances, 1701 River Run, Suite 402, Fort Worth, TX 76107, 1-877-374-7993, (TTY 711), or via fax at 817-810-5214. You can file a grievance in person or by mail, fax, or email. If you need help filing a grievance, the Appeals and Grievances Department is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at: U.S. Department of Health and Human Services, 200 Independence Avenue SW., Room 509F, HHH Building, Washington, DC 20201, 1-800-368-1019, 800-537-7697 (TDD). Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>

ATTENTION: If you speak a language other than English, language assistance services, free of charge, are available to you. Call 1-877-374-7993 (TTY:711).

Español (Spanish): ATENCIÓN: si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. Llame al 1-877-374-7993 (TTY:711)

Français (French): ATTENTION: Si vous parlez français, des services d'aide linguistique vous sont proposés gratuitement. Appelez le 1-877-374-7993 (ATS: 711).

Русский (Russian): ВНИМАНИЕ: Если вы говорите на русском языке, то вам доступны бесплатные услуги перевода. Звоните 1-877-374-7993 (телефон: 711).

繁體中文 (Chinese): 注意：如果您使用繁體中文，您可以免費獲得語言援助服務。請致電 1-877-374-7993 (TTY:711)。

繁體中文(Japanese): 注意事項：日本語を話される場合、無料の言語支援をご利用いただけます。  
1-877-374-7993 (TTY:711).まで、お電話にてご連絡ください。

한국어 (Korean): 주의: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다.  
1-877-374-7993 (TTY: 711). 번으로 전화해 주십시오.

Tiếng Việt (Vietnamese): CHÚ Ý: Nếu bạn nói Tiếng Việt, có các dịch vụ hỗ trợ ngôn ngữ miễn phí dành cho bạn.  
Gọi số 1-877-374-7993 (TTY:711).

Tagalog: PAUNAWA: Kung nagsasalita ka ng Tagalog, maaari kang gumamit ng mga serbisyo ng tulong sa wika nang walang bayad. Tumawag sa 1-877-374-7993 (TTY: 711).

عربی (Arabic):

مقرب لصتاً .ن اجملا ب اکل رفاوتت ئيوجللا ددعاسمل ا تامدخ نإف ،ةغللا ركذا ثدحتت تنك اذا :قطوحلم  
1-877-374-7993 .(711:TTY)

Deutsch (German): ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlos sprachliche Hilfsdienstleistungen zur Verfügung. Rufnummer: 1-877-374-7993 (TTY: 711).

سamt ىسراف: ىم مهارف امش ىارب ناگييار تروصب ىنابز تلايىست ،دىنك ىم وگتفگ ىسراف نابز مب رگا: هجوت اب .دشاب 1-877-374-7993 (TTY: 711) ديريگب

ह द्वौ (Hindi): ध्यान दें: यदद आप ह द्वौ बोलते हैं तो आपके ललए मुफ़्त में भाषा सहायता सेवाएं उपलब्ध हैं।  
1-877-374-7993 (TTY: 711) पर कॉल करें।

پاکستانی (Urdu): پاکستانی میں تلفظ کے دل کے نابز وک پا آوت، نیہ ٹولوب ودراء (Urdu):

لکھریک 1-877-374-7993 (TTY: 711).

ગુજરાતી (Gujarati): સુચના: જો તમે ગુજરાતી બોલતા હો, તો નનઃશુલ્ક ભાષા સહાય સેવાઓ તમારા માટે ઉપલબ્ધ છે. ફોન કરો 1-877-374-7993 (TTY: 711).

ລາວ/ລາວ (Lao/Lao):

ໄປດຈ້າພັນ: ຖ້າວ່າ ທ່ານໄວ້ພາກ ລາວ, ການບໍ່ກໍານອວ່າລະຫຼືດ້ານພາກ, ໄດ້ບັນຍັງຄ່າ,  
ແມ່ນມີຜົນໃຫ້ວ່ານ. ໄທ 1-877-374-7993 (TTY: 711).

## CARE N' CARE (HMO/PPO) HEALTH PLAN

# Contact Information

---

### Web Address

Visit Care N' Care at  
[www.cnchealthplan.com](http://www.cnchealthplan.com).

### Healthcare Concierge

Care N' Care members call your Healthcare Concierge toll-free at 1-877-374-7993 (TTY 711) for questions related to your Care N' Care Medicare Advantage Plan, October 1 - March 31 8AM – 8PM CST, 7 days a week; April 1 - September 30, 8AM – 8PM CST, Monday through Friday.

### Mailing Address

1701 River Run, Ste. 402  
Fort Worth, TX 76107

### Medicare Information

For more information about Medicare, call Medicare at 1-800-Medicare (1-800-633-4227). TTY users should call 1-877-486-2048. You can call 24 hours a day, seven days a week or, visit <https://www.medicare.gov>.

### Prescription Drug Benefit

Care N' Care members call toll-free 1-855-791-5302 for questions related to your Care N' Care Part D Prescription Benefit.

A part of

## Southwestern Health Resources



### Follow Us

---



@CareNCare



@CNCHHealthPlan



@CareNCareHealth



Care N' Care Insurance Co. Inc.

This formulary was updated on 10/22/2019. For more recent information or other questions, please contact us, Care N' Care Health Plan Healthcare Concierge, at 1-877-374-7993 or, for TTY users, 711, October 1 – March 31, seven (7) days a week/8 a.m. – 8 p.m. (CST), or April 1 – September 30, Monday through Friday, 8 a.m. – 8 p.m. (CST), or visit [www.cnchealthplan.com](http://www.cnchealthplan.com).

The Formulary may change at any time. You will receive notice when necessary. Care N' Care Insurance is an HMO and PPO plan with a Medicare contract. Enrollment in Care N' Care depends on contract renewal.